

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
<b>Diamond drill holes</b>										
OKWD20-001	6	272587	700842	107	239	-60	0.00	14.93	14.93	1.19
							50.00	72.00	22.00	1.44
							85.50	92.00	6.50	0.32
OKWD20-002	5	272749	700944	73	66	-61	0.00	2.00	2.00	0.86
							10.00	13.00	3.00	1.62
							27.00	29.00	2.00	0.49
OKWD20-003	6	272637	700870	87	236	-61	0.00	2.88	2.88	1.91
							7.00	14.80	7.80	1.44
							23.00	31.50	8.50	0.66
							75.50	78.00	2.50	3.71
							112.00	118.75	6.75	0.94
124.46	127.00	2.54	0.55							
OKWD21-004	1	272741	702341	96	235	-60	20.00	22.00	2.00	0.46
							56.00	60.00	4.00	3.36
OKWD21-005	5	272770	701141	75	237	-52	51.00	53.50	2.50	2.04
							83.00	85.00	2.00	3.21
							111.00	113.00	2.00	0.31
OKWD21-006	6	272613	700778	98	241	-51	0.00	5.00	5.00	1.13
							9.90	13.00	3.10	0.94
							21.00	28.00	7.00	0.45
							37.00	63.00	26.00	1.37
OKWD21-007	6	272577	700926	95	238	-51	NSV			
OKWD21-008	2	272986	702796	68	270	-60	NSV			
OKWD21-009	2	272977	702605	79	273	-59	NSV			
OKWD21-010	1	272715	702328	109	240	-60	1.25	26.00	24.75	1.89
							31.00	33.00	2.00	0.48
OKWD21-011	3	272888	701794	102	88	-59	0.00	2.00	2.00	0.33
OKWD21-012	4	272655	701694	130	95	-58	25.50	31.50	6.00	3.06
							43.50	52.50	9.00	0.44
							57.00	74.40	17.40	1.24
OKWD21-013	4	272694	701694	119	89	-60	0.00	43.50	43.50	2.92
							52.20	72.60	20.40	1.49
OKWD21-014	4	272700	701606	101	88	-59	0.00	64.00	64.00	2.43
							71.50	76.50	5.00	0.54
OKWD21-015	4	272667	701603	106	91	-59	0.00	4.50	4.50	0.60
							12.00	14.00	2.00	0.77
							20.00	24.00	4.00	0.39
							34.50	45.00	10.50	0.86
57.00	81.00	24.00	2.26							
OKWD21-016	5	272758	701137	82	243	-59	NSV			
OKWD21-017	5	272584	701211	127	245	-60	NSV			
OKWD21-018	6	272652	700796	87	243	-51	54.00	57.00	3.00	0.64
							61.50	64.50	3.00	0.54
							90.50	99.50	9.00	0.44
							102.50	114.50	12.00	0.34
OKWD21-019	4	272709	701399	114	93	-59	16.75	19.15	2.40	0.60
							82.50	88.50	6.00	1.17
OKWD21-020	5	272708	701050	75	61	-59	27.00	34.50	7.50	0.72
OKWD21-021	5	272596	701219	120	248	-60	1.50	7.50	6.00	3.47
							71.00	75.50	4.50	1.71
OKWD21-022	5	272729	701073	75	65	-59	48.00	50.00	2.00	0.43
OKWD21-023	6	272581	700520	91	60	-60	0.00	2.70	2.70	0.81
							7.50	12.50	5.00	0.87
							21.00	24.00	3.00	0.99
							75.00	79.00	4.00	0.52
OKWD21-024	6	272596	700535	87	62	-60	0.00	3.00	3.00	1.04
							63.00	66.00	3.00	2.23
OKWD21-025	6	272565	700519	87	234	-50	0.00	3.00	3.00	0.75
							5.80	8.70	2.90	0.53
							19.00	21.20	2.20	1.04
OKWD21-026	6	272642	700434	95	246	-58	21.00	24.00	3.00	1.33
							30.00	33.00	3.00	0.77
OKWD21-027	1	272719	702506	88	272	-60	22.50	25.50	3.00	0.42
OKWD21-028	West 4	272610	701692	148	88	-60	NSV			
OKWD21-029	4	272712	701614	100	86	-53	0.00	14.50	14.50	6.98
							25.00	31.00	6.00	2.26
							34.20	43.50	9.30	2.20
							61.50	64.50	3.00	0.45
OKWD21-030	4	272775	701614	83	244	-60	0.00	3.40	3.40	0.50
							28.00	37.50	9.50	2.63
							52.00	56.00	4.00	0.95
							68.00	110.50	42.50	1.82

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	Length			
							From (m)	To (m)	(m)	Gold (g/t)
							130.00	157.50	27.50	1.31
OKWD21-031	4	272772	701707	108	272	-62	30.00	135.40	105.40	5.81
	Including						55.50	63.30	7.80	52.50
	Including						66.00	135.40	69.40	2.50
	Including						88.50	115.50	27.00	3.45
OKWD21-032	4	272699	701558	87	88	-59	7.50	30.00	22.50	1.83
	Including						23.85	30.00	6.15	4.48
							72.00	93.00	21.00	3.19
OKWD21-033	4	272657	701545	92	88	-61	0.00	19.40	19.40	1.63
							22.50	25.50	3.00	0.59
							70.50	81.00	10.50	0.92
							93.00	99.55	6.55	2.27
OKWD21-034	4	272818	701705	103	274	-61	0.00	6.00	6.00	0.53
							87.00	110.60	23.60	0.90
							113.50	116.00	2.50	2.47
							130.65	181.50	50.85	4.23
	Including						149.60	161.50	11.90	4.12
	Including						166.00	176.50	10.50	4.09
OKWD21-035	4	272735	701405	112	99	-59	0.00	9.00	9.00	0.48
OKWD21-036	4	272682	701389	116	97	-60	6.00	34.30	28.30	0.65
							46.50	112.00	65.50	2.16
OKWD21-037	West 4	272609	701800	153	94	-54	NSV			
OKWD21-038	4	272799	701457	91	244	-54	77.50	80.10	2.60	0.45
							90.00	127.00	37.00	16.87
							93.50	94.00	0.50	1106.05
							133.00	164.50	31.50	0.79
OKWD21-039	East 5	272908	701014	102	240	-59	NSV			
OKWD21-040	4	272745	701435	96	3	-58	15.00	22.50	7.50	1.81
							48.00	51.00	3.00	0.65
							60.00	126.50	66.50	1.59
OKWD21-041	4	272778	701902	128	270	-60	12.50	14.50	2.00	0.56
							27.00	33.00	6.00	0.91
							39.00	43.50	4.50	0.37
							60.00	64.50	4.50	0.40
							76.50	117.00	40.50	2.50
	Including						91.50	100.50	9.00	4.11
OKWD21-042	4	272787	701995	129	273	-59	12.00	18.20	6.20	0.48
							37.50	40.50	3.00	0.52
							45.00	48.70	3.70	3.69
							78.00	80.00	2.00	0.30
							86.00	114.00	28.00	1.39
OKWD21-043	East 1	272784	702617	89	271	-60	25.50	36.00	10.50	0.65
							46.50	51.00	4.50	0.86
							73.50	76.50	3.00	0.64
							81.00	84.00	3.00	0.42
							91.50	95.00	3.50	1.55
OKWD21-044	1	272807	702205	130	270	-60	NSV			
OKWD21-045	1	272762	702202	133	273	-59	84.00	102.00	18.00	1.30
	Including						84.00	91.50	7.50	0.56
	Including						94.50	102.00	7.50	0.81
OKWD21-046	1	272825	702112	127	269	-65	43.50	46.50	3.00	0.54
							61.50	69.00	7.50	1.68
							73.50	79.50	6.00	1.09
							82.50	90.00	7.50	1.43
							112.50	117.00	4.50	0.61
							133.50	180.00	46.50	2.44
	Including						171.00	180.00	9.00	6.85
							186.00	192.00	6.00	1.27
OKWD21-047	4+3	272868	701706	96	271	-59	134.75	141.80	7.05	2.44
							151.00	158.50	7.50	1.12
							166.00	170.50	4.50	0.99
							173.50	230.50	57.00	2.22
OKWD21-048	4+3	272834	701994	133	275	-59	7.50	13.50	6.00	0.52
							16.50	18.60	2.10	0.58
							54.50	59.55	5.05	2.66
							156.00	162.00	6.00	2.90
OKWD21-049	4+3	272878	701990	114	274	-62	15.00	18.00	3.00	1.15
							124.00	127.00	3.00	1.04
							156.00	162.00	6.00	2.90
							179.50	186.20	6.70	0.60
OKWD21-050	4+3	272834	701916	121	266	-60	12.90	15.90	3.00	1.08
							52.50	57.00	4.50	5.67
							59.35	61.85	2.50	6.59
							64.35	70.50	6.15	0.66

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	Length			
							From (m)	To (m)	(m)	Gold (g/t)
							86.20	92.00	5.80	1.41
							105.50	110.00	4.50	0.88
							114.50	120.50	6.00	0.51
							135.50	176.50	41.00	1.88
OKWD21-051	4	272785	701796	124	273	-58	22.50	59.00	36.50	5.60
							69.00	73.50	4.50	0.38
							88.50	112.50	24.00	2.26
							138.00	143.50	5.50	0.47
OKWD21-052	4	272833	701800	113	269	-60	48.00	55.65	7.65	0.74
							67.00	69.00	2.00	0.33
OKWD21-052A	4	272844	701796	106	279	-62	91.85	113.50	21.65	1.97
Including							91.85	104.40	12.55	1.71
Including							107.00	113.50	6.50	3.52
							125.00	134.00	9.00	1.52
							155.30	159.00	3.70	3.26
							173.00	191.00	18.00	5.19
							199.00	213.00	14.00	1.61
OKWD21-053	4	272888	701797	97	271	-58	104.50	107.30	2.80	0.45
							129.00	132.00	3.00	3.87
							145.40	179.60	34.20	3.06
							193.00	202.00	9.00	3.51
							205.00	252.00	47.00	2.69
OKWD21-054	4	272822	701611	74	277	-61	82.00	84.85	2.85	0.62
							89.50	105.00	15.50	2.57
							122.00	127.50	5.50	1.45
							139.50	204.00	64.50	2.98
Including							155.00	182.00	27.00	4.65
OKWD21-055	East 1	272810	702610	79	264	-63	1.50	4.00	2.50	0.98
OKWD21-056	4	272741	701510	92	270	-60	7.50	30.00	22.50	2.34
							42.00	69.00	27.00	3.14
							79.00	116.20	37.20	3.72
OKWD21-057	4	272679	701654	130	277	-60	0.00	4.25	4.25	1.02
							18.00	24.00	6.00	0.68
							37.50	45.00	7.50	1.04
OKWD22-058	4	272731	701409	123	265	-60	0.00	8.00	8.00	0.92
							12.00	14.00	2.00	0.68
							36.00	54.40	18.40	3.50
							64.50	69.18	4.68	0.85
OKWD22-059	4	272789	701519	66	270	-61	77.00	109.06	32.06	1.90
Including							78.00	97.38	19.38	2.13
Including							100.00	109.06	9.06	2.10
							117.00	119.00	2.00	0.35
							125.00	188.00	63.00	3.46
Including							134.00	142.00	8.00	8.82
OKWD22-060	East 4	272843	701453	81	263	-60	36.00	38.00	2.00	0.48
							118.00	120.00	2.00	0.46
							136.00	145.00	9.00	1.20
							150.76	158.00	7.24	1.38
							181.00	201.00	20.00	2.22
							252.00	259.00	7.00	1.34
OKWD22-061	East 4	272885	701396	120	267	-59	168.00	170.00	2.00	0.31
							205.00	227.00	22.00	2.68
							231.00	234.04	3.04	0.43
							250.00	257.00	7.00	1.08
OKWD22-062	East 4	272978	701701	77	271	-61	263.00	270.00	7.00	1.13
							276.50	285.00	8.50	3.62
							292.50	339.50	47.00	1.82
							342.50	353.00	10.50	0.70
							357.50	359.80	2.30	2.91
OKWD22-063	East 4	272950	701795	82	270	-61	197.00	203.00	6.00	5.10
							208.00	243.00	35.00	1.54
							252.95	317.65	64.70	2.45
Including							273.00	296.00	23.00	2.67
Including							299.00	317.65	18.65	4.23
OKWD22-064	4	272784	701661	91	269	-60	0.00	2.16	2.16	0.49
							49.50	66.62	17.12	1.10
							75.00	86.00	11.00	4.10
							91.00	111.00	20.00	1.45
							117.00	143.00	26.00	2.04
							152.00	154.00	2.00	0.92
							160.00	162.00	2.00	2.03
OKWD22-065	4	272763	701704	115	181	-59	0.00	5.50	5.50	0.98
							54.00	88.30	34.30	2.01
							96.00	99.00	3.00	1.76

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	Length			
							From (m)	To (m)	(m)	Gold (g/t)
							129.50	141.65	12.15	2.81
							149.00	157.00	8.00	2.14
							178.00	189.00	11.00	1.32
							191.50	221.00	29.50	2.72
							225.70	235.37	9.67	1.15
							240.00	242.70	2.70	0.78
							246.00	262.00	16.00	2.58
OKWD22-066	3	272863	701546	84	263	-60	133.00	151.00	18.00	2.65
							156.00	158.00	2.00	0.69
							163.00	165.00	2.00	1.74
							180.80	187.47	6.67	3.13
							191.00	214.00	23.00	1.76
							217.00	245.00	28.00	3.29
							261.00	264.69	3.69	2.01
							269.00	271.00	2.00	0.34
OKWD22-067	4	272863	702588	76	271	-61	187.00	190.00	3.00	0.43
OKWD22-068	1	272763	702652	96	184	-60	28.00	32.78	4.78	0.60
							39.00	50.00	11.00	0.95
							100.00	103.40	3.40	1.83
							110.00	112.00	2.00	1.06
							118.65	122.00	3.35	0.84
							131.00	140.68	9.68	3.69
							162.00	165.00	3.00	0.52
OKWD22-069	1	272819	702502	80	271	-61	65.00	69.00	4.00	0.30
							101.00	109.00	8.00	0.65
OKWD22-070	4	272765	701704	115	5	-58	0.00	3.45	3.45	0.86
							24.00	34.62	10.62	0.65
							37.70	44.25	6.55	2.89
							67.00	75.00	8.00	6.61
OKWD22-071	East 4	272831	702439	99	276	-63	125.00	127.10	2.10	0.37
							151.30	155.50	4.20	1.79
							191.00	194.00	3.00	0.85
OKWD22-072	1	272769	702301	113	270	-61	76.00	84.00	8.00	2.10
OKWD22-073	East 4	272831	701653	92	267	-63	0.00	3.40	3.40	0.45
							81.00	86.00	5.00	0.41
							108.15	118.30	10.15	0.70
							124.30	141.30	17.00	2.96
							148.00	198.30	50.30	2.40
							211.00	214.50	3.50	3.49
OKWD22-074	1	272756	702256	131	271	-59	54.30	57.90	3.60	0.51
							88.00	93.00	5.00	4.32
OKWD22-075	4	272737	701655	107	271	-59	0.00	5.10	5.10	0.91
							9.20	17.20	8.00	9.35
							21.50	39.00	17.50	3.04
							48.00	52.50	4.50	0.69
							62.70	85.00	22.30	0.62
							90.00	96.30	6.30	1.32
OKWD22-076	4	272691	701609	109	354	-62	0.00	78.00	78.00	2.18
							90.60	97.00	6.40	1.28
OKWD22-077	East 1	272869	702330	118	268	-60	144.51	149.00	4.49	0.58
							170.08	175.00	4.92	1.45
OKWD22-078	4	272689	701612	101	265	-60	0.00	12.19	12.19	1.46
							15.00	25.13	10.13	0.77
							49.09	57.00	7.91	1.59
OKWD22-079	1	272795	702156	125	263	-59	0	3	3.00	0.47
							46.18	49.1	2.92	0.46
							103.5	133	29.50	0.60
	including						103.5	117	13.50	0.56
	including						120	133	13.00	0.76
							139	154	15.00	1.12
	including						139	144	5.00	2.20
	including						147	149.83	2.83	1.41
	including						152	154	2.00	4.21
OKWD22-080	4	272832	701492	82	260	-61	116	126	10.00	1.89
	including						116.00	122.00	6.00	3.05
							130.00	132.00	2.00	0.72
							152.00	175.47	23.47	2.12
	including						157.55	175.47	17.92	2.46
							181.17	191.00	9.83	1.46
	including						181.17	186.00	4.83	2.75
							201.00	209.25	8.25	0.81
							214.00	217.00	3.00	1.32
OKWD22-081	East 4	272868	701346	142	269	-65	29.29	31.64	2.35	0.88
							170.00	172.00	2.00	1.10

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	Length			
							From (m)	To (m)	(m)	Gold (g/t)
							221.00	225.00	4.00	0.37
							233.00	236.00	3.00	0.33
							299.00	301.00	2.00	2.71
OKWD22-082	1	272786	702108	154	273	-63	55.00	61.70	6.70	0.77
							103.00	109.15	6.15	0.71
							118.00	128.00	10.00	1.14
OKWD22-083	4	272748	701348	141			56.30	61.82	5.52	3.06
							84.59	88.29	3.70	1.77
							94.00	96.00	2.00	1.06
OKWD22-084	1	272836	702051	122	268	-63	5.72	10.00	4.28	1.00
							23.00	26.00	3.00	0.72
							43.84	55.00	11.16	2.45
	including						43.84	49.00	5.16	3.99
	including						53.00	55.00	2.00	3.33
							68.00	71.00	3.00	0.41
							87.00	91.00	4.00	0.40
							104.00	107.00	3.00	3.58
							110.00	114.00	4.00	1.35
							145.00	153.00	8.00	0.95
							168.17	173.70	5.53	0.78
							181.68	195.00	13.32	0.40
OKWD22-085	4	272752	701343	142	355	-59	37.00	41.61	4.61	5.39
							47.00	55.00	8.00	1.94
							67.50	76.00	8.50	0.51
	including						73.00	76.00	3.00	0.92
							94.00	120.00	26.00	1.79
	including						98.50	115.50	17.00	2.41
	including						117.87	120.00	2.13	1.85
OKWD22-086	4	272726	701308	144	272	-58	55.50	65.50	10.00	0.46
OKWD22-087	4	272777	701859	122	274	-60	24.61	45.13	20.52	0.56
	including						28.00	35.00	7.00	0.56
	including						39.00	45.13	6.13	0.81
							56.00	134.00	78.00	1.63
	including						56.00	72.82	16.82	1.95
	including						76.00	95.00	19.00	1.06
	including						99.00	104.00	5.00	0.36
	including						108.00	134.00	26.00	2.12
OKWD22-088	East 1	272883	702139	115	272	-61	122.00	139.00	17.00	1.15
	including						122.00	129.00	7.00	1.37
	including						132.00	139.00	7.00	1.36
							150.00	156.00	6.00	0.64
							176.50	192.00	15.50	0.60
	including						176.50	184.32	7.82	0.73
	including						187.00	192.00	5.00	0.67
							203.00	207.00	4.00	0.57
							217.00	228.00	11.00	1.06
							232.00	240.00	8.00	0.40
OKWD22-089	4	272780	701948	136	272	-61	32.00	59.79	27.79	1.63
							81.00	83.00	2.00	0.69
							95.00	108.46	13.46	1.11
							114.00	118.29	4.29	0.41
							122.00	136.00	14.00	3.54
OKWD22-090	4	272810	701354	135	266	-62	62.00	64.50	2.50	1.73
							104.00	110.00	6.00	0.99
							138.11	176.00	37.89	1.41
	including						138.11	148.18	10.07	2.67
	including						151.00	176.00	25.00	1.05
							206.00	208.00	2.00	0.35
							244.00	246.00	2.00	0.49
OKWD22-091	4	272828	701942	124	267	-60	18.00	24.00	6.00	6.41
							71.75	75.20	3.45	0.34
							80.00	82.00	2.00	2.25
							91.00	114.50	23.50	1.33
	Including						91.00	108.00	17.00	1.75
							129.00	131.00	2.00	3.63
							140.00	183.00	43.00	1.69
	Including						140.00	163.50	23.50	1.69
	Including						168.00	174.00	6.00	2.18
							181.00	183.00	2.00	9.33
							194.00	199.00	5.00	0.54
OKWD22-092	4	272753	701748	130	278	-63	7.72	24.15	16.43	1.72
							36.15	44.12	7.97	1.69
							66.00	110.00	44.00	1.08
	Including						66.00	70.00	4.00	1.91

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	Length			
							From (m)	To (m)	(m)	Gold (g/t)
	Including						74.00	78.84	4.84	0.70
	Including						83.00	100.00	17.00	1.79
	Including						105.36	110.00	4.64	1.10
OKWD22-093	4	272810	701756	119	275	-61	8.00	13.00	5.00	1.38
							66.00	176.00	110.00	2.78
	Including						66.00	85.00	19.00	2.59
	Including						89.00	93.00	4.00	26.18
	Including						99.00	111.61	12.61	1.42
	Including						118.14	128.00	9.86	2.81
	Including						130.37	135.00	4.63	1.37
	Including						140.10	156.00	15.90	3.21
	Including						160.00	176.00	16.00	2.88
OKWD22-094	5	272722	701222	122	274	-62	24.00	29.50	5.50	0.74
							39.00	51.50	12.50	0.75
							85.00	89.00	4.00	0.72
							106.50	112.00	5.50	0.73
							151.00	154.00	3.00	0.55
							164.50	167.50	3.00	1.27
							171.00	177.00	6.00	0.70
OKWD22-095	4	272801	701845	138	271	-61	13.00	16.00	3.00	0.75
							39.78	45.44	5.66	9.44
							62.00	68.00	6.00	0.88
							79.00	82.00	3.00	0.36
							85.00	95.32	10.32	3.38
							132.64	145.00	12.36	0.65
							158.00	164.00	6.00	2.18
OKWD22-096	4	272848	701743	113	277	-63	0.00	2.00	2.00	0.68
							6.00	22.00	16.00	0.56
							96.00	99.00	3.00	0.39
							118.00	146.00	28.00	1.41
							163.70	221.40	57.70	4.06
OKWD22-097	5	272660	701215	128	275	-62	19.00	22.40	3.40	0.99
							27.00	29.00	2.00	0.53
							83.00	87.00	4.00	0.86
							98.25	108.00	9.75	16.74
	Including						98.25	101.00	2.75	57.26
	Including						104.00	108.00	4.00	1.39
OKWD22-098	East 4	272921	701714	85	272	-61	178.60	183.00	4.40	1.02
							186.80	197.30	10.50	2.09
							204.00	216.00	12.00	1.81
							233.00	239.00	6.00	1.15
							248.60	287.00	38.40	1.60
OKWD22-099	4	272726	701701	118	272	-62	3.00	5.00	2.00	0.55
							12.00	50.00	38.00	3.56
							57.00	59.00	2.00	2.54
							66.50	73.00	6.50	0.56
							88.00	91.00	3.00	0.98
OKWD22-100	5	272751	701208	113	267	-60	69.00	71.40	2.40	0.59
							75.15	86.00	10.85	0.82
							96.00	100.30	4.30	1.15
							156.00	158.00	2.00	1.41
							168.00	172.00	4.00	2.54
							214.00	218.00	4.00	0.55
							222.00	226.00	4.00	0.40
OKWD22-101	4	272883	701631	94	267	-58	148.60	154.50	5.90	1.06
							157.50	161.00	3.50	0.52
							165.00	167.50	2.50	0.96
							175.00	179.50	4.50	3.08
							189.30	199.70	10.40	3.69
							202.50	229.00	26.50	1.23
							231.50	243.50	12.00	1.46
							245.60	256.00	10.40	1.69
OKWD22-102	1	272732	702396	91	271	-58	36.00	45.00	9.00	1.15
OKWD22-103	4	272785	701278	132	267	-59	105.00	109.00	4.00	0.62
							123.00	125.00	2.00	0.58
							187.00	190.25	3.25	0.50
OKWD22-104	East 4	272870	701593	83	264	-60	138.00	143.35	5.35	0.88
							159.00	167.00	8.00	0.78
							175.00	179.00	4.00	2.00
							190.55	221.00	30.45	2.05
							225.00	260.00	35.00	2.10
OKWD22-105	1	272778	702505	83	264	-60	18.30	20.90	2.60	3.32
							60.00	62.00	2.00	0.42
							85.50	89.55	4.05	3.22

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	Length				
							From (m)	To (m)	(m)	Gold (g/t)	
							150.90	154.00	3.10	61.44	
OKWD22-106	4	272901	701529	83	267	-60	47.00	49.50	2.50	0.48	
							182.00	198.80	16.80	1.54	
							224.00	227.45	3.45	4.91	
							231.63	235.00	3.37	0.34	
							238.80	282.00	43.20	1.92	
OKWD22-107	1	272857	702256	114	268	-61	78.00	81.00	3.00	0.78	
							173.00	177.63	4.63	0.53	
							211.00	213.00	2.00	5.91	
OKWD22-108	1	272764	702447	89	269	-57	69.00	75.30	6.30	0.81	
OKWD22-109	1	272807	702557	70	268	-59	90.00	92.00	2.00	0.35	
							118.00	120.20	2.20	0.55	
OKWD22-110	East 4	272874	701898	119	267	-63	Pending Assay				
OKWD22-111	1	272802	702257	119	265	-73	NSV				
OKWD22-112	East 4	273101	701800	78	265	-73	452.40	481.00	28.60	0.96	
							including	452.40	468.00	15.60	1.31
							including	472.00	476.00	4.00	1.38
								490.50	506.20	15.70	1.32
								515.00	586.15	71.15	3.68
							including	515.00	522.00	7.00	4.01
							including	525.00	546.75	21.75	3.80
							including	549.00	586.15	37.15	4.06
OKWD22-113	1	272760	702654	104	276	-61	55.00	57.60	2.60	1.35	
							85.50	88.50	3.00	0.41	
							115.00	118.00	3.00	2.24	
OKWD22-114	1	272806	702295	114	265	-64	114.00	117.00	3.00	1.46	
							138.60	145.00	6.40	2.16	
							149.00	152.00	3.00	1.16	
OKWD22-115	1	272790	702397	99	264	-60	93.00	95.00	2.00	0.59	
							99.00	104.00	5.00	0.57	
							107.00	109.00	2.00	0.57	
							113.00	115.00	2.00	1.06	
							119.00	121.00	2.00	0.37	
OKWD22-116	1	272863	702497	80	265	-63	179.00	184.00	5.00	0.45	
							187.00	196.00	9.00	0.79	
OKWD22-117	4	272912	701434	64	271	-60	215.20	220.60	5.40	8.26	
							248.90	253.75	4.85	6.43	
							256.00	266.30	10.30	1.57	
							270.90	273.65	2.75	1.51	
							279.50	283.50	4.00	0.57	
							317.20	319.40	2.20	0.34	
OKWD22-118	East 1	272899	702543	83	265	-58	Pending Assay				
OKWD22-119	East 4	272938	701645	81	268	-57	Pending Assay				
OKWD22-120	1	272751	702158	140	280	-59	41.00	45.85	4.85	0.96	
							87.00	98.65	11.65	4.18	
OKWD22-121	1	272787	702047	142	260	-61	Pending Assay				
OKWD22-122	East 4	272933	701603	79	271	-62	213.20	220.30	7.10	1.34	
							241.00	248.90	7.90	1.62	
							253.25	257.80	4.55	0.50	
							263.00	314.00	51.00	3.29	
							319.75	322.60	2.85	4.22	
OKWD22-123	4	272749	701986	140	274	-61	20.00	22.00	2.00	0.31	
							24.00	26.00	2.00	0.32	
							48.00	85.50	37.50	1.53	
							including	48.00	62.55	14.55	1.68
							including	65.80	85.50	19.70	1.66
OKWD22-124	4	272887	701499	81	265	-63	179.90	183.55	3.65	1.07	
							191.90	195.60	3.70	6.26	
							202.60	207.30	4.70	1.07	
							221.70	271.50	49.80	4.12	
OKWD22-125	4	272705	701897	142	270	-62	8.70	40.00	31.30	3.43	
							46.00	48.00	2.00	1.79	
OKWD22-126	4	272741	701901	134	270	-61	Pending Assay				
OKWD22-127	4	272729	701854	145	270	-60	14.00	19.00	5.00	2.12	
							33.00	40.50	7.50	0.93	
							43.50	92.00	48.50	3.18	
OKWD22-128	East 4	272949	701507	83	266	-60	61.00	64.00	3.00	2.86	
							127.00	129.00	2.00	0.57	
							248.60	252.50	3.90	4.81	
							260.40	262.60	2.20	0.50	
							279.20	286.50	7.30	2.72	
							291.50	328.80	37.30	1.48	
							including	291.50	301.60	10.10	1.26
							including	304.00	328.80	24.80	1.69

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	Length		Gold (g/t)		
							From (m)	To (m)			
							340.00	342.00	2.00	0.36	
OKWD22-129	East 1	272930	702454	77	266	-59	221.30	225.20	3.90	1.36	
							243.45	247.55	4.10	2.79	
							256.75	259.70	2.95	1.01	
OKWD22-130	East 4	272881	701950	113	266	-61	Pending Assay				
OKWD22-131	East 4	272860	701281	136	268	-62	312.50	315.15	2.65	0.72	
OKWD22-132	4	272851	701859	114	266	-60	2.00	13.50	11.50	3.06	
							60.00	65.00	5.00	6.33	
							75.00	88.00	13.00	1.92	
OKWD22-133	East 1	272926	702508	77	270	-58	215.00	226.00	11.00	0.55	
OKWD22-134	East 1	272918	701273	127	278	-61	Pending Assay				
OKWD22-135	4	272706	701794	129	275	-61	4.50	57.00	52.50	5.19	
							including	4.50	12.00	7.50	2.46
							including	15.90	26.00	10.10	2.69
							including	30.00	57.00	27.00	8.36
OKWD22-136	East 1	272907	702344	88	272	-60	Pending Assay				
OKWD22-137	4	272743	701787	135	271	-62	13.20	27.50	14.30	2.35	
							35.00	39.00	4.00	2.21	
							69.40	77.00	7.60	2.08	
							102.00	105.30	3.30	1.92	
OKWD22-138	4	272835	701382	95	273	-59	131.00	164.30	33.30	2.15	
							including	131.00	139.00	8.00	3.58
							including	143.00	164.30	21.30	2.01
							186.10	189.50	3.40	0.40	
							200.00	204.00	4.00	1.29	
OKWD22-139	1	272784	702361	116	270	-59	63.00	65.50	2.50	0.63	
							99.00	103.40	4.40	2.21	
OKWD22-140	4	272787	701404	132	269	-60	77.00	84.50	7.50	1.94	
							94.90	101.00	6.10	0.63	
							112.70	120.00	7.30	1.83	
							129.80	132.10	2.30	0.69	
							140.20	151.50	11.30	1.32	
							157.80	160.20	2.40	0.87	
							163.20	172.70	9.50	0.72	
185.00	189.00	4.00	0.80								
OKWD22-141	East 4	272941	701898	109	259	-58	171.50	184.90	13.40	3.13	
							199.00	203.00	4.00	0.93	
							221.00	223.00	2.00	1.79	
							227.30	230.70	3.40	2.64	
							239.60	246.20	6.60	0.57	
							258.00	263.00	5.00	3.84	
							267.00	274.00	7.00	0.72	
290.40	295.50	5.10	0.65								
OKWD22-142	4	272837	702199	128	271	-61	Pending Assay				
OKWD22-143	4	272790	701498	89	271	-61	Pending Assay				
OKWD22-144	4	272704	701498	97	269	-61	Pending Assay				
OKWD22-145	East 1	272846	702299	103	272	-59	Pending Assay				
OKWD22-146	4	272692	701443	98	267	-59	0.00	6.00	6.00	2.45	
							26.10	47.75	21.65	1.16	
							64.00	69.00	5.00	0.41	