

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
Diamond drill holes										
OKWD20-001	6	272587	700842	107	239	-60	0.00	14.93	14.93	1.19
							50.00	72.00	22.00	1.44
							85.50	92.00	6.50	0.32
OKWD20-002	5	272749	700944	73	66	-61	0.00	2.00	2.00	0.86
							10.00	13.00	3.00	1.62
							27.00	29.00	2.00	0.49
OKWD20-003	6	272637	700870	87	236	-61	0.00	2.88	2.88	1.91
							7.00	14.80	7.80	1.44
							23.00	31.50	8.50	0.66
							75.50	78.00	2.50	3.71
							112.00	118.75	6.75	0.94
124.46	127.00	2.54	0.55							
OKWD21-004	1	272741	702341	96	235	-60	20.00	22.00	2.00	0.46
							56.00	60.00	4.00	3.36
OKWD21-005	5	272770	701141	75	237	-52	51.00	53.50	2.50	2.04
							83.00	85.00	2.00	3.21
							111.00	113.00	2.00	0.31
OKWD21-006	6	272613	700778	98	241	-51	0.00	5.00	5.00	1.13
							9.90	13.00	3.10	0.94
							21.00	28.00	7.00	0.45
							37.00	63.00	26.00	1.37
OKWD21-007	6	272577	700926	95	238	-51				NSV
OKWD21-008	2	272986	702796	68	270	-60				NSV
OKWD21-009	2	272977	702605	79	273	-59				NSV
OKWD21-010	1	272715	702328	109	240	-60	1.25	26.00	24.75	1.89
							31.00	33.00	2.00	0.48
OKWD21-011	3	272888	701794	102	88	-59	0.00	2.00	2.00	0.33
OKWD21-012	4	272655	701694	130	95	-58	25.50	31.50	6.00	3.06
							43.50	52.50	9.00	0.44
							57.00	74.40	17.40	1.24
OKWD21-013	4	272694	701694	119	89	-60	0.00	43.50	43.50	2.92
							52.20	72.60	20.40	1.49
OKWD21-014	4	272700	701606	101	88	-59	0.00	64.00	64.00	2.43
							71.50	76.50	5.00	0.54
OKWD21-015	4	272667	701603	106	91	-59	0.00	4.50	4.50	0.60
							12.00	14.00	2.00	0.77
							20.00	24.00	4.00	0.39
							34.50	45.00	10.50	0.86
57.00	81.00	24.00	2.26							
OKWD21-016	5	272758	701137	82	243	-59				NSV
OKWD21-017	5	272584	701211	127	245	-60				NSV
OKWD21-018	6	272652	700796	87	243	-51	54.00	57.00	3.00	0.64
							61.50	64.50	3.00	0.54
							90.50	99.50	9.00	0.44
							102.50	114.50	12.00	0.34
OKWD21-019	4	272709	701399	114	93	-59	16.75	19.15	2.40	0.60
							82.50	88.50	6.00	1.17
OKWD21-020	5	272708	701050	75	61	-59	27.00	34.50	7.50	0.72

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
Diamond drill holes										
OKWD21-021	5	272596	701219	120	248	-60	1.50	7.50	6.00	3.47
							71.00	75.50	4.50	1.71
OKWD21-022	5	272729	701073	75	65	-59	48.00	50.00	2.00	0.43
OKWD21-023	6	272581	700520	91	60	-60	0.00	2.70	2.70	0.81
							7.50	12.50	5.00	0.87
							21.00	24.00	3.00	0.99
							75.00	79.00	4.00	0.52
OKWD21-024	6	272596	700535	87	62	-60	0.00	3.00	3.00	1.04
							63.00	66.00	3.00	2.23
OKWD21-025	6	272565	700519	87	234	-50	0.00	3.00	3.00	0.75
							5.80	8.70	2.90	0.53
							19.00	21.20	2.20	1.04
OKWD21-026	6	272642	700434	95	246	-58	21.00	24.00	3.00	1.33
							30.00	33.00	3.00	0.77
OKWD21-027	1	272719	702506	88	272	-60	22.50	25.50	3.00	0.42
OKWD21-028	West 4	272610	701692	148	88	-60				NSV
OKWD21-029	4	272712	701614	100	86	-53	0.00	14.50	14.50	6.98
							25.00	31.00	6.00	2.26
							34.20	43.50	9.30	2.20
							61.50	64.50	3.00	0.45
OKWD21-030	4	272775	701614	83	244	-60	0.00	3.40	3.40	0.50
							28.00	37.50	9.50	2.63
							52.00	56.00	4.00	0.95
							68.00	110.50	42.50	1.82
							130.00	157.50	27.50	1.31
OKWD21-031	4	272772	701707	108	272	-62	30.00	135.40	105.40	5.81
Including							55.50	63.30	7.80	52.50
Including							66.00	135.40	69.40	2.50
Including							88.50	115.50	27.00	3.45
OKWD21-032	4	272699	701558	87	88	-59	7.50	30.00	22.50	1.83
Including							23.85	30.00	6.15	4.48
							72.00	93.00	21.00	3.19
OKWD21-033	4	272657	701545	92	88	-61	0.00	19.40	19.40	1.63
							22.50	25.50	3.00	0.59
							70.50	81.00	10.50	0.92
							93.00	99.55	6.55	2.27
OKWD21-034	4	272818	701705	103	274	-61	0.00	6.00	6.00	0.53
							87.00	110.60	23.60	0.90
							113.50	116.00	2.50	2.47
							130.65	181.50	50.85	4.23
Including							149.60	161.50	11.90	4.12
Including							166.00	176.50	10.50	4.09
OKWD21-035	4	272735	701405	112	99	-59	0.00	9.00	9.00	0.48
OKWD21-036	4	272682	701389	116	97	-60	6.00	34.30	28.30	0.65
							46.50	112.00	65.50	2.16
OKWD21-037		272609	701800	153	94	-54				NSV
OKWD21-038	4	272799	701457	91	244	-54	77.50	80.10	2.60	0.45
							90.00	127.00	37.00	16.87

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
Diamond drill holes										
							93.50	94.00	0.50	1106.05
							133.00	164.50	31.50	0.79
OKWD21-039	East 5	272908	701014	102	240	-59				NSV
OKWD21-040	4	272745	701435	96	3	-58	15.00	22.50	7.50	1.81
							48.00	51.00	3.00	0.65
							60.00	126.50	66.50	1.59
OKWD21-041	4	272778	701902	128	270	-60	12.50	14.50	2.00	0.56
							27.00	33.00	6.00	0.91
							39.00	43.50	4.50	0.37
							60.00	64.50	4.50	0.40
							76.50	117.00	40.50	2.50
Including							91.50	100.50	9.00	4.11
OKWD21-042	4	272787	701995	129	273	-59	12.00	18.20	6.20	0.48
							37.50	40.50	3.00	0.52
							45.00	48.70	3.70	3.69
							78.00	80.00	2.00	0.30
							86.00	114.00	28.00	1.39
OKWD21-043	East 1	272784	702617	89	271	-60	25.50	36.00	10.50	0.65
							46.50	51.00	4.50	0.86
							73.50	76.50	3.00	0.64
							81.00	84.00	3.00	0.42
							91.50	95.00	3.50	1.55
OKWD21-044	1	272807	702205	130	270	-60				NSV
OKWD21-045	1	272762	702202	133	273	-59	84.00	102.00	18.00	1.30
Including							84.00	91.50	7.50	0.56
Including							94.50	102.00	7.50	0.81
OKWD21-046	1	272825	702112	127	269	-65	43.50	46.50	3.00	0.54
							61.50	69.00	7.50	1.68
							73.50	79.50	6.00	1.09
							82.50	90.00	7.50	1.43
							112.50	117.00	4.50	0.61
							133.50	180.00	46.50	2.44
Including							171.00	180.00	9.00	6.85
							186.00	192.00	6.00	1.27
OKWD21-047	4+3	272868	701706	96	271	-59	134.75	141.80	7.05	2.44
							151.00	158.50	7.50	1.12
							166.00	170.50	4.50	0.99
							173.50	230.50	57.00	2.22
OKWD21-048	4+3	272834	701994	133	275	-59	7.50	13.50	6.00	0.52
							16.50	18.60	2.10	0.58
							54.50	59.55	5.05	2.66
							156.00	162.00	6.00	2.90
OKWD21-049	4+3	272878	701990	114	274	-62	15.00	18.00	3.00	1.15
							124.00	127.00	3.00	1.04
							156.00	162.00	6.00	2.90
							179.50	186.20	6.70	0.60
OKWD21-050	4+3	272834	701916	121	266	-60	12.90	15.90	3.00	1.08
							52.50	57.00	4.50	5.67

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
Diamond drill holes										
							59.35	61.85	2.50	6.59
							64.35	70.50	6.15	0.66
							86.20	92.00	5.80	1.41
							105.50	110.00	4.50	0.88
							114.50	120.50	6.00	0.51
							135.50	176.50	41.00	1.88
OKWD21-051	4	272785	701796	124	273	-58	22.50	59.00	36.50	5.60
							69.00	73.50	4.50	0.38
							88.50	112.50	24.00	2.26
							138.00	143.50	5.50	0.47
OKWD21-052	4	272833	701800	113	269	-60	48.00	55.65	7.65	0.74
							67.00	69.00	2.00	0.33
OKWD21-053	4	272888	701797	97	271	-58	104.50	107.30	2.80	0.45
							129.00	132.00	3.00	3.87
							145.40	179.60	34.20	3.06
							193.00	202.00	9.00	3.51
							205.00	252.00	47.00	2.69
OKWD21-054	4	272822	701611	74	277	-61	82.00	84.85	2.85	0.62
							89.50	105.00	15.50	2.57
							122.00	127.50	5.50	1.45
							139.50	204.00	64.50	2.98
Including							155.00	182.00	27.00	4.65
OKWD21-055	East 1	272810	702610	79	264	-63	1.50	4.00	2.50	0.98
OKWD21-056	4	272741	701510	92	270	-60	7.50	30.00	22.50	2.34
							42.00	69.00	27.00	3.14
							79.00	116.20	37.20	3.72
OKWD21-057	4	272679	701654	130	277	-60	0.00	4.25	4.25	1.02
							18.00	24.00	6.00	0.68
							37.50	45.00	7.50	1.04
OKWD22-058	4	272731	701409	123	265	-60	0.00	8.00	8.00	0.92
							12.00	14.00	2.00	0.68
							36.00	54.40	18.40	3.50
							64.50	69.18	4.68	0.85
OKWD22-059	4	272789	701519	66	270	-61	77.00	109.06	32.06	1.90
Including							78.00	97.38	19.38	2.13
Including							100.00	109.06	9.06	2.10
							117.00	119.00	2.00	0.35
							125.00	188.00	63.00	3.46
Including							134.00	142.00	8.00	8.82
OKWD22-060	East 4	272843	701453	81	263	-60	36.00	38.00	2.00	0.48
							118.00	120.00	2.00	0.46
							136.00	145.00	9.00	1.20
							150.76	158.00	7.24	1.38
							181.00	201.00	20.00	2.22
							252.00	259.00	7.00	1.34
OKWD22-061	East 4	272885	701396	120	267	-59	168.00	170.00	2.00	0.31
							205.00	227.00	22.00	2.68
							231.00	234.04	3.04	0.43

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
Diamond drill holes										
							250.00	257.00	7.00	1.08
OKWD22-062	East 4	272978	701701	77	271	-61	263.00	270.00	7.00	1.13
							276.50	285.00	8.50	3.62
							292.50	339.50	47.00	1.82
							342.50	353.00	10.50	0.70
							357.50	359.80	2.30	2.91
OKWD22-063	East 4	272950	701795	82	270	-61	197.00	203.00	6.00	5.10
							208.00	243.00	35.00	1.54
							252.95	317.65	64.70	2.45
							273.00	296.00	23.00	2.67
							299.00	317.65	18.65	4.23
OKWD22-064	4	272784	701661	91	269	-60	0.00	2.16	2.16	0.49
							49.50	66.62	17.12	1.10
							75.00	86.00	11.00	4.10
							91.00	111.00	20.00	1.45
							117.00	143.00	26.00	2.04
							152.00	154.00	2.00	0.92
							160.00	162.00	2.00	2.03
OKWD22-065	4	272763	701704	115	181	-59	0.00	5.50	5.50	0.98
							54.00	88.30	34.30	2.01
							96.00	99.00	3.00	1.76
							129.50	141.65	12.15	2.81
							149.00	157.00	8.00	2.14
							178.00	189.00	11.00	1.32
							191.50	221.00	29.50	2.72
							225.70	235.37	9.67	1.15
							240.00	242.70	2.70	0.78
246.00	262.00	16.00	2.58							
OKWD22-066	3	272863	701546	84	263	-60	133.00	151.00	18.00	2.65
							156.00	158.00	2.00	0.69
							163.00	165.00	2.00	1.74
							180.80	187.47	6.67	3.13
							191.00	214.00	23.00	1.76
							217.00	245.00	28.00	3.29
							261.00	264.69	3.69	2.01
							269.00	271.00	2.00	0.34
OKWD22-067	4	272863	702588	76	271	-61	187.00	190.00	3.00	0.43
OKWD22-068	1	272763	702652	96	184	-60	28.00	32.78	4.78	0.60
							39.00	50.00	11.00	0.95
							100.00	103.40	3.40	1.83
							110.00	112.00	2.00	1.06
							118.65	122.00	3.35	0.84
							131.00	140.68	9.68	3.69
OKWD22-069	1	272819	702502	80	271	-61	65.00	69.00	4.00	0.30
							101.00	109.00	8.00	0.65
OKWD22-070	4	272765	701704	115	5	-58	0.00	3.45	3.45	0.86
							24.00	34.62	10.62	0.65

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
Diamond drill holes										
							37.70	44.25	6.55	2.89
							67.00	75.00	8.00	6.61
OKWD22-071	East 4	272831	702439	99	276	-63	125.00	127.10	2.10	0.37
							151.30	155.50	4.20	1.79
							191.00	194.00	3.00	0.85
OKWD22-072	1	272769	702301	113	270	-61	76.00	84.00	8.00	2.10
OKWD22-073	East 4	272831	701653	92	267	-63	0.00	3.40	3.40	0.45
							81.00	86.00	5.00	0.41
							108.15	118.30	10.15	0.70
							124.30	141.30	17.00	2.96
							148.00	198.30	50.30	2.40
							211.00	214.50	3.50	3.49
OKWD22-074	1	272756	702256	131	271	-59	54.30	57.90	3.60	0.51
							88.00	93.00	5.00	4.32
OKWD22-075	4	272737	701655	107	271	-59	0.00	5.10	5.10	0.91
							9.20	17.20	8.00	9.35
							21.50	39.00	17.50	3.04
							48.00	52.50	4.50	0.69
							62.70	85.00	22.30	0.62
							90.00	96.30	6.30	1.32
OKWD22-076	4	272691	701609	109	354	-62	0.00	78.00	78.00	2.18
							90.60	97.00	6.40	1.28
OKWD22-077	East 1	272869	702330	118	268	-60	144.51	149.00	4.49	0.58
							170.08	175.00	4.92	1.45
OKWD22-078	4	272689	701612	101	265	-60	0.00	12.19	12.19	1.46
							15.00	25.13	10.13	0.77
							49.09	57.00	7.91	1.59