

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|------------|----------------|-----------------|-----------|------------|----------------|-------|----------|--------|-----------------------|----------------|----------------------------------|----------|-----------------|
| OKWD20-001 | 272587 | 700842 | 107.451 | -60 | 239 | 6 | 6 | 14.9 | 8.9 | 1.19 | 11 | | 0.3 |
| OKWD20-001 | 272587 | 700842 | 107.451 | -60 | 239 | 6 | 50.0 | 92.0 | 42.0 | 0.85 | 36 | | 0.3 |
| inc | | | | | | | 50.0 | 53.0 | 3.0 | 3.08 | 9 | | 1.5 |
| inc | | | | | | | 57.5 | 63.0 | 5.5 | 2.11 | 12 | | 1.5 |
| OKWD20-002 | 272749 | 700944 | 73.373 | -61 | 66 | 6 | 0.0 | 13.0 | 13.0 | 0.59 | 8 | | 0.3 |
| OKWD20-003 | 272637 | 700870 | 87.293 | -61 | 236 | 6 | 0.0 | 31.5 | 31.5 | 0.79 | 25 | | 0.3 |
| OKWD20-003 | 272637 | 700870 | 87.293 | -61 | 236 | 6 | 112.0 | 127.0 | 15.0 | 0.57 | 9 | | 0.3 |
| OKWD21-004 | 272741 | 702341 | 96.007 | -60 | 235 | 1 | 56.0 | 60.0 | 4.0 | 3.36 | 13 | 3.4 | 1.5 |
| OKWD21-006 | 272613 | 700778 | 98.489 | -51 | 241 | 6 | 0.0 | 63.0 | 63.0 | 0.80 | 51 | | 0.3 |
| inc | | | | | | | 55.5 | 61.0 | 5.5 | 2.24 | 12 | | 1.5 |
| OKWD21-010 | 272715 | 702328 | 108.51 | -60 | 240 | 1 | 1.3 | 33.0 | 31.8 | 1.50 | 48 | 27.6 | 0.3 |
| inc | | | | | | | 10.0 | 22.3 | 12.3 | 2.82 | 35 | 10.6 | 1.5 |
| OKWD21-012 | 272655 | 701694 | 129.934 | -58 | 95 | 4 | 25.5 | 74.4 | 48.9 | 0.95 | 46 | 44.0 | 0.3 |
| inc | | | | | | | 25.5 | 31.5 | 6.0 | 3.06 | 18 | 5.1 | 1.5 |
| inc | | | | | | | 63.0 | 70.5 | 7.5 | 2.00 | 15 | 6.4 | 1.5 |
| OKWD21-013 | 272694 | 701694 | 119.067 | -60 | 89 | 4 | 0.0 | 77.0 | 77.0 | 2.07 | 160 | 66.4 | 0.3 |
| inc | | | | | | | 0.0 | 8.0 | 8.0 | 2.12 | 17 | 6.9 | 1.5 |
| inc | | | | | | | 13.5 | 18.0 | 4.5 | 1.51 | 7 | 3.9 | 1.5 |
| inc | | | | | | | 21.0 | 24.0 | 3.0 | 2.48 | 7 | 2.6 | 1.5 |
| inc | | | | | | | 36.0 | 39.5 | 3.5 | 18.70 | 65 | 3.0 | 1.5 |
| inc | | | | | | | 56.5 | 59.5 | 3.0 | 3.58 | 11 | 2.6 | 1.5 |
| OKWD21-014 | 272700 | 701606 | 101.065 | -59 | 88 | 4 | 0.0 | 76.5 | 76.5 | 2.08 | 159 | 67.9 | 0.3 |
| inc | | | | | | | 5.0 | 9.0 | 4.0 | 6.20 | 25 | 3.4 | 1.5 |
| inc | | | | | | | 13.5 | 30.0 | 16.5 | 3.30 | 54 | 14.1 | 1.5 |
| inc | | | | | | | 33.0 | 47.0 | 14.0 | 3.35 | 47 | 12.0 | 1.5 |
| inc | | | | | | | 53.0 | 61.0 | 8.0 | 1.82 | 15 | 6.8 | 1.5 |
| OKWD21-015 | 272667 | 701603 | 105.982 | -59 | 91 | 4 | 0.0 | 81.0 | 81.0 | 1.00 | 81 | 71.9 | 0.3 |
| inc | | | | | | | 42.0 | 45.0 | 3.0 | 2.00 | 6 | 2.6 | 1.5 |
| inc | | | | | | | 61.5 | 76.0 | 14.5 | 3.44 | 50 | 12.4 | 1.5 |
| OKWD21-016 | 272758 | 701137 | 81.555 | -59 | 243 | 5 | 15.0 | 31.5 | 16.5 | 0.80 | 13 | | 0.3 |
| OKWD21-018 | 272652 | 700796 | 87.225 | -51 | 243 | 6 | 33.0 | 70.5 | 37.5 | 0.31 | 12 | | 0.3 |
| OKWD21-018 | 272652 | 700796 | 87.225 | -51 | 243 | 6 | 83.0 | 119.0 | 36.0 | 0.40 | 14 | | 0.3 |
| OKWD21-019 | 272709 | 701399 | 114.45 | -59 | 93 | 4 | 75.0 | 88.5 | 13.5 | 0.57 | 8 | 11.9 | 0.3 |
| OKWD21-020 | 272708 | 701050 | 75.159 | -59 | 61 | 5 | 27.0 | 39.0 | 12.0 | 0.58 | 7 | | 0.3 |
| OKWD21-021 | 272596 | 701219 | 119.647 | -60 | 248 | 5 | 1.5 | 6.0 | 4.5 | 4.49 | 20 | | 1.5 |
| OKWD21-023 | 272581 | 700520 | 91.334 | -60 | 60 | 6 | 0.0 | 24.0 | 24.0 | 0.45 | 11 | | 0.3 |
| OKWD21-024 | 272598 | 700528 | 95.57 | -60 | 62 | 6 | 0.0 | 10.5 | 10.5 | 0.42 | 4 | | 0.3 |
| OKWD21-024 | 272598 | 700528 | 95.57 | -60 | 62 | 6 | 63.0 | 76.2 | 13.2 | 0.57 | 8 | | 0.3 |
| inc | | | | | | | 63.0 | 66.0 | 3.0 | 2.23 | 7 | | 1.5 |
| OKWD21-026 | 272642 | 700434 | 94.864 | -58 | 246 | 6 | 21.0 | 33.0 | 12.0 | 0.60 | 7 | | 0.3 |
| OKWD21-029 | 272712 | 701614 | 100.308 | -53 | 86 | 4 | 0.0 | 14.5 | 14.5 | 6.98 | 101 | 13.9 | 0.3 |
| inc | | | | | | | 2.0 | 12.0 | 10.0 | 9.86 | 99 | 8.0 | 1.5 |
| OKWD21-029 | 272712 | 701614 | 100.308 | -53 | 86 | 4 | 25.0 | 43.5 | 18.5 | 1.87 | 35 | 17.7 | 0.3 |
| inc | | | | | | | 26.0 | 29.5 | 3.5 | 3.10 | 11 | 2.8 | 1.5 |
| inc | | | | | | | 39.0 | 42.0 | 3.0 | 3.78 | 11 | 2.4 | 1.5 |
| OKWD21-030 | 272775 | 701614 | 83.099 | -60 | 244 | 4 | 28.0 | 34.0 | 6.0 | 3.99 | 24 | 5.2 | 1.5 |
| OKWD21-030 | 272775 | 701614 | 83.099 | -60 | 244 | 4 | 68.0 | 110.5 | 42.5 | 1.82 | 77 | 36.9 | 0.3 |
| inc | | | | | | | 79.6 | 83.0 | 3.4 | 3.36 | 11 | 2.9 | 1.5 |
| inc | | | | | | | 93.0 | 99.0 | 6.0 | 3.96 | 24 | 5.2 | 1.5 |
| inc | | | | | | | 106.0 | 110.5 | 4.5 | 5.28 | 24 | 3.9 | 1.5 |
| OKWD21-030 | 272775 | 701614 | 83.099 | -60 | 244 | 4 | 121.0 | 165.0 | 44.0 | 0.89 | 39 | 38.2 | 0.3 |
| inc | | | | | | | 143.5 | 148.0 | 4.5 | 2.95 | 13 | 3.9 | 1.5 |
| inc | | | | | | | 152.5 | 157.5 | 5.0 | 2.79 | 14 | 4.3 | 1.5 |
| OKWD21-031 | 272772 | 701707 | 107.916 | -62 | 272 | 4 | 30.0 | 135.4 | 105.4 | 6.52 | 687 | 87.9 | 0.3 |
| inc | | | | | | | 56.8 | 60.0 | 3.3 | 148.18 | 482 | 2.9 | 1.5 |
| inc | | | | | | | 67.5 | 73.5 | 6.0 | 1.66 | 10 | 5.3 | 1.5 |
| inc | | | | | | | 78.0 | 82.5 | 4.5 | 6.82 | 31 | 4.0 | 1.5 |
| inc | | | | | | | 90.0 | 109.5 | 19.5 | 4.32 | 84 | 17.2 | 1.5 |
| inc | | | | | | | 118.5 | 121.5 | 3.0 | 2.30 | 7 | 2.6 | 1.5 |
| inc | | | | | | | 132.0 | 135.4 | 3.4 | 4.79 | 16 | 3.0 | 1.5 |
| OKWD21-032 | 272699 | 701558 | 86.73 | -59 | 88 | 4 | 0.0 | 30.0 | 30.0 | 1.44 | 43 | 26.6 | 0.3 |
| inc | | | | | | | 25.5 | 30.0 | 4.5 | 5.57 | 25 | 3.9 | 1.5 |
| OKWD21-032 | 272699 | 701558 | 86.73 | -59 | 88 | 4 | 57.0 | 96.0 | 39.0 | 1.93 | 75 | 34.5 | 0.3 |
| inc | | | | | | | 81.4 | 93.0 | 11.7 | 4.82 | 56 | 10.0 | 1.5 |
| OKWD21-033 | 272657 | 701545 | 92.043 | -61 | 88 | 4 | 0.0 | 25.5 | 25.5 | 1.63 | 42 | 21.8 | 0.3 |
| inc | | | | | | | 12.0 | 18.0 | 6.0 | 4.88 | 29 | 5.2 | 1.5 |
| OKWD21-033 | 272657 | 701545 | 92.043 | -61 | 88 | 4 | 70.5 | 81.0 | 10.5 | 0.92 | 10 | 9.0 | 0.3 |
| inc | | | | | | | 93.0 | 96.0 | 3.0 | 4.34 | 13 | 2.6 | 1.5 |
| OKWD21-034 | 272818 | 701705 | 103.356 | -61 | 274 | 4 | 87.0 | 192.0 | 105.0 | 2.41 | 253 | 89.7 | 0.3 |
| inc | | | | | | | 87.0 | 91.5 | 4.5 | 1.77 | 8 | 3.9 | 1.5 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|-------------------|----------------|-----------------|-----------|------------|----------------|-------|--------------|--------------|-----------------------|----------------|----------------------------------|--------------|-----------------|
| inc | | | | | | | 135.7 | 145.7 | 10.0 | 10.26 | 102 | 8.7 | 1.5 |
| inc | | | | | | | 154.0 | 176.5 | 22.5 | 3.99 | 90 | 19.6 | 1.5 |
| OKWD21-035 | 272735 | 701405 | 111.884 | -59 | 99 | 4 | 0.0 | 29.5 | 29.5 | 0.34 | 10 | 25.9 | 0.3 |
| OKWD21-036 | 272682 | 701389 | 116.222 | -60 | 97 | 4 | 6.0 | 34.3 | 28.3 | 0.65 | 18 | 24.7 | 0.3 |
| OKWD21-036 | 272682 | 701389 | 116.222 | -60 | 97 | 4 | 46.5 | 112.0 | 65.5 | 2.16 | 141 | 57.2 | 0.3 |
| inc | | | | | | | 54.0 | 62.7 | 8.7 | 2.43 | 21 | 7.5 | 1.5 |
| inc | | | | | | | 66.0 | 85.5 | 19.5 | 3.64 | 71 | 16.8 | 1.5 |
| inc | | | | | | | 90.0 | 99.0 | 9.0 | 2.82 | 25 | 7.8 | 1.5 |
| OKWD21-038 | 272799 | 701457 | 91.084 | -54 | 244 | 4 | 77.5 | 164.5 | 87.0 | 7.49 | 652 | 82.7 | 0.3 |
| inc | | | | | | | 90.0 | 98.5 | 8.5 | 66.87 | 568 | 6.9 | 1.5 |
| inc | | | | | | | 112.0 | 116.5 | 4.5 | 8.59 | 39 | 3.6 | 1.5 |
| OKWD21-040 | 272745 | 701435 | 96.077 | -58 | 3 | 4 | 15.0 | 22.5 | 7.5 | 1.81 | 14 | 6.8 | 1.5 |
| OKWD21-040 | 272745 | 701435 | 96.077 | -58 | 3 | 4 | 48.0 | 126.5 | 78.5 | 1.38 | 108 | 71.0 | 0.3 |
| inc | | | | | | | 72.5 | 75.5 | 3.0 | 3.96 | 12 | 2.5 | 1.5 |
| inc | | | | | | | 80.0 | 90.0 | 10.0 | 5.04 | 50 | 8.4 | 1.5 |
| inc | | | | | | | 122.0 | 125.0 | 3.0 | 1.89 | 6 | 2.5 | 1.5 |
| OKWD21-041 | 272778 | 701902 | 128.173 | -60 | 270 | 4 | 27.0 | 43.5 | 16.5 | 0.46 | 8 | 14.2 | 0.3 |
| OKWD21-041 | 272778 | 701902 | 128.173 | -60 | 270 | 4 | 76.5 | 117.0 | 40.5 | 2.50 | 101 | 34.8 | 0.3 |
| inc | | | | | | | 91.5 | 100.5 | 9.0 | 4.11 | 37 | 7.8 | 1.5 |
| inc | | | | | | | 105.0 | 117.0 | 12.0 | 4.05 | 49 | 10.4 | 1.5 |
| OKWD21-042 | 272787 | 701995 | 128.608 | -59 | 273 | 4 | 12.0 | 23.5 | 11.5 | 0.46 | 5 | 10.2 | 0.3 |
| OKWD21-042 | 272787 | 701995 | 128.608 | -59 | 273 | 4 | 37.5 | 66.0 | 28.5 | 0.63 | 18 | 25.2 | 0.3 |
| OKWD21-042 | 272787 | 701995 | 128.608 | -59 | 273 | 4 | 78.0 | 114.0 | 36.0 | 1.10 | 40 | 31.9 | 0.3 |
| inc | | | | | | | 96.0 | 100.0 | 4.0 | 4.17 | 17 | 3.4 | 1.5 |
| OKWD21-043 | 272780 | 702613 | 78.444 | -60 | 271 | 1 | 15.0 | 36.0 | 21.0 | 0.43 | 9 | 18.3 | 0.3 |
| OKWD21-043 | 272780 | 702613 | 78.444 | -60 | 271 | 1 | 73.5 | 104.0 | 30.5 | 0.36 | 11 | 26.6 | 0.3 |
| OKWD21-045 | 272760 | 702202 | 126.064 | -59 | 273 | 1 | 84.0 | 102.0 | 18.0 | 0.60 | 11 | 15.9 | 0.3 |
| OKWD21-046 | 272826 | 702112 | 123.659 | -65 | 269 | 1 | 61.5 | 90.0 | 28.5 | 1.07 | 30 | 21.9 | 0.3 |
| inc | | | | | | | 63.0 | 67.5 | 4.5 | 2.30 | 10 | 4.1 | 1.5 |
| OKWD21-046 | 272826 | 702112 | 123.659 | -65 | 269 | 1 | 133.5 | 192.0 | 58.5 | 2.08 | 122 | 45.0 | 0.3 |
| inc | | | | | | | 141.0 | 144.0 | 3.0 | 1.67 | 5 | 2.7 | 1.5 |
| inc | | | | | | | 147.0 | 156.0 | 9.0 | 2.16 | 19 | 8.1 | 1.5 |
| inc | | | | | | | 165.0 | 180.0 | 15.0 | 4.91 | 74 | 13.6 | 1.5 |
| OKWD21-047 | 272869 | 701700 | 87.102 | -59 | 271 | 4 | 134.8 | 230.5 | 95.8 | 1.68 | 160 | 84.1 | 0.3 |
| inc | | | | | | | 134.8 | 139.0 | 4.3 | 3.61 | 15 | 3.7 | 1.5 |
| inc | | | | | | | 155.5 | 158.5 | 3.0 | 2.34 | 7 | 2.6 | 1.5 |
| inc | | | | | | | 173.5 | 176.5 | 3.0 | 2.96 | 9 | 2.6 | 1.5 |
| inc | | | | | | | 189.5 | 203.0 | 13.5 | 3.23 | 44 | 11.6 | 1.5 |
| inc | | | | | | | 206.0 | 218.0 | 12.0 | 3.42 | 41 | 10.3 | 1.5 |
| OKWD21-048 | 272832 | 701993 | 122.826 | -59 | 275 | 4 | 7.5 | 18.6 | 11.1 | 0.42 | 5 | 9.8 | 0.3 |
| OKWD21-049 | 272878 | 701990 | 114.117 | -62 | 274 | 4 | 156.0 | 162.0 | 6.0 | 2.90 | 17 | 4.9 | 1.5 |
| OKWD21-050 | 272833 | 701910 | 120.413 | -60 | 266 | 4 | 52.5 | 70.5 | 18.0 | 2.59 | 47 | 15.6 | 0.3 |
| OKWD21-050 | 272833 | 701910 | 120.413 | -60 | 266 | 4 | 86.2 | 120.5 | 34.3 | 0.56 | 19 | 29.8 | 0.3 |
| OKWD21-050 | 272833 | 701910 | 120.413 | -60 | 266 | 4 | 135.5 | 176.5 | 41.0 | 1.88 | 77 | 35.6 | 0.3 |
| inc | | | | | | | 138.5 | 141.5 | 3.0 | 4.91 | 15 | 2.6 | 1.5 |
| inc | | | | | | | 147.5 | 163.5 | 16.0 | 3.03 | 48 | 13.8 | 1.5 |
| OKWD21-051 | 272788 | 701793 | 123.603 | -58 | 273 | 4 | 15.6 | 70.5 | 54.9 | 3.76 | 207 | 49.7 | 0.3 |
| inc | | | | | | | 33.0 | 37.0 | 4.0 | 1.78 | 7 | 3.4 | 1.5 |
| OKWD21-051 | 272788 | 701793 | 123.603 | -58 | 273 | 4 | 88.5 | 112.5 | 24.0 | 2.26 | 54 | 21.7 | 0.3 |
| inc | | | | | | | 102.0 | 112.5 | 10.5 | 2.93 | 31 | 8.9 | 1.5 |
| OKWD21-051 | 272788 | 701793 | 123.603 | -58 | 273 | 4 | 130.5 | 143.5 | 13.0 | 0.31 | 4 | 11.8 | 0.3 |
| OKWD21-053 | 272888 | 701794 | 102.116 | -58 | 271 | 4 | 129.0 | 252.0 | 123.0 | 2.27 | 279 | 110.2 | 0.3 |
| inc | | | | | | | 129.0 | 132.0 | 3.0 | 3.87 | 12 | 2.5 | 1.5 |
| inc | | | | | | | 152.5 | 160.0 | 7.5 | 2.28 | 17 | 6.4 | 1.5 |
| inc | | | | | | | 164.5 | 172.0 | 7.5 | 7.01 | 53 | 6.4 | 1.5 |
| inc | | | | | | | 176.5 | 179.6 | 3.1 | 8.06 | 25 | 2.6 | 1.5 |
| inc | | | | | | | 197.5 | 202.0 | 4.5 | 4.34 | 20 | 3.8 | 1.5 |
| inc | | | | | | | 206.5 | 212.0 | 5.5 | 4.07 | 22 | 4.7 | 1.5 |
| inc | | | | | | | 215.0 | 221.0 | 6.0 | 2.54 | 15 | 5.1 | 1.5 |
| inc | | | | | | | 228.5 | 233.0 | 4.5 | 1.69 | 8 | 3.8 | 1.5 |
| OKWD21-054 | 272828 | 701608 | 85.801 | -61 | 277 | 4 | 82.0 | 127.5 | 45.5 | 1.15 | 53 | 38.5 | 0.3 |
| OKWD21-054 | 272828 | 701608 | 85.801 | -61 | 277 | 4 | 139.5 | 204.0 | 64.5 | 2.98 | 192 | 54.5 | 0.3 |
| inc | | | | | | | 148.7 | 167.0 | 18.3 | 5.80 | 106 | 16.0 | 1.5 |
| inc | | | | | | | 170.0 | 182.0 | 12.0 | 3.20 | 38 | 10.5 | 1.5 |
| inc | | | | | | | 198.0 | 204.0 | 6.0 | 5.68 | 34 | 5.3 | 1.5 |
| OKWD21-056 | 272744 | 701512 | 81.002 | -60 | 270 | 4 | 7.5 | 30.0 | 22.5 | 2.34 | 53 | 19.4 | 0.3 |
| OKWD21-056 | 272744 | 701512 | 81.002 | -60 | 270 | 4 | 42.0 | 116.2 | 74.2 | 3.07 | 228 | 63.9 | 0.3 |
| inc | | | | | | | 43.5 | 46.5 | 3.0 | 2.07 | 6 | 2.6 | 1.5 |
| inc | | | | | | | 49.5 | 52.5 | 3.0 | 2.01 | 6 | 2.6 | 1.5 |
| inc | | | | | | | 55.5 | 61.5 | 6.0 | 8.85 | 53 | 5.2 | 1.5 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|--------------------|----------------|-----------------|-----------|------------|----------------|-------|--------------|--------------|-----------------------|----------------|----------------------------------|--------------|-----------------|
| inc | | | | | | | 92.0 | 97.5 | 5.5 | 7.99 | 44 | 4.8 | 1.5 |
| inc | | | | | | | 101.5 | 105.5 | 4.0 | 10.22 | 41 | 3.5 | 1.5 |
| inc | | | | | | | 108.5 | 116.2 | 7.7 | 4.48 | 35 | 6.7 | 1.5 |
| OKWD21-057 | 272687 | 701655 | 113.827 | -60 | 277 | 4 | 0.0 | 24.0 | 24.0 | 0.44 | 11 | 20.7 | 0.3 |
| OKWD22-044A | 272809 | 702208 | 114.317 | -60 | 261 | 1 | 122.5 | 143.0 | 20.5 | 0.36 | 7 | 17.8 | 0.3 |
| OKWD22-052A | 272846 | 701801 | 112.209 | -62 | 279 | 4 | 82.0 | 113.5 | 31.5 | 1.53 | 48 | 26.0 | 0.3 |
| inc | | | | | | | 91.9 | 102.0 | 10.2 | 1.92 | 19 | 9.0 | 1.5 |
| inc | | | | | | | 107.0 | 113.5 | 6.5 | 3.52 | 23 | 5.8 | 1.5 |
| inc | | | | | | | 129.0 | 132.0 | 3.0 | 2.21 | 7 | 2.7 | 1.5 |
| OKWD22-052A | 272846 | 701801 | 112.209 | -62 | 279 | 4 | 173.0 | 213.0 | 40.0 | 2.91 | 117 | 33.0 | 0.3 |
| inc | | | | | | | 173.0 | 183.0 | 10.0 | 9.03 | 90 | 8.8 | 1.5 |
| inc | | | | | | | 199.0 | 203.0 | 4.0 | 3.02 | 12 | 3.5 | 1.5 |
| inc | | | | | | | 207.0 | 211.0 | 4.0 | 1.60 | 6 | 3.5 | 1.5 |
| OKWD22-058 | 272730 | 701406 | 112.112 | -60 | 265 | 4 | 0.0 | 14.0 | 14.0 | 0.63 | 9 | 12.0 | 0.3 |
| OKWD22-058 | 272730 | 701406 | 112.112 | -60 | 265 | 4 | 36.0 | 69.2 | 33.2 | 2.11 | 70 | 28.5 | 0.3 |
| inc | | | | | | | 36.0 | 40.9 | 4.9 | 7.13 | 35 | 4.3 | 1.5 |
| inc | | | | | | | 45.0 | 52.5 | 7.5 | 3.45 | 26 | 6.5 | 1.5 |
| OKWD22-059 | 272799 | 701516 | 81.14 | -61 | 270 | 4 | 78.0 | 188.0 | 110.0 | 2.55 | 281 | 92.6 | 0.3 |
| inc | | | | | | | 78.0 | 81.4 | 3.4 | 3.97 | 13 | 3.0 | 1.5 |
| inc | | | | | | | 85.9 | 90.0 | 4.1 | 4.17 | 17 | 3.6 | 1.5 |
| inc | | | | | | | 133.0 | 152.3 | 19.3 | 6.77 | 131 | 17.0 | 1.5 |
| inc | | | | | | | 155.0 | 173.0 | 18.0 | 3.84 | 69 | 15.8 | 1.5 |
| OKWD22-060 | 272847 | 701460 | 84.347 | -60 | 263 | 4 | 136.0 | 158.0 | 22.0 | 0.96 | 21 | 19.2 | 0.3 |
| inc | | | | | | | 141.0 | 145.0 | 4.0 | 1.98 | 8 | 3.4 | 1.5 |
| OKWD22-060 | 272847 | 701460 | 84.347 | -60 | 263 | 4 | 181.0 | 215.5 | 34.5 | 1.39 | 48 | 30.1 | 0.3 |
| inc | | | | | | | 183.1 | 187.0 | 3.9 | 5.37 | 21 | 3.4 | 1.5 |
| inc | | | | | | | 196.0 | 199.0 | 3.0 | 3.05 | 9 | 2.6 | 1.5 |
| OKWD22-060 | 272847 | 701460 | 84.347 | -60 | 263 | 4 | 231.0 | 259.0 | 28.0 | 0.45 | 13 | 24.5 | 0.3 |
| OKWD22-061 | 272888 | 701391 | 115.086 | -59 | 267 | 4 | 205.0 | 234.0 | 29.0 | 2.08 | 60 | 25.7 | 0.3 |
| inc | | | | | | | 206.8 | 210.3 | 3.5 | 12.26 | 43 | 3.0 | 1.5 |
| inc | | | | | | | 218.0 | 221.0 | 3.0 | 2.41 | 7 | 2.6 | 1.5 |
| inc | | | | | | | 250.0 | 253.0 | 3.0 | 2.11 | 6 | 2.6 | 1.5 |
| OKWD22-062 | 272981 | 701696 | 79.518 | -61 | 271 | 4 | 247.5 | 359.8 | 112.3 | 1.29 | 145 | 95.5 | 0.3 |
| inc | | | | | | | 263.0 | 267.0 | 4.0 | 1.66 | 7 | 3.5 | 1.5 |
| inc | | | | | | | 278.0 | 285.0 | 7.0 | 4.25 | 30 | 6.1 | 1.5 |
| inc | | | | | | | 302.0 | 305.0 | 3.0 | 3.50 | 10 | 2.6 | 1.5 |
| inc | | | | | | | 319.0 | 327.0 | 8.0 | 4.71 | 38 | 7.0 | 1.5 |
| OKWD22-063 | 272950 | 701793 | 84.555 | -61 | 270 | 4 | 187.0 | 317.7 | 130.7 | 1.96 | 256 | 110.0 | 0.3 |
| inc | | | | | | | 197.0 | 200.5 | 3.5 | 8.13 | 28 | 3.1 | 1.5 |
| inc | | | | | | | 216.0 | 220.5 | 4.5 | 3.60 | 16 | 3.9 | 1.5 |
| inc | | | | | | | 237.5 | 243.0 | 5.5 | 3.12 | 17 | 4.8 | 1.5 |
| inc | | | | | | | 263.5 | 268.0 | 4.5 | 2.57 | 12 | 3.9 | 1.5 |
| inc | | | | | | | 279.0 | 284.5 | 5.5 | 3.66 | 20 | 4.8 | 1.5 |
| inc | | | | | | | 287.0 | 296.0 | 9.0 | 3.70 | 33 | 7.9 | 1.5 |
| inc | | | | | | | 299.0 | 308.0 | 9.0 | 6.93 | 62 | 7.9 | 1.5 |
| inc | | | | | | | 310.5 | 317.7 | 7.1 | 1.99 | 14 | 6.3 | 1.5 |
| OKWD22-064 | 272787 | 701657 | 95.311 | -60 | 269 | 4 | 45.0 | 162.0 | 117.0 | 1.35 | 158 | 101.0 | 0.3 |
| inc | | | | | | | 50.0 | 54.0 | 4.0 | 2.44 | 10 | 3.5 | 1.5 |
| inc | | | | | | | 80.7 | 84.0 | 3.3 | 2.05 | 7 | 2.9 | 1.5 |
| inc | | | | | | | 92.0 | 97.0 | 5.0 | 4.18 | 21 | 4.3 | 1.5 |
| inc | | | | | | | 121.0 | 133.0 | 12.0 | 3.16 | 38 | 10.4 | 1.5 |
| inc | | | | | | | 138.0 | 141.0 | 3.0 | 2.22 | 7 | 2.6 | 1.5 |
| OKWD22-065 | 272762 | 701704 | 108.063 | -59 | 181 | 4 | 49.5 | 99.0 | 49.5 | 1.56 | 77 | 43.5 | 0.3 |
| inc | | | | | | | 58.0 | 63.0 | 5.0 | 3.81 | 19 | 4.3 | 1.5 |
| inc | | | | | | | 66.0 | 73.0 | 7.0 | 2.30 | 16 | 6.0 | 1.5 |
| inc | | | | | | | 76.0 | 87.0 | 11.0 | 2.57 | 28 | 9.5 | 1.5 |
| OKWD22-065 | 272762 | 701704 | 108.063 | -59 | 181 | 4 | 129.5 | 157.0 | 27.5 | 1.90 | 52 | 24.2 | 0.3 |
| inc | | | | | | | 152.4 | 155.7 | 3.3 | 4.14 | 14 | 2.8 | 1.5 |
| OKWD22-065 | 272762 | 701704 | 108.063 | -59 | 181 | 4 | 172.0 | 262.0 | 90.0 | 1.69 | 152 | 79.1 | 0.3 |
| inc | | | | | | | 179.4 | 183.0 | 3.6 | 2.47 | 9 | 3.1 | 1.5 |
| inc | | | | | | | 202.0 | 221.0 | 19.0 | 3.88 | 74 | 16.3 | 1.5 |
| inc | | | | | | | 231.0 | 234.0 | 3.0 | 2.43 | 7 | 2.6 | 1.5 |
| inc | | | | | | | 254.1 | 260.0 | 5.9 | 5.91 | 35 | 5.1 | 1.5 |
| OKWD22-066 | 272864 | 701544 | 81.908 | -60 | 263 | 4 | 122.0 | 165.0 | 43.0 | 1.37 | 59 | 37.3 | 0.3 |
| inc | | | | | | | 133.0 | 137.0 | 4.0 | 3.28 | 13 | 3.5 | 1.5 |
| inc | | | | | | | 140.6 | 151.0 | 10.5 | 3.02 | 32 | 9.0 | 1.5 |
| OKWD22-066 | 272864 | 701544 | 81.908 | -60 | 263 | 4 | 180.8 | 245.0 | 64.2 | 2.41 | 155 | 55.7 | 0.3 |
| inc | | | | | | | 200.0 | 212.3 | 12.3 | 2.24 | 27 | 10.6 | 1.5 |
| inc | | | | | | | 218.0 | 236.0 | 18.0 | 4.52 | 81 | 15.6 | 1.5 |
| inc | | | | | | | 239.9 | 244.2 | 4.3 | 2.05 | 9 | 3.7 | 1.5 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|------------|----------------|-----------------|-----------|------------|----------------|-------|----------|--------|-----------------------|----------------|----------------------------------|----------|-----------------|
| OKWD22-066 | 272864 | 701544 | 81.908 | -60 | 263 | 4 | 257.0 | 271.0 | 14.0 | 0.66 | 9 | 12.1 | 0.3 |
| OKWD22-068 | 272761 | 702650 | 91.919 | -60 | 184 | 1 | 22.5 | 50.0 | 27.5 | 0.54 | 15 | 24.0 | 0.3 |
| inc | | | | | | | 40.0 | 44.0 | 4.0 | 1.63 | 7 | 3.5 | 1.5 |
| OKWD22-068 | 272761 | 702650 | 91.919 | -60 | 184 | 1 | 100.0 | 140.7 | 40.7 | 1.18 | 48 | 35.5 | 0.3 |
| OKWD22-069 | 272821 | 702503 | 77.087 | -61 | 271 | 1 | 101.0 | 115.0 | 14.0 | 0.43 | 6 | 11.8 | 0.3 |
| OKWD22-070 | 272764 | 701703 | 108.102 | -58 | 5 | 4 | 24.0 | 75.0 | 51.0 | 1.72 | 88 | 45.8 | 0.3 |
| inc | | | | | | | 39.0 | 43.2 | 4.2 | 4.13 | 17 | 3.6 | 1.5 |
| inc | | | | | | | 70.0 | 75.0 | 5.0 | 10.35 | 52 | 4.2 | 1.5 |
| OKWD22-072 | 272770 | 702297 | 112.759 | -61 | 270 | 1 | 67.0 | 89.0 | 22.0 | 0.86 | 19 | 18.8 | 0.3 |
| inc | | | | | | | 80.0 | 83.0 | 3.0 | 4.88 | 15 | 2.6 | 1.5 |
| OKWD22-073 | 272833 | 701652 | 92.418 | -63 | 267 | 4 | 101.4 | 214.5 | 113.1 | 1.73 | 196 | 92.3 | 0.3 |
| inc | | | | | | | 137.7 | 140.7 | 3.0 | 12.75 | 38 | 2.7 | 1.5 |
| inc | | | | | | | 149.2 | 156.1 | 6.9 | 2.41 | 17 | 6.1 | 1.5 |
| inc | | | | | | | 159.0 | 162.2 | 3.2 | 2.54 | 8 | 2.8 | 1.5 |
| inc | | | | | | | 165.0 | 186.0 | 21.0 | 3.53 | 74 | 18.7 | 1.5 |
| OKWD22-074 | 272759 | 702252 | 122.11 | -59 | 271 | 1 | 88.0 | 93.0 | 5.0 | 4.32 | 22 | 4.4 | 1.5 |
| OKWD22-075 | 272737 | 701653 | 105.05 | -59 | 271 | 4 | 0.0 | 52.5 | 52.5 | 2.62 | 138 | 46.0 | 0.3 |
| inc | | | | | | | 9.2 | 16.0 | 6.8 | 10.95 | 74 | 5.9 | 1.5 |
| inc | | | | | | | 33.0 | 36.5 | 3.5 | 10.59 | 37 | 3.0 | 1.5 |
| OKWD22-075 | 272737 | 701653 | 105.05 | -59 | 271 | 4 | 62.7 | 96.3 | 33.6 | 0.69 | 23 | 29.4 | 0.3 |
| OKWD22-076 | 272694 | 701612 | 101.869 | -62 | 354 | 4 | 0.0 | 78.0 | 78.0 | 2.18 | 170 | 65.0 | 0.3 |
| inc | | | | | | | 4.0 | 12.2 | 8.2 | 3.66 | 30 | 7.2 | 1.5 |
| inc | | | | | | | 19.0 | 26.3 | 7.3 | 3.59 | 26 | 6.4 | 1.5 |
| inc | | | | | | | 31.5 | 42.7 | 11.2 | 2.90 | 32 | 9.9 | 1.5 |
| inc | | | | | | | 47.0 | 53.6 | 6.6 | 2.28 | 15 | 5.8 | 1.5 |
| inc | | | | | | | 56.0 | 71.0 | 15.0 | 2.27 | 34 | 13.2 | 1.5 |
| inc | | | | | | | 75.0 | 78.0 | 3.0 | 4.00 | 12 | 2.6 | 1.5 |
| OKWD22-078 | 272694 | 701608 | 101.182 | -60 | 265 | 4 | 0.0 | 25.1 | 25.1 | 1.04 | 26 | 21.8 | 0.3 |
| inc | | | | | | | 6.0 | 9.0 | 3.0 | 3.12 | 9 | 2.6 | 1.5 |
| OKWD22-078 | 272694 | 701608 | 101.182 | -60 | 265 | 4 | 43.0 | 57.0 | 14.0 | 0.99 | 14 | 12.2 | 0.3 |
| inc | | | | | | | 52.0 | 57.0 | 5.0 | 1.98 | 10 | 4.3 | 1.5 |
| OKWD22-079 | 272795 | 702156 | 124.529 | -59 | 263 | 1 | 103.5 | 164.8 | 61.3 | 0.71 | 43 | 53.6 | 0.3 |
| inc | | | | | | | 120.0 | 123.0 | 3.0 | 1.60 | 5 | 2.6 | 1.5 |
| inc | | | | | | | 141.0 | 144.0 | 3.0 | 3.12 | 9 | 2.6 | 1.5 |
| OKWD22-080 | 272832 | 701492 | 81.941 | -61 | 260 | 4 | 116.0 | 135.8 | 19.8 | 1.06 | 21 | 16.7 | 0.3 |
| inc | | | | | | | 116.6 | 122.0 | 5.4 | 3.24 | 18 | 4.8 | 1.5 |
| OKWD22-080 | 272832 | 701492 | 81.941 | -61 | 260 | 4 | 152.0 | 217.0 | 65.0 | 1.20 | 78 | 54.8 | 0.3 |
| inc | | | | | | | 163.0 | 172.0 | 9.0 | 4.28 | 38 | 7.9 | 1.5 |
| OKWD22-082 | 272788 | 702107 | 129.23 | -63 | 273 | 1 | 43.5 | 70.0 | 26.5 | 0.40 | 11 | 21.6 | 0.3 |
| OKWD22-082 | 272788 | 702107 | 129.23 | -63 | 273 | 1 | 103.0 | 133.0 | 30.0 | 0.61 | 18 | 24.4 | 0.3 |
| inc | | | | | | | 120.0 | 125.0 | 5.0 | 1.61 | 8 | 4.4 | 1.5 |
| OKWD22-083 | 272750 | 701344 | 136.283 | -60 | 270 | 4 | 84.6 | 107.0 | 22.4 | 0.46 | 10 | 19.5 | 0.3 |
| OKWD22-084 | 272838 | 702047 | 121.489 | -63 | 268 | 1 | 23.0 | 55.0 | 32.0 | 0.97 | 31 | 26.0 | 0.3 |
| OKWD22-084 | 272838 | 702047 | 121.489 | -63 | 268 | 1 | 104.0 | 114.0 | 10.0 | 1.65 | 16 | 8.1 | 0.3 |
| OKWD22-084 | 272838 | 702047 | 121.489 | -63 | 268 | 1 | 145.0 | 158.0 | 13.0 | 0.67 | 9 | 10.6 | 0.3 |
| OKWD22-084 | 272838 | 702047 | 121.489 | -63 | 268 | 1 | 168.2 | 195.0 | 26.8 | 0.39 | 10 | 21.8 | 0.3 |
| OKWD22-085 | 272753 | 701344 | 136.253 | -59 | 355 | 4 | 28.5 | 55.0 | 26.5 | 1.57 | 42 | 23.2 | 0.3 |
| inc | | | | | | | 38.5 | 41.6 | 3.1 | 7.73 | 24 | 2.7 | 1.5 |
| inc | | | | | | | 52.0 | 55.0 | 3.0 | 4.07 | 12 | 2.6 | 1.5 |
| OKWD22-085 | 272753 | 701344 | 136.253 | -59 | 355 | 4 | 94.0 | 120.0 | 26.0 | 1.77 | 46 | 22.8 | 0.3 |
| inc | | | | | | | 99.5 | 108.0 | 8.5 | 3.25 | 28 | 7.3 | 1.5 |
| OKWD22-086 | 272727 | 701308 | 135.827 | -58 | 272 | 4 | 37.0 | 75.0 | 38.0 | 0.33 | 12 | 33.9 | 0.3 |
| OKWD22-087 | 272777 | 701857 | 127.072 | -60 | 274 | 4 | 10.2 | 45.1 | 35.0 | 0.40 | 14 | 30.3 | 0.3 |
| OKWD22-087 | 272777 | 701857 | 127.072 | -60 | 274 | 4 | 56.0 | 134.0 | 78.0 | 1.43 | 111 | 67.7 | 0.3 |
| inc | | | | | | | 60.9 | 70.5 | 9.6 | 3.09 | 30 | 8.3 | 1.5 |
| inc | | | | | | | 108.0 | 113.0 | 5.0 | 1.67 | 8 | 4.3 | 1.5 |
| inc | | | | | | | 117.0 | 121.0 | 4.0 | 9.21 | 37 | 3.5 | 1.5 |
| OKWD22-088 | 272887 | 702136 | 107.595 | -61 | 272 | 1 | 122.0 | 139.0 | 17.0 | 1.15 | 20 | 14.4 | 0.3 |
| inc | | | | | | | 123.3 | 128.0 | 4.7 | 1.84 | 9 | 4.1 | 1.5 |
| OKWD22-088 | 272887 | 702136 | 107.595 | -61 | 272 | 1 | 150.0 | 192.0 | 42.0 | 0.37 | 15 | 35.7 | 0.3 |
| OKWD22-088 | 272887 | 702136 | 107.595 | -61 | 272 | 1 | 203.0 | 240.0 | 37.0 | 0.51 | 19 | 31.4 | 0.3 |
| OKWD22-089 | 272785 | 701944 | 125.379 | -61 | 272 | 4 | 16.4 | 59.8 | 43.4 | 1.11 | 48 | 36.6 | 0.3 |
| inc | | | | | | | 45.0 | 49.0 | 4.0 | 5.98 | 24 | 3.5 | 1.5 |
| OKWD22-089 | 272785 | 701944 | 125.379 | -61 | 272 | 4 | 95.0 | 136.0 | 41.0 | 1.64 | 67 | 34.5 | 0.3 |
| inc | | | | | | | 97.0 | 102.0 | 5.0 | 1.72 | 9 | 4.4 | 1.5 |
| inc | | | | | | | 122.0 | 129.0 | 7.0 | 5.99 | 42 | 6.1 | 1.5 |
| inc | | | | | | | 133.0 | 136.0 | 3.0 | 1.88 | 6 | 2.6 | 1.5 |
| OKWD22-090 | 272802 | 701350 | 131.93 | -62 | 266 | 4 | 104.0 | 107.0 | 3.0 | 1.59 | 5 | 2.5 | 1.5 |
| OKWD22-090 | 272802 | 701350 | 131.93 | -62 | 266 | 4 | 138.1 | 176.0 | 37.9 | 1.41 | 53 | 31.5 | 0.3 |
| inc | | | | | | | 141.0 | 148.2 | 7.2 | 3.37 | 24 | 6.3 | 1.5 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|-------------------|----------------|-----------------|-----------|------------|----------------|-------|--------------|--------------|-----------------------|----------------|----------------------------------|-------------|-----------------|
| inc | | | | | | | 151.0 | 155.5 | 4.5 | 1.71 | 8 | 3.9 | 1.5 |
| inc | | | | | | | 168.0 | 171.0 | 3.0 | 2.12 | 6 | 2.6 | 1.5 |
| OKWD22-091 | 272826 | 701941 | 121.576 | -60 | 267 | 4 | 60.7 | 114.5 | 53.9 | 1.08 | 58 | 47.1 | 0.3 |
| inc | | | | | | | 92.0 | 95.0 | 3.0 | 6.53 | 20 | 2.6 | 1.5 |
| OKWD22-091 | 272826 | 701941 | 121.576 | -60 | 267 | 4 | 129.0 | 183.0 | 54.0 | 1.51 | 81 | 47.2 | 0.3 |
| inc | | | | | | | 153.0 | 163.5 | 10.5 | 2.65 | 28 | 9.0 | 1.5 |
| inc | | | | | | | 169.0 | 174.0 | 5.0 | 2.50 | 12 | 4.3 | 1.5 |
| OKWD22-092 | 272754 | 701745 | 119.455 | -63 | 278 | 4 | 7.7 | 24.2 | 16.4 | 1.72 | 28 | 13.4 | 0.3 |
| inc | | | | | | | 18.0 | 21.0 | 3.0 | 3.37 | 10 | 2.7 | 1.5 |
| inc | | | | | | | 41.0 | 44.1 | 3.1 | 2.98 | 9 | 2.8 | 1.5 |
| OKWD22-092 | 272754 | 701745 | 119.455 | -63 | 278 | 4 | 66.0 | 110.0 | 44.0 | 1.08 | 48 | 35.8 | 0.3 |
| inc | | | | | | | 84.5 | 88.0 | 3.5 | 6.22 | 22 | 3.1 | 1.5 |
| OKWD22-093 | 272808 | 701752 | 111.46 | -61 | 275 | 4 | 66.0 | 176.0 | 110.0 | 2.78 | 306 | 92.5 | 0.3 |
| inc | | | | | | | 67.5 | 70.5 | 3.0 | 1.84 | 6 | 2.6 | 1.5 |
| inc | | | | | | | 80.0 | 83.2 | 3.2 | 11.35 | 36 | 2.8 | 1.5 |
| inc | | | | | | | 118.1 | 126.0 | 7.9 | 3.41 | 27 | 6.9 | 1.5 |
| inc | | | | | | | 140.1 | 146.0 | 5.9 | 7.96 | 47 | 5.2 | 1.5 |
| inc | | | | | | | 165.0 | 176.0 | 11.0 | 3.57 | 39 | 9.7 | 1.5 |
| OKWD22-094 | 272723 | 701222 | 115.491 | -62 | 275 | 5 | 24.0 | 51.5 | 27.5 | 0.51 | 14 | | 0.3 |
| OKWD22-094 | 272723 | 701222 | 115.491 | -62 | 275 | 5 | 85.0 | 96.0 | 11.0 | 0.33 | 4 | | 0.3 |
| OKWD22-094 | 272723 | 701222 | 115.491 | -62 | 275 | 5 | 164.5 | 177.0 | 12.5 | 0.67 | 8 | | 0.3 |
| OKWD22-095 | 272799 | 701845 | 123.452 | -61 | 271 | 4 | 34.5 | 95.3 | 60.8 | 1.65 | 100 | 51.2 | 0.3 |
| inc | | | | | | | 41.5 | 45.4 | 3.9 | 13.28 | 52 | 3.5 | 1.5 |
| inc | | | | | | | 88.0 | 94.0 | 6.0 | 5.37 | 32 | 5.3 | 1.5 |
| OKWD22-096 | 272847 | 701743 | 100.45 | -63 | 277 | 4 | 0.0 | 22.0 | 22.0 | 0.50 | 11 | 17.6 | 0.3 |
| OKWD22-096 | 272847 | 701743 | 100.45 | -63 | 277 | 4 | 118.0 | 146.0 | 28.0 | 1.41 | 39 | 22.4 | 0.3 |
| inc | | | | | | | 121.4 | 125.0 | 3.6 | 2.61 | 9 | 3.2 | 1.5 |
| inc | | | | | | | 143.0 | 146.0 | 3.0 | 4.46 | 13 | 2.7 | 1.5 |
| OKWD22-096 | 272847 | 701743 | 100.45 | -63 | 277 | 4 | 163.7 | 221.4 | 57.7 | 4.06 | 234 | 46.2 | 0.3 |
| inc | | | | | | | 163.7 | 169.7 | 6.0 | 1.76 | 10 | 5.3 | 1.5 |
| inc | | | | | | | 174.5 | 182.0 | 7.5 | 4.69 | 35 | 6.7 | 1.5 |
| inc | | | | | | | 195.0 | 221.4 | 26.4 | 6.62 | 175 | 23.6 | 1.5 |
| OKWD22-097 | 272663 | 701222 | 115.739 | -62 | 275 | 5 | 11.5 | 29.0 | 17.5 | 0.41 | 7 | | 0.3 |
| OKWD22-098 | 272917 | 701713 | 81.326 | -61 | 272 | 4 | 174.5 | 290.5 | 116.0 | 1.06 | 123 | 99.2 | 0.3 |
| inc | | | | | | | 249.3 | 254.4 | 5.1 | 3.90 | 20 | 4.4 | 1.5 |
| inc | | | | | | | 264.0 | 269.9 | 5.9 | 2.90 | 17 | 5.1 | 1.5 |
| inc | | | | | | | 279.0 | 284.0 | 5.0 | 1.69 | 8 | 4.4 | 1.5 |
| OKWD22-099 | 272726 | 701701 | 113.117 | -62 | 272 | 4 | 3.0 | 91.0 | 88.0 | 1.73 | 152 | 72.5 | 0.3 |
| inc | | | | | | | 18.2 | 32.0 | 13.8 | 6.54 | 90 | 12.2 | 1.5 |
| inc | | | | | | | 37.5 | 43.0 | 5.5 | 4.37 | 24 | 4.9 | 1.5 |
| inc | | | | | | | 47.0 | 50.0 | 3.0 | 2.51 | 8 | 2.7 | 1.5 |
| OKWD22-100 | 272753 | 701204 | 104.571 | -60 | 267 | 5 | 69.0 | 107.8 | 38.8 | 0.47 | 18 | | 0.3 |
| OKWD22-100 | 272753 | 701204 | 104.571 | -60 | 267 | 5 | 156.0 | 172.0 | 16.0 | 0.84 | 13 | | 0.3 |
| OKWD22-100 | 272753 | 701204 | 104.571 | -60 | 267 | 5 | 214.0 | 226.0 | 12.0 | 0.38 | 5 | | 0.3 |
| OKWD22-101 | 272882 | 701636 | 82.144 | -58 | 267 | 4 | 148.6 | 256.0 | 107.4 | 1.24 | 133 | 96.7 | 0.3 |
| inc | | | | | | | 175.0 | 179.5 | 4.5 | 3.08 | 14 | 3.8 | 1.5 |
| inc | | | | | | | 191.1 | 199.7 | 8.6 | 4.35 | 37 | 7.3 | 1.5 |
| inc | | | | | | | 208.0 | 216.0 | 8.0 | 1.97 | 16 | 6.8 | 1.5 |
| inc | | | | | | | 231.5 | 234.5 | 3.0 | 2.44 | 7 | 2.5 | 1.5 |
| inc | | | | | | | 245.6 | 250.0 | 4.4 | 2.80 | 12 | 3.7 | 1.5 |
| OKWD22-102 | 272736 | 702394 | 87.253 | -58 | 271 | 1 | 40.5 | 43.5 | 3.0 | 2.03 | 6 | 2.7 | 1.5 |
| OKWD22-103 | 272782 | 701280 | 126.652 | -59 | 267 | 4 | 105.0 | 115.0 | 10.0 | 0.38 | 4 | 8.8 | 0.3 |
| OKWD22-103 | 272782 | 701280 | 126.652 | -59 | 267 | 4 | 179.8 | 190.3 | 10.5 | 0.33 | 3 | 9.2 | 0.3 |
| OKWD22-104 | 272874 | 701590 | 82.464 | -60 | 264 | 4 | 159.0 | 179.0 | 20.0 | 0.71 | 14 | 17.4 | 0.3 |
| inc | | | | | | | 175.0 | 179.0 | 4.0 | 2.00 | 8 | 3.5 | 1.5 |
| OKWD22-104 | 272874 | 701590 | 82.464 | -60 | 264 | 4 | 190.6 | 260.0 | 69.5 | 1.95 | 136 | 60.5 | 0.3 |
| inc | | | | | | | 190.6 | 197.0 | 6.4 | 3.31 | 21 | 5.6 | 1.5 |
| inc | | | | | | | 207.0 | 213.0 | 6.0 | 4.04 | 24 | 5.2 | 1.5 |
| inc | | | | | | | 225.0 | 228.5 | 3.5 | 1.65 | 6 | 3.0 | 1.5 |
| inc | | | | | | | 234.0 | 254.0 | 20.0 | 3.06 | 61 | 17.3 | 1.5 |
| OKWD22-106 | 272901 | 701529 | 83 | -60 | 267 | 4 | 182.0 | 203.0 | 21.0 | 1.27 | 27 | 18.3 | 0.3 |
| inc | | | | | | | 182.7 | 197.0 | 14.3 | 1.71 | 24 | 12.3 | 1.5 |
| OKWD22-106 | 272901 | 701529 | 83 | -60 | 267 | 4 | 224.0 | 282.0 | 58.0 | 1.76 | 102 | 50.4 | 0.3 |
| inc | | | | | | | 244.0 | 254.0 | 10.0 | 2.18 | 22 | 8.6 | 1.5 |
| inc | | | | | | | 256.2 | 271.0 | 14.8 | 3.09 | 46 | 12.8 | 1.5 |
| OKWD22-107 | 272864 | 702257 | 95.795 | -61 | 268 | 1 | 205.8 | 232.0 | 26.2 | 0.64 | 17 | 22.2 | 0.3 |
| OKWD22-110 | 272879 | 701899 | 112.208 | -63 | 274 | 4 | 112.6 | 136.1 | 23.5 | 1.50 | 35 | 18.9 | 0.3 |
| OKWD22-110 | 272879 | 701899 | 112.208 | -63 | 274 | 4 | 154.0 | 175.2 | 21.2 | 0.31 | 7 | 17.0 | 0.3 |
| OKWD22-110 | 272879 | 701899 | 112.208 | -63 | 274 | 4 | 199.0 | 226.5 | 27.5 | 1.42 | 39 | 22.1 | 0.3 |
| inc | | | | | | | 215.0 | 226.5 | 11.5 | 2.98 | 34 | 10.3 | 1.5 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|-------------------|----------------|-----------------|-----------|------------|----------------|-------|--------------|--------------|-----------------------|----------------|----------------------------------|-------------|-----------------|
| inc | | | | | | | 245.0 | 249.0 | 4.0 | 2.87 | 11 | 3.6 | 1.5 |
| OKWD22-112 | 273103 | 701800 | 78.107 | -73 | 265 | 4 | 452.4 | 586.2 | 133.8 | 2.33 | 312 | 76.3 | 0.3 |
| inc | | | | | | | 462.2 | 468.0 | 5.8 | 2.20 | 13 | 5.5 | 1.5 |
| inc | | | | | | | 490.5 | 493.5 | 3.0 | 1.83 | 5 | 2.9 | 1.5 |
| inc | | | | | | | 498.0 | 502.3 | 4.3 | 2.72 | 12 | 4.1 | 1.5 |
| inc | | | | | | | 515.0 | 522.0 | 7.0 | 4.01 | 28 | 6.7 | 1.5 |
| inc | | | | | | | 526.0 | 530.0 | 4.0 | 2.58 | 10 | 3.8 | 1.5 |
| inc | | | | | | | 533.0 | 546.0 | 13.0 | 5.44 | 71 | 12.4 | 1.5 |
| inc | | | | | | | 551.0 | 576.6 | 25.6 | 5.67 | 145 | 24.4 | 1.5 |
| OKWD22-113 | 272759 | 702657 | 91.91 | -61 | 276 | 1 | 49.5 | 62.0 | 12.5 | 0.38 | 5 | 10.5 | 0.3 |
| OKWD22-113 | 272759 | 702657 | 91.91 | -61 | 276 | 1 | 106.0 | 118.0 | 12.0 | 0.66 | 8 | 10.1 | 0.3 |
| inc | | | | | | | 115.0 | 118.0 | 3.0 | 2.24 | 7 | 2.6 | 1.5 |
| OKWD22-114 | 272811 | 702297 | 101.883 | -64 | 265 | 1 | 138.6 | 152.0 | 13.4 | 1.34 | 18 | 10.6 | 0.3 |
| OKWD22-115 | 272790 | 702399 | 94.957 | -60 | 264 | 1 | 93.0 | 121.0 | 28.0 | 0.31 | 9 | 24.0 | 0.3 |
| OKWD22-116 | 272868 | 702497 | 73.088 | -63 | 265 | 1 | 173.4 | 196.0 | 22.6 | 0.47 | 11 | 18.2 | 0.3 |
| OKWD22-117 | 272907 | 701443 | 94.184 | -60 | 271 | 4 | 208.2 | 220.6 | 12.4 | 3.70 | 46 | 10.7 | 0.3 |
| inc | | | | | | | 216.3 | 220.6 | 4.3 | 10.26 | 44 | 3.7 | 1.5 |
| OKWD22-117 | 272907 | 701443 | 94.184 | -60 | 271 | 4 | 248.9 | 283.5 | 34.6 | 1.58 | 55 | 30.0 | 0.3 |
| inc | | | | | | | 248.9 | 253.8 | 4.8 | 6.43 | 31 | 4.2 | 1.5 |
| inc | | | | | | | 262.0 | 266.3 | 4.3 | 2.76 | 12 | 3.7 | 1.5 |
| OKWD22-119 | 272937 | 701645 | 80.77 | -57 | 268 | 4 | 221.8 | 307.5 | 85.7 | 1.67 | 143 | 77.9 | 0.3 |
| inc | | | | | | | 245.3 | 258.0 | 12.7 | 4.02 | 51 | 10.7 | 1.5 |
| inc | | | | | | | 265.2 | 269.0 | 3.8 | 5.21 | 20 | 3.2 | 1.5 |
| OKWD22-120 | 272752 | 702153 | 134.575 | -59 | 280 | 1 | 87.0 | 106.5 | 19.5 | 2.55 | 50 | 17.1 | 0.3 |
| inc | | | | | | | 90.9 | 96.0 | 5.1 | 8.40 | 43 | 4.4 | 1.5 |
| OKWD22-121 | 272788 | 702049 | 129.324 | -61 | 260 | 1 | 6.2 | 82.0 | 75.8 | 1.28 | 97 | 64.6 | 0.3 |
| inc | | | | | | | 17.0 | 22.5 | 5.5 | 3.23 | 18 | 4.8 | 1.5 |
| OKWD22-121 | 272788 | 702049 | 129.324 | -61 | 260 | 1 | 93.0 | 130.0 | 37.0 | 1.86 | 69 | 31.5 | 0.3 |
| inc | | | | | | | 94.0 | 97.5 | 3.5 | 2.98 | 10 | 3.1 | 1.5 |
| inc | | | | | | | 105.4 | 115.0 | 9.6 | 2.13 | 20 | 8.4 | 1.5 |
| inc | | | | | | | 118.4 | 124.2 | 5.8 | 4.04 | 23 | 5.1 | 1.5 |
| OKWD22-122 | 272934 | 701602 | 80.053 | -62 | 271 | 4 | 213.2 | 226.1 | 12.9 | 0.90 | 12 | 10.8 | 0.3 |
| OKWD22-122 | 272934 | 701602 | 80.053 | -62 | 271 | 4 | 236.2 | 322.6 | 86.4 | 2.28 | 197 | 72.5 | 0.3 |
| inc | | | | | | | 264.9 | 273.0 | 8.1 | 7.00 | 57 | 7.2 | 1.5 |
| inc | | | | | | | 277.0 | 292.0 | 15.0 | 3.66 | 55 | 13.2 | 1.5 |
| inc | | | | | | | 297.0 | 304.0 | 7.0 | 3.59 | 25 | 6.2 | 1.5 |
| inc | | | | | | | 308.2 | 312.0 | 3.8 | 5.60 | 21 | 3.3 | 1.5 |
| OKWD22-123 | 272748 | 701987 | 133.056 | -61 | 274 | 4 | 48.0 | 85.5 | 37.5 | 1.53 | 58 | 31.9 | 0.3 |
| inc | | | | | | | 48.0 | 53.1 | 5.1 | 3.53 | 18 | 4.5 | 1.5 |
| inc | | | | | | | 79.5 | 85.5 | 6.0 | 2.17 | 13 | 5.2 | 1.5 |
| OKWD22-124 | 272886 | 701499 | 81.359 | -63 | 265 | 4 | 179.9 | 271.5 | 91.6 | 2.61 | 239 | 73.5 | 0.3 |
| inc | | | | | | | 191.9 | 195.6 | 3.7 | 6.26 | 23 | 3.3 | 1.5 |
| inc | | | | | | | 222.7 | 231.5 | 8.8 | 4.78 | 42 | 7.8 | 1.5 |
| inc | | | | | | | 239.0 | 243.5 | 4.5 | 3.85 | 17 | 4.0 | 1.5 |
| inc | | | | | | | 246.0 | 251.5 | 5.5 | 13.20 | 73 | 4.9 | 1.5 |
| inc | | | | | | | 260.0 | 266.5 | 6.5 | 8.08 | 53 | 5.8 | 1.5 |
| OKWD22-125 | 272703 | 701899 | 144.076 | -62 | 270 | 4 | 8.7 | 48.0 | 39.3 | 2.85 | 112 | 32.8 | 0.3 |
| inc | | | | | | | 13.0 | 17.0 | 4.0 | 2.50 | 10 | 3.5 | 1.5 |
| inc | | | | | | | 20.0 | 39.3 | 19.3 | 4.70 | 91 | 17.0 | 1.5 |
| OKWD22-126 | 272744 | 701900 | 133.198 | -61 | 270 | 4 | 15.0 | 27.0 | 12.0 | 1.58 | 19 | 10.3 | 0.3 |
| inc | | | | | | | 16.0 | 20.0 | 4.0 | 2.76 | 11 | 3.5 | 1.5 |
| OKWD22-126 | 272744 | 701900 | 133.198 | -61 | 270 | 4 | 45.0 | 97.5 | 52.5 | 1.27 | 67 | 44.9 | 0.3 |
| inc | | | | | | | 91.0 | 97.5 | 6.5 | 5.00 | 32 | 5.7 | 1.5 |
| OKWD22-127 | 272734 | 701852 | 133.84 | -60 | 270 | 4 | 15.2 | 19.0 | 3.8 | 2.37 | 9 | 3.3 | 1.5 |
| OKWD22-127 | 272734 | 701852 | 133.84 | -60 | 270 | 4 | 33.0 | 92.0 | 59.0 | 2.74 | 162 | 51.1 | 0.3 |
| inc | | | | | | | 46.5 | 58.6 | 12.1 | 2.56 | 31 | 10.5 | 1.5 |
| inc | | | | | | | 62.2 | 82.5 | 20.4 | 5.10 | 104 | 17.6 | 1.5 |
| inc | | | | | | | 85.5 | 92.0 | 6.5 | 1.96 | 13 | 5.6 | 1.5 |
| OKWD22-128 | 272946 | 701505 | 82.093 | -60 | 269 | 4 | 248.6 | 262.6 | 14.0 | 1.47 | 21 | 12.1 | 0.3 |
| inc | | | | | | | 248.6 | 251.8 | 3.2 | 5.58 | 18 | 2.8 | 1.5 |
| OKWD22-128 | 272946 | 701505 | 82.093 | -60 | 269 | 4 | 279.2 | 328.8 | 49.6 | 1.52 | 75 | 43.0 | 0.3 |
| inc | | | | | | | 304.0 | 310.0 | 6.0 | 3.95 | 24 | 5.2 | 1.5 |
| inc | | | | | | | 317.1 | 321.0 | 3.9 | 1.99 | 8 | 3.4 | 1.5 |
| OKWD22-129 | 272930 | 702451 | 68.428 | -59 | 266 | 1 | 221.3 | 259.7 | 38.4 | 0.84 | 32 | 33.8 | 0.3 |
| OKWD22-130 | 272881 | 701949 | 112.627 | -61 | 266 | 4 | 114.4 | 134.5 | 20.1 | 2.63 | 53 | 17.1 | 0.3 |
| OKWD22-130 | 272881 | 701949 | 112.627 | -61 | 266 | 4 | 150.0 | 181.2 | 31.2 | 0.44 | 14 | 26.6 | 0.3 |
| OKWD22-130 | 272881 | 701949 | 112.627 | -61 | 266 | 4 | 195.0 | 239.0 | 44.0 | 0.82 | 36 | 37.4 | 0.3 |
| inc | | | | | | | 213.0 | 216.3 | 3.3 | 2.08 | 7 | 2.9 | 1.5 |
| inc | | | | | | | 236.0 | 239.0 | 3.0 | 3.01 | 9 | 2.6 | 1.5 |
| OKWD22-130 | 272881 | 701949 | 112.627 | -61 | 266 | 4 | 250.0 | 260.0 | 10.0 | 0.59 | 6 | 8.5 | 0.3 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|-------------|----------------|-----------------|-----------|------------|----------------|-------|----------|--------|-----------------------|----------------|----------------------------------|----------|-----------------|
| OKWD22-151 | 272932 | 702091 | 99.413 | -60 | 273 | 1 | 256.1 | 270.0 | 13.9 | 0.75 | 10 | 12.0 | 0.3 |
| OKWD22-152 | 272758 | 701545 | 81.343 | -60 | 270 | 4 | 16.5 | 36.0 | 19.5 | 2.35 | 46 | 17.0 | 0.3 |
| inc | | | | | | | 17.8 | 30.0 | 12.3 | 3.53 | 43 | 10.6 | 1.5 |
| OKWD22-152 | 272758 | 701545 | 81.343 | -60 | 270 | 4 | 65.2 | 136.0 | 70.8 | 2.43 | 172 | 61.8 | 0.3 |
| inc | | | | | | | 66.6 | 73.7 | 7.1 | 5.53 | 39 | 6.1 | 1.5 |
| inc | | | | | | | 96.0 | 102.2 | 6.2 | 5.94 | 37 | 5.3 | 1.5 |
| inc | | | | | | | 114.0 | 120.3 | 6.3 | 3.41 | 21 | 5.4 | 1.5 |
| inc | | | | | | | 122.8 | 133.0 | 10.2 | 3.79 | 39 | 8.8 | 1.5 |
| OKWD22-153 | 272698 | 701694 | 118.618 | -61 | 270 | 4 | 0.0 | 55.5 | 55.5 | 1.39 | 77 | 46.8 | 0.3 |
| inc | | | | | | | 0.0 | 6.0 | 6.0 | 2.21 | 13 | 5.3 | 1.5 |
| inc | | | | | | | 26.1 | 31.2 | 5.1 | 1.62 | 8 | 4.5 | 1.5 |
| inc | | | | | | | 52.5 | 55.5 | 3.0 | 11.44 | 34 | 2.6 | 1.5 |
| OKWD22-154 | 272888 | 702066 | 109.535 | -59 | 274 | 1 | 108.0 | 132.0 | 24.0 | 0.97 | 23 | 21.1 | 0.3 |
| OKWD22-154 | 272888 | 702066 | 109.535 | -59 | 274 | 1 | 152.1 | 176.0 | 23.9 | 0.48 | 11 | 20.9 | 0.3 |
| OKWD22-154 | 272888 | 702066 | 109.535 | -59 | 274 | 1 | 199.0 | 233.0 | 34.0 | 0.40 | 14 | 29.8 | 0.3 |
| OKWD22-155 | 272918 | 701789 | 93.137 | -60 | 275 | 4 | 144.5 | 159.0 | 14.6 | 2.81 | 41 | 12.5 | 0.3 |
| OKWD22-155 | 272918 | 701789 | 93.137 | -60 | 275 | 4 | 169.4 | 289.4 | 120.0 | 1.75 | 210 | 102.9 | 0.3 |
| inc | | | | | | | 237.1 | 240.2 | 3.1 | 4.12 | 13 | 2.7 | 1.5 |
| inc | | | | | | | 252.8 | 257.0 | 4.3 | 3.84 | 16 | 3.7 | 1.5 |
| inc | | | | | | | 260.0 | 284.0 | 24.0 | 4.09 | 98 | 20.9 | 1.5 |
| OKWD22-156 | 272682 | 701536 | 84.414 | -60 | 268 | 4 | 24.9 | 50.9 | 26.1 | 1.26 | 33 | 22.8 | 0.3 |
| OKWD22-157 | 272755 | 702100 | 134.403 | -60 | 271 | 1 | 10.3 | 70.3 | 60.0 | 0.53 | 32 | 52.1 | 0.3 |
| inc | | | | | | | 18.0 | 22.0 | 4.0 | 2.11 | 8 | 3.5 | 1.5 |
| OKWD22-157 | 272755 | 702100 | 134.403 | -60 | 271 | 1 | 80.5 | 95.5 | 15.0 | 0.91 | 14 | 13.0 | 0.3 |
| inc | | | | | | | 80.5 | 83.5 | 3.0 | 2.05 | 6 | 2.6 | 1.5 |
| OKWD22-158 | 272708 | 701540 | 82.817 | -59 | 271 | 4 | 48.0 | 78.5 | 30.5 | 1.76 | 54 | 27.2 | 0.3 |
| inc | | | | | | | 61.4 | 65.3 | 3.9 | 6.82 | 27 | 3.3 | 1.5 |
| inc | | | | | | | 71.3 | 75.8 | 4.5 | 1.93 | 9 | 3.8 | 1.5 |
| OKWD22-159 | 273057 | 701801 | 78.64 | -61 | 266 | 4 | 301.2 | 314.0 | 12.9 | 0.71 | 9 | 10.8 | 0.3 |
| OKWD22-159 | 273057 | 701801 | 78.64 | -61 | 266 | 4 | 348.3 | 425.5 | 77.2 | 1.58 | 122 | 65.0 | 0.3 |
| inc | | | | | | | 376.8 | 380.6 | 3.8 | 6.51 | 25 | 3.3 | 1.5 |
| inc | | | | | | | 386.0 | 390.3 | 4.3 | 4.10 | 18 | 3.8 | 1.5 |
| inc | | | | | | | 402.0 | 413.0 | 11.0 | 3.39 | 37 | 9.7 | 1.5 |
| inc | | | | | | | 417.0 | 425.5 | 8.5 | 3.42 | 29 | 7.5 | 1.5 |
| OKWD22-160 | 272941 | 701921 | 105.52 | -59 | 268 | 4 | 177.4 | 195.7 | 18.3 | 2.74 | 50 | 16.1 | 0.3 |
| OKWD22-160 | 272941 | 701921 | 105.52 | -59 | 268 | 4 | 208.0 | 281.0 | 73.0 | 0.68 | 49 | 64.0 | 0.3 |
| inc | | | | | | | 208.0 | 211.5 | 3.4 | 2.50 | 9 | 3.0 | 1.5 |
| inc | | | | | | | 250.3 | 253.5 | 3.2 | 1.97 | 6 | 2.8 | 1.5 |
| inc | | | | | | | 270.5 | 277.0 | 6.5 | 2.17 | 14 | 5.6 | 1.5 |
| OKWD22-160 | 272941 | 701921 | 105.52 | -59 | 268 | 4 | 296.3 | 308.6 | 12.3 | 1.80 | 22 | 10.8 | 0.3 |
| inc | | | | | | | 301.5 | 306.5 | 5.0 | 4.03 | 20 | 4.3 | 1.5 |
| OKWD22-161 | 272813 | 701573 | 81.573 | -62 | 254 | 4 | 77.0 | 206.7 | 129.7 | 1.95 | 253 | 106.8 | 0.3 |
| inc | | | | | | | 77.0 | 81.3 | 4.3 | 5.25 | 23 | 3.8 | 1.5 |
| inc | | | | | | | 86.4 | 92.5 | 6.1 | 2.42 | 15 | 5.4 | 1.5 |
| inc | | | | | | | 105.8 | 109.0 | 3.2 | 4.12 | 13 | 2.8 | 1.5 |
| inc | | | | | | | 149.7 | 160.8 | 11.1 | 7.84 | 87 | 9.8 | 1.5 |
| inc | | | | | | | 171.0 | 175.9 | 4.9 | 3.48 | 17 | 4.3 | 1.5 |
| inc | | | | | | | 183.0 | 196.0 | 13.0 | 3.22 | 42 | 11.5 | 1.5 |
| OKWD22-162 | 272731 | 701601 | 90.57 | -60 | 269 | 4 | 0.0 | 51.0 | 51.0 | 3.07 | 156 | 44.3 | 0.3 |
| inc | | | | | | | 0.0 | 4.2 | 4.2 | 7.66 | 32 | 3.6 | 1.5 |
| inc | | | | | | | 17.5 | 35.0 | 17.5 | 4.78 | 84 | 15.1 | 1.5 |
| OKWD22-163 | 272758 | 701623 | 91.15 | -62 | 273 | 4 | 1.3 | 17.1 | 15.8 | 7.48 | 118 | 13.0 | 0.3 |
| inc | | | | | | | 12.0 | 15.0 | 3.0 | 37.61 | 113 | 2.7 | 1.5 |
| OKWD22-163 | 272758 | 701623 | 91.15 | -62 | 273 | 4 | 40.2 | 113.0 | 72.9 | 1.52 | 111 | 60.0 | 0.3 |
| inc | | | | | | | 62.8 | 75.6 | 12.8 | 3.24 | 41 | 11.3 | 1.5 |
| inc | | | | | | | 94.6 | 104.5 | 9.9 | 2.89 | 29 | 8.8 | 1.5 |
| inc | | | | | | | 125.0 | 128.0 | 3.0 | 2.18 | 7 | 2.7 | 1.5 |
| OKWD22-164 | 273007 | 702025 | 81.43 | -60 | 272 | 4 | 278.6 | 301.0 | 22.5 | 4.58 | 103 | 19.4 | 0.3 |
| inc | | | | | | | 284.0 | 295.0 | 11.0 | 8.40 | 92 | 9.5 | 1.5 |
| inc | | | | | | | 312.5 | 315.5 | 3.0 | 7.49 | 22 | 2.6 | 1.5 |
| OKWD22-164 | 273007 | 702025 | 81.43 | -60 | 272 | 4 | 347.0 | 358.0 | 11.0 | 0.80 | 9 | 9.5 | 0.3 |
| OKWD22-165 | 272964 | 701955 | 99.44 | -60 | 266 | 4 | 219.0 | 241.6 | 22.6 | 0.32 | 7 | 19.4 | 0.3 |
| OKWD22-165 | 272964 | 701955 | 99.44 | -60 | 266 | 4 | 263.0 | 300.0 | 37.0 | 0.58 | 21 | 31.8 | 0.3 |
| OKWD22-166A | 272798 | 702075 | 128.64 | -65 | 262 | 1 | 23.4 | 91.0 | 67.6 | 0.74 | 50 | 52.2 | 0.3 |
| inc | | | | | | | 47.5 | 51.0 | 3.6 | 3.06 | 11 | 3.2 | 1.5 |
| OKWD22-166B | 272796 | 702072 | 128.84 | -64 | 264 | 1 | 11.0 | 64.5 | 53.5 | 0.62 | 33 | 42.3 | 0.3 |
| inc | | | | | | | 55.5 | 59.0 | 3.5 | 1.76 | 6 | 3.1 | 1.5 |
| OKWD22-166B | 272796 | 702072 | 128.84 | -64 | 264 | 1 | 81.4 | 149.0 | 67.6 | 1.21 | 82 | 53.5 | 0.3 |
| inc | | | | | | | 106.5 | 109.5 | 3.0 | 1.90 | 6 | 2.7 | 1.5 |
| inc | | | | | | | 116.4 | 121.5 | 5.2 | 1.81 | 9 | 4.6 | 1.5 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|---------------|----------------|-----------------|-----------|------------|----------------|-------|----------|--------|-----------------------|----------------|----------------------------------|----------|-----------------|
| OKWD23-238 | 273271 | 701497 | 122.957 | -56 | 268 | 4 | 694.0 | 707.2 | 13.2 | 0.41 | 5 | 12.2 | 0.3 |
| OKWD23-239 | 273060 | 701798 | 80.375 | -67 | 268 | 4 | 349.0 | 367.0 | 18.0 | 0.49 | 9 | 13.2 | 0.3 |
| OKWD23-239 | 273060 | 701798 | 80.375 | -67 | 268 | 4 | 378.0 | 392.0 | 14.0 | 0.34 | 5 | 10.2 | 0.3 |
| OKWD23-239 | 273060 | 701798 | 80.375 | -67 | 268 | 4 | 398.0 | 413.5 | 15.5 | 0.35 | 5 | 11.3 | 0.3 |
| OKWD23-239 | 273060 | 701798 | 80.375 | -67 | 268 | 4 | 426.0 | 483.0 | 57.0 | 2.77 | 158 | 41.6 | 0.3 |
| inc | | | | | | | 434.5 | 441.5 | 7.0 | 3.97 | 28 | 6.4 | 1.5 |
| inc | | | | | | | 452.8 | 460.9 | 8.1 | 3.16 | 26 | 7.4 | 1.5 |
| inc | | | | | | | 469.7 | 476.0 | 6.4 | 13.12 | 83 | 5.8 | 1.5 |
| OKWD23-239-W1 | 273060 | 701798 | 80.375 | -67 | 268 | 4 | 330.0 | 443.0 | 113.0 | 1.63 | 184 | 82.6 | 0.3 |
| inc | | | | | | | 359.0 | 362.0 | 3.0 | 1.55 | 5 | 2.8 | 1.5 |
| inc | | | | | | | 398.0 | 411.6 | 13.6 | 3.66 | 50 | 12.5 | 1.5 |
| inc | | | | | | | 416.7 | 430.9 | 14.2 | 4.90 | 70 | 13.0 | 1.5 |
| inc | | | | | | | 437.0 | 441.0 | 4.0 | 2.89 | 12 | 3.7 | 1.5 |
| OKWD23-239-W2 | 273060 | 701798 | 80.375 | -67 | 268 | 4 | 343.2 | 354.2 | 11.0 | 0.40 | 4 | 8.0 | 0.3 |
| OKWD23-239-W2 | 273060 | 701798 | 80.375 | -67 | 268 | 4 | 388.0 | 474.0 | 86.0 | 1.44 | 124 | 62.8 | 0.3 |
| inc | | | | | | | 437.0 | 445.2 | 8.2 | 3.05 | 25 | 7.5 | 1.5 |
| inc | | | | | | | 453.2 | 461.1 | 7.9 | 8.38 | 66 | 7.2 | 1.5 |
| OKWD23-240 | 273205 | 701877 | 79.689 | -60 | 270 | 4 | 464.3 | 476.6 | 12.3 | 0.78 | 10 | 10.7 | 0.3 |
| OKWD23-240 | 273205 | 701877 | 79.689 | -60 | 270 | 4 | 502.0 | 514.0 | 12.0 | 0.36 | 4 | 10.4 | 0.3 |
| OKWD23-240 | 273205 | 701877 | 79.689 | -60 | 270 | 4 | 525.0 | 581.0 | 56.0 | 1.64 | 92 | 48.8 | 0.3 |
| inc | | | | | | | 554.5 | 563.9 | 9.4 | 2.08 | 20 | 8.2 | 1.5 |
| inc | | | | | | | 567.0 | 576.5 | 9.5 | 4.99 | 47 | 8.2 | 1.5 |
| OKWD23-240-W1 | 273205 | 701877 | 79.689 | -60 | 270 | 4 | 470.6 | 495.1 | 24.5 | 0.62 | 15 | 21.3 | 0.3 |
| OKWD23-240-W1 | 273205 | 701877 | 79.689 | -60 | 270 | 4 | 530.0 | 587.0 | 57.0 | 1.37 | 78 | 49.6 | 0.3 |
| inc | | | | | | | 540.4 | 544.3 | 3.9 | 6.36 | 25 | 3.4 | 1.5 |
| inc | | | | | | | 553.0 | 556.0 | 3.0 | 1.66 | 5 | 2.6 | 1.5 |
| inc | | | | | | | 560.0 | 570.0 | 10.0 | 2.08 | 21 | 8.6 | 1.5 |
| OKWD23-241 | 272787 | 700357 | 76.748 | -60 | 270 | 6 | 300.6 | 316.7 | 16.1 | 0.36 | 6 | | 0.3 |
| OKWD23-242 | 273165 | 701398 | 77.585 | -61 | 272 | 4 | 557.3 | 582.1 | 24.9 | 1.29 | 32 | 21.2 | 0.3 |
| inc | | | | | | | 559.4 | 565.8 | 6.4 | 2.98 | 19 | 5.6 | 1.5 |
| OKWD23-243 | 273109 | 701793 | 77.748 | -66 | 255 | 4 | 433.3 | 543.0 | 109.7 | 5.59 | 613 | 81.8 | 0.3 |
| inc | | | | | | | 440.9 | 444.5 | 3.6 | 2.21 | 8 | 3.3 | 1.5 |
| inc | | | | | | | 497.0 | 539.0 | 42.0 | 13.26 | 557 | 38.3 | 1.5 |
| OKWD23-243-W1 | 273109 | 701793 | 77.748 | -66 | 255 | 4 | 423.9 | 427.5 | 3.6 | 1.69 | 6 | 2.7 | 1.5 |
| OKWD23-243-W1 | 273109 | 701793 | 77.748 | -66 | 255 | 4 | 439.0 | 577.0 | 138.0 | 3.12 | 430 | 102.9 | 0.3 |
| inc | | | | | | | 504.0 | 575.0 | 71.0 | 5.77 | 410 | 64.8 | 1.5 |
| OKWD23-243-W2 | 273109 | 701793 | 77.748 | -66 | 255 | 4 | 419.0 | 517.8 | 98.8 | 2.13 | 211 | 73.7 | 0.3 |
| inc | | | | | | | 425.0 | 436.0 | 11.0 | 2.44 | 27 | 10.0 | 1.5 |
| inc | | | | | | | 482.0 | 497.0 | 15.0 | 6.51 | 98 | 13.7 | 1.5 |
| inc | | | | | | | 500.0 | 507.0 | 7.0 | 2.63 | 18 | 6.4 | 1.5 |
| inc | | | | | | | 512.2 | 515.7 | 3.5 | 10.98 | 38 | 3.2 | 1.5 |
| OKWD23-243-W3 | 273109 | 701793 | 77.748 | -66 | 255 | 4 | 432.0 | 578.0 | 146.0 | 2.10 | 306 | 108.9 | 0.3 |
| inc | | | | | | | 435.3 | 438.5 | 3.2 | 3.57 | 11 | 2.9 | 1.5 |
| inc | | | | | | | 442.5 | 447.0 | 4.5 | 8.18 | 37 | 4.1 | 1.5 |
| inc | | | | | | | 457.5 | 462.0 | 4.5 | 2.39 | 11 | 4.1 | 1.5 |
| inc | | | | | | | 494.9 | 501.6 | 6.8 | 4.62 | 31 | 6.2 | 1.5 |
| inc | | | | | | | 503.8 | 531.5 | 27.8 | 4.90 | 136 | 25.3 | 1.5 |
| inc | | | | | | | 535.1 | 549.0 | 13.9 | 2.77 | 39 | 12.7 | 1.5 |
| OKWD23-244 | 273192 | 701682 | 106.356 | -69 | 274 | 4 | 585.2 | 701.0 | 115.8 | 1.89 | 219 | 77.5 | 0.3 |
| inc | | | | | | | 591.4 | 604.0 | 12.6 | 3.95 | 50 | 11.8 | 1.5 |
| inc | | | | | | | 614.0 | 637.2 | 23.2 | 5.36 | 124 | 21.7 | 1.5 |
| inc | | | | | | | 641.0 | 644.0 | 3.0 | 2.44 | 7 | 2.8 | 1.5 |
| OKWD23-245 | 273272 | 701498 | 122.9 | -63 | 280 | 4 | 670.2 | 695.0 | 24.8 | 0.62 | 15 | 20.0 | 0.3 |
| OKWD23-245 | 273272 | 701498 | 122.9 | -63 | 280 | 4 | 713.0 | 728.0 | 15.0 | 2.95 | 44 | 12.1 | 0.3 |
| inc | | | | | | | 721.0 | 728.0 | 7.0 | 6.02 | 42 | 6.2 | 1.5 |
| OKWD23-245 | 273272 | 701498 | 122.9 | -63 | 280 | 4 | 742.0 | 755.0 | 13.0 | 0.90 | 12 | 10.5 | 0.3 |
| OKWD23-246 | 272848 | 700560 | 73.97 | -50 | 272 | 6 | 316.6 | 329.7 | 13.1 | 0.78 | 10 | | 0.3 |
| OKWD23-247 | 273049 | 701879 | 78.761 | -61 | 276 | 4 | 297.5 | 322.0 | 24.5 | 0.37 | 9 | 20.6 | 0.3 |
| OKWD23-247 | 273049 | 701879 | 78.761 | -61 | 276 | 4 | 388.0 | 433.0 | 45.0 | 1.80 | 81 | 37.9 | 0.3 |
| inc | | | | | | | 389.0 | 392.0 | 3.0 | 4.03 | 12 | 2.6 | 1.5 |
| inc | | | | | | | 418.6 | 425.3 | 6.7 | 6.13 | 41 | 5.9 | 1.5 |
| OKWD23-248 | 272702 | 701030 | 73.987 | -53 | 266 | 5 | 0.0 | 19.0 | 19.0 | 0.46 | 9 | | 0.3 |
| OKWD23-248 | 272702 | 701030 | 73.987 | -53 | 266 | 5 | 93.2 | 127.6 | 34.4 | 0.83 | 29 | | 0.3 |
| inc | | | | | | | 101.2 | 106.2 | 5.0 | 2.70 | 13 | | 1.5 |
| OKWD23-249 | 273128 | 701972 | 75.895 | -60 | 282 | 4 | 359.0 | 369.3 | 10.3 | 0.70 | 7 | 9.0 | 0.3 |
| OKWD23-249 | 273128 | 701972 | 75.895 | -60 | 282 | 4 | 422.6 | 438.2 | 15.7 | 2.62 | 41 | 13.6 | 0.3 |
| OKWD23-249 | 273128 | 701972 | 75.895 | -60 | 282 | 4 | 457.8 | 505.0 | 47.2 | 0.50 | 24 | 41.1 | 0.3 |
| OKWD23-250 | 273086 | 701639 | 89.612 | -60 | 262 | 4 | 402.6 | 499.1 | 96.5 | 1.38 | 133 | 83.8 | 0.3 |
| inc | | | | | | | 406.1 | 411.0 | 4.9 | 2.52 | 12 | 4.2 | 1.5 |
| inc | | | | | | | 426.9 | 430.0 | 3.1 | 2.71 | 8 | 2.7 | 1.5 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|-------------|----------------|-----------------|-----------|------------|----------------|-------|----------|--------|-----------------------|----------------|----------------------------------|----------|-----------------|
| inc | | | | | | | 327.0 | 331.0 | 4.0 | 1.67 | 7 | 3.2 | 1.5 |
| OKWD23-274 | 273036 | 702198 | 79.814 | -59 | 275 | 1 | 255.4 | 295.5 | 40.1 | 0.39 | 16 | 35.2 | 0.3 |
| OKWD23-274 | 273036 | 702198 | 79.814 | -59 | 275 | 1 | 355.6 | 374.6 | 19.0 | 0.46 | 9 | 16.7 | 0.3 |
| OKWD23-275 | 272729 | 700483 | 78.577 | -50 | 287 | 6 | 162.7 | 208.8 | 46.1 | 0.68 | 31 | | 0.3 |
| OKWD23-277 | 273032 | 702126 | 78.265 | -56 | 267 | 1 | 247.0 | 257.0 | 10.0 | 1.47 | 15 | 9.3 | 0.3 |
| inc | | | | | | | 247.0 | 251.0 | 4.0 | 2.49 | 10 | 3.3 | 1.5 |
| OKWD23-277 | 273032 | 702126 | 78.265 | -56 | 267 | 1 | 268.0 | 280.0 | 12.0 | 0.40 | 5 | 11.2 | 0.3 |
| OKWD23-277 | 273032 | 702126 | 78.265 | -56 | 267 | 1 | 320.0 | 358.0 | 38.0 | 0.95 | 36 | 35.4 | 0.3 |
| inc | | | | | | | 347.0 | 350.0 | 3.0 | 2.61 | 8 | 2.5 | 1.5 |
| inc | | | | | | | 355.0 | 358.0 | 3.0 | 4.55 | 14 | 2.5 | 1.5 |
| OKWD23-278 | 273258 | 701406 | 99.275 | -61 | 273 | 4 | 723.0 | 735.3 | 12.3 | 0.33 | 4 | 10.5 | 0.3 |
| OKWD23-279 | 273000 | 702036 | 81.77 | -53 | 254 | 1 | 225.6 | 258.0 | 32.5 | 0.58 | 19 | 31.1 | 0.3 |
| OKWD23-279 | 273000 | 702036 | 81.77 | -53 | 254 | 1 | 281.7 | 299.4 | 17.7 | 0.69 | 12 | 16.9 | 0.3 |
| OKWD23-281 | 273092 | 702111 | 75.189 | -48 | 266 | 1 | 289.0 | 310.0 | 21.0 | 0.31 | 7 | 20.9 | 0.3 |
| inc | | | | | | | 335.0 | 339.0 | 4.0 | 2.46 | 10 | 3.0 | 1.5 |
| OKWD23-281 | 273092 | 702111 | 75.189 | -48 | 266 | 1 | 357.0 | 394.0 | 37.0 | 0.59 | 22 | 36.9 | 0.3 |
| OKWD23-282 | 272749 | 700300 | 87.111 | -51 | 272 | 6 | 90.8 | 124.0 | 33.2 | 0.37 | 12 | | 0.3 |
| OKWD23-283 | 273039 | 701965 | 79.544 | -58 | 257 | 4 | 287.0 | 303.8 | 16.8 | 0.43 | 7 | 15.1 | 0.3 |
| OKWD23-283 | 273039 | 701965 | 79.544 | -58 | 257 | 4 | 372.5 | 390.1 | 17.6 | 1.72 | 30 | 15.8 | 0.3 |
| inc | | | | | | | 372.5 | 380.0 | 7.5 | 1.96 | 15 | 6.4 | 1.5 |
| OKWD23-284 | 272894 | 701059 | 98.113 | -60 | 275 | 5 | 319.1 | 334.0 | 15.0 | 0.40 | 6 | | 0.3 |
| OKWD23-284 | 272894 | 701059 | 98.113 | -60 | 275 | 5 | 345.0 | 359.9 | 14.9 | 0.67 | 10 | | 0.3 |
| OKWD23-285 | 273049 | 701880 | 78.877 | -51 | 279 | 4 | 236.4 | 260.7 | 24.2 | 0.98 | 24 | 23.7 | 0.3 |
| OKWD23-285 | 273049 | 701880 | 78.877 | -51 | 279 | 4 | 278.2 | 339.5 | 61.3 | 0.84 | 52 | 60.0 | 0.3 |
| inc | | | | | | | 334.0 | 339.0 | 5.0 | 3.13 | 16 | 3.9 | 1.5 |
| OKWD23-285 | 273049 | 701880 | 78.877 | -51 | 279 | 4 | 352.1 | 374.4 | 22.3 | 0.61 | 14 | 21.8 | 0.3 |
| OKWD23-286 | 273092 | 702112 | 75.228 | -54 | 274 | 1 | 326.0 | 336.0 | 10.0 | 0.65 | 6 | 9.5 | 0.3 |
| OKWD23-286 | 273092 | 702112 | 75.228 | -54 | 274 | 1 | 396.0 | 413.0 | 17.0 | 0.42 | 7 | 16.1 | 0.3 |
| OKWD23-287 | 272989 | 701555 | 82.963 | -53 | 267 | 4 | 256.0 | 279.0 | 23.0 | 0.96 | 22 | 22.0 | 0.3 |
| OKWD23-287 | 272989 | 701555 | 82.963 | -53 | 267 | 4 | 302.8 | 369.0 | 66.3 | 3.64 | 241 | 63.5 | 0.3 |
| inc | | | | | | | 302.8 | 306.0 | 3.3 | 5.01 | 16 | 2.6 | 1.5 |
| inc | | | | | | | 316.0 | 354.0 | 38.0 | 5.75 | 218 | 30.5 | 1.5 |
| OKWD23-288A | 272982 | 701718 | 79.206 | -53 | 262 | 4 | 241.0 | 341.0 | 100.0 | 2.24 | 224 | 95.8 | 0.3 |
| inc | | | | | | | 261.0 | 266.0 | 5.0 | 3.90 | 20 | 4.0 | 1.5 |
| inc | | | | | | | 269.0 | 275.0 | 6.0 | 2.47 | 15 | 4.8 | 1.5 |
| inc | | | | | | | 298.0 | 302.0 | 4.0 | 30.59 | 122 | 3.2 | 1.5 |
| inc | | | | | | | 320.0 | 324.0 | 4.0 | 1.71 | 7 | 3.2 | 1.5 |
| OKWD23-289 | 273124 | 701974 | 75.893 | -59 | 270 | 4 | 415.2 | 474.0 | 58.9 | 1.04 | 61 | 51.8 | 0.3 |
| inc | | | | | | | 427.2 | 430.8 | 3.6 | 3.53 | 13 | 3.1 | 1.5 |
| inc | | | | | | | 436.0 | 439.0 | 3.0 | 1.89 | 6 | 2.6 | 1.5 |
| inc | | | | | | | 458.3 | 462.0 | 3.8 | 2.11 | 8 | 3.2 | 1.5 |
| OKWD23-290 | 272981 | 700769 | 104.739 | -48 | 276 | 6 | 425.0 | 442.0 | 17.0 | 0.33 | 6 | | 0.3 |
| OKWD23-291 | 273091 | 702112 | 75.219 | -59 | 264 | 1 | 395.0 | 416.0 | 21.0 | 0.56 | 12 | 18.6 | 0.3 |
| inc | | | | | | | 399.0 | 402.2 | 3.2 | 2.21 | 7 | 2.7 | 1.5 |
| OKWD23-292 | 273095 | 701546 | 111.028 | -61 | 275 | 4 | 433.7 | 487.0 | 53.3 | 1.63 | 87 | 45.4 | 0.3 |
| inc | | | | | | | 448.0 | 451.0 | 3.0 | 1.87 | 6 | 2.6 | 1.5 |
| inc | | | | | | | 456.0 | 467.0 | 11.0 | 2.64 | 29 | 9.6 | 1.5 |
| inc | | | | | | | 469.1 | 484.0 | 14.9 | 2.45 | 37 | 13.0 | 1.5 |
| OKWD23-292 | 273095 | 701546 | 111.028 | -61 | 275 | 4 | 500.0 | 513.0 | 13.0 | 0.37 | 5 | 11.1 | 0.3 |
| OKWD23-293 | 272973 | 701397 | 117.061 | -59 | 290 | 4 | 315.0 | 403.5 | 88.5 | 1.05 | 93 | 77.9 | 0.3 |
| inc | | | | | | | 336.0 | 344.0 | 8.0 | 1.92 | 15 | 6.9 | 1.5 |
| inc | | | | | | | 356.4 | 361.5 | 5.1 | 1.94 | 10 | 4.4 | 1.5 |
| inc | | | | | | | 381.5 | 390.5 | 9.0 | 2.54 | 23 | 7.7 | 1.5 |
| OKWD23-294 | 273123 | 701973 | 75.845 | -60 | 265 | 4 | 426.0 | 493.0 | 67.0 | 0.87 | 58 | 57.5 | 0.3 |
| inc | | | | | | | 453.0 | 460.0 | 7.0 | 1.74 | 12 | 6.1 | 1.5 |
| inc | | | | | | | 463.0 | 467.0 | 4.0 | 1.73 | 7 | 3.5 | 1.5 |
| inc | | | | | | | 478.0 | 481.0 | 3.0 | 3.10 | 9 | 2.6 | 1.5 |
| OKWD23-295 | 272837 | 700605 | 75.003 | -55 | 278 | 6 | 294.0 | 319.4 | 25.4 | 0.32 | 8 | | 0.3 |
| OKWD23-296 | 272974 | 701397 | 117.059 | -65 | 284 | 4 | 332.4 | 398.0 | 65.7 | 0.80 | 52 | 51.0 | 0.3 |
| inc | | | | | | | 368.0 | 372.0 | 4.0 | 3.79 | 15 | 3.6 | 1.5 |
| inc | | | | | | | 388.0 | 395.0 | 7.0 | 1.97 | 14 | 6.3 | 1.5 |
| OKWD23-296 | 272974 | 701397 | 117.059 | -65 | 284 | 4 | 409.7 | 436.9 | 27.2 | 0.46 | 13 | 21.1 | 0.3 |
| OKWD23-297 | 273127 | 701972 | 75.847 | -58 | 258 | 4 | 339.6 | 388.0 | 48.4 | 1.18 | 57 | 43.3 | 0.3 |
| inc | | | | | | | 352.0 | 359.0 | 7.0 | 3.72 | 26 | 6.0 | 1.5 |
| OKWD23-297 | 273127 | 701972 | 75.847 | -58 | 258 | 4 | 422.0 | 464.7 | 42.7 | 1.99 | 85 | 38.2 | 0.3 |
| inc | | | | | | | 422.0 | 427.0 | 5.0 | 7.23 | 36 | 4.3 | 1.5 |
| inc | | | | | | | 430.0 | 441.0 | 11.0 | 1.75 | 19 | 9.4 | 1.5 |
| inc | | | | | | | 446.0 | 453.0 | 7.0 | 2.02 | 14 | 6.0 | 1.5 |
| inc | | | | | | | 457.0 | 460.0 | 3.0 | 1.87 | 6 | 2.6 | 1.5 |
| OKWD23-298A | 272902 | 701190 | 108.464 | -62 | 275 | 5 | 315.2 | 333.0 | 17.8 | 0.88 | 16 | | 0.3 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|-----------------------|----------------|-----------------|-----------|------------|----------------|-------|---------------|---------------|-----------------------|----------------|----------------------------------|-------------|-----------------|
| OKWD23-350-W2 | 273395 | 701737 | 107.59 | -61 | 272 | 4 | 713.0 | 796.3 | 83.3 | 2.01 | 167 | 70.6 | 0.3 |
| inc | | | | | | | 725.9 | 731.0 | 5.1 | 4.75 | 24 | 4.5 | 1.5 |
| inc | | | | | | | 763.0 | 769.7 | 6.6 | 2.75 | 18 | 5.8 | 1.5 |
| inc | | | | | | | 773.2 | 778.7 | 5.5 | 2.69 | 15 | 4.8 | 1.5 |
| inc | | | | | | | 781.1 | 789.6 | 8.5 | 7.16 | 61 | 7.4 | 1.5 |
| OKWD23-350-W2 | 273395 | 701737 | 107.59 | -61 | 272 | 4 | 811.0 | 828.0 | 17.0 | 0.38 | 6 | 14.4 | 0.3 |
| OKWD23-352 | 273328 | 701873 | 89.9693 | -71 | 284 | 4 | 770.0 | 781.0 | 11.0 | 0.64 | 7 | 6.9 | 0.3 |
| OKWD23-352 | 273328 | 701873 | 89.9693 | -71 | 284 | 4 | 813.0 | 834.0 | 21.0 | 0.35 | 7 | 13.1 | 0.3 |
| inc | | | | | | | 487.0 | 491.0 | 4.0 | 2.03 | 8 | 3.3 | 1.5 |
| OKWD23-353A | 273190 | 701678 | 106.057 | -56 | 271 | 4 | 509.0 | 574.9 | 65.9 | 5.12 | 337 | 61.3 | 0.3 |
| inc | | | | | | | 509.0 | 512.3 | 3.3 | 2.34 | 8 | 2.7 | 1.5 |
| inc | | | | | | | 541.8 | 550.0 | 8.3 | 4.61 | 38 | 6.8 | 1.5 |
| inc | | | | | | | 554.0 | 569.5 | 15.5 | 13.52 | 209 | 12.8 | 1.5 |
| OKWD23-356 | 268249 | 702442 | 124.465 | -56 | 96 | 0 | 190.0 | 202.0 | 12.0 | 1.56 | 19 | | 0.3 |
| OKWD23-357 | 272919 | 701319 | 123.4 | -57 | 283 | 4 | 278.0 | 311.0 | 33.0 | 0.39 | 13 | 30.1 | 0.3 |
| OKWD23-359-W1 | 273328 | 701872 | 89.9881 | -68 | 258 | 4 | 694.0 | 709.0 | 15.0 | 0.43 | 7 | 10.5 | 0.3 |
| OKWD23-359-W1 | 273328 | 701872 | 89.9881 | -68 | 258 | 4 | 721.5 | 805.0 | 83.5 | 3.06 | 255 | 58.7 | 0.3 |
| inc | | | | | | | 722.5 | 726.0 | 3.5 | 2.88 | 10 | 3.2 | 1.5 |
| inc | | | | | | | 743.9 | 748.1 | 4.2 | 4.02 | 17 | 3.9 | 1.5 |
| inc | | | | | | | 760.7 | 785.0 | 24.4 | 7.80 | 190 | 22.5 | 1.5 |
| OKWD23-360A-W2 | 273651 | 701855 | 76.5226 | -65 | 270 | 4 | 960.1 | 974.7 | 14.6 | 1.05 | 15 | 11.1 | 0.3 |
| OKWD23-360A-W2 | 273651 | 701855 | 76.5226 | -65 | 270 | 4 | 1039.8 | 1089.8 | 50.1 | 4.10 | 205 | 38.2 | 0.3 |
| inc | | | | | | | 1051.2 | 1061.7 | 10.5 | 6.09 | 64 | 9.5 | 1.5 |
| inc | | | | | | | 1064.1 | 1078.3 | 14.3 | 8.84 | 126 | 12.9 | 1.5 |
| OKWD23-362A | 273665 | 701706 | 97.8627 | -60 | 268 | 4 | 991.0 | 1067.0 | 76.0 | 2.27 | 172 | 65.9 | 0.3 |
| inc | | | | | | | 991.0 | 994.0 | 3.0 | 1.82 | 5 | 2.6 | 1.5 |
| inc | | | | | | | 1005.7 | 1010.0 | 4.3 | 6.64 | 29 | 3.7 | 1.5 |
| inc | | | | | | | 1036.6 | 1041.5 | 4.9 | 6.29 | 31 | 4.2 | 1.5 |
| inc | | | | | | | 1046.5 | 1062.0 | 15.5 | 4.26 | 66 | 13.4 | 1.5 |
| OKWD23-363 | 272867 | 701303 | 131.138 | -57 | 270 | 4 | 286.0 | 302.0 | 16.0 | 0.31 | 5 | 14.6 | 0.3 |
| inc | | | | | | | 897.3 | 903.0 | 5.7 | 1.90 | 11 | 5.2 | 1.5 |
| OKWD23-364 | 273565 | 701877 | 73.2452 | -65 | 270 | 4 | 953.4 | 965.6 | 12.2 | 0.35 | 4 | 9.3 | 0.3 |
| OKWD23-364 | 273565 | 701877 | 73.2452 | -65 | 270 | 4 | 977.6 | 1022.6 | 45.0 | 3.39 | 152 | 34.4 | 0.3 |
| inc | | | | | | | 981.4 | 985.5 | 4.1 | 3.43 | 14 | 3.7 | 1.5 |
| inc | | | | | | | 999.0 | 1013.0 | 14.0 | 7.40 | 104 | 12.7 | 1.5 |
| OKWD23-365 | 272698 | 701308 | 135.852 | -48 | 270 | 4 | 18.0 | 43.0 | 25.0 | 0.84 | 21 | 24.9 | 0.3 |
| inc | | | | | | | 35.0 | 41.5 | 6.5 | 1.90 | 12 | 4.8 | 1.5 |
| OKWD23-366 | 272705 | 701102 | 82.7994 | -62 | 274 | 5 | 0.6 | 13.1 | 12.5 | 0.48 | 6 | | 0.3 |
| OKWD23-366 | 272705 | 701102 | 82.7994 | -62 | 274 | 5 | 81.0 | 126.0 | 45.0 | 1.85 | 83 | | 0.3 |
| inc | | | | | | | 107.1 | 114.4 | 7.3 | 2.52 | 18 | | 1.5 |
| inc | | | | | | | 117.6 | 121.7 | 4.2 | 3.12 | 13 | | 1.5 |
| OKWD23-367 | 272667 | 700872 | 79.9306 | -50 | 270 | 6 | 31.5 | 61.0 | 29.5 | 0.97 | 29 | | 0.3 |
| inc | | | | | | | 39.8 | 45.7 | 6.0 | 1.71 | 10 | | 1.5 |
| OKWD23-368 | 272858 | 701282 | 127.822 | -53 | 267 | 4 | 190.3 | 203.1 | 12.8 | 0.56 | 7 | 12.3 | 0.3 |
| OKWD23-368 | 272858 | 701282 | 127.822 | -53 | 267 | 4 | 272.3 | 283.0 | 10.7 | 0.48 | 5 | 10.4 | 0.3 |
| OKWD23-369 | 272620 | 701113 | 84.5795 | -62 | 272 | 5 | 0.0 | 24.5 | 24.5 | 0.84 | 21 | | 0.3 |
| OKWD23-369 | 272620 | 701113 | 84.5795 | -62 | 272 | 5 | 106.0 | 120.0 | 14.0 | 0.58 | 8 | | 0.3 |
| inc | | | | | | | 21.6 | 25.5 | 3.9 | 2.74 | 11 | | 1.5 |
| OKWD24-370 | 272768 | 701230 | 105.92 | -50 | 280 | 5 | 92.0 | 109.0 | 17.0 | 0.43 | 7 | | 0.3 |
| OKWD24-370 | 272768 | 701230 | 105.92 | -50 | 280 | 5 | 161.2 | 171.9 | 10.7 | 1.08 | 12 | | 0.3 |
| OKWD24-371 | 272644 | 700829 | 90.85 | -50 | 270 | 6 | 55.0 | 74.6 | 19.6 | 1.69 | 33 | | 0.3 |
| inc | | | | | | | 70.4 | 73.6 | 3.2 | 8.25 | 26 | | 1.5 |
| OKWD24-373 | 272644 | 700776 | 87.34 | -51 | 270 | 6 | 36.0 | 52.0 | 16.0 | 0.32 | 5 | | 0.3 |
| OKWD24-373 | 272644 | 700776 | 87.34 | -51 | 270 | 6 | 69.0 | 120.6 | 51.6 | 0.70 | 36 | | 0.3 |
| OKWD24-374-W1 | 273317 | 701568 | 128 | -59 | 272 | 4 | 678.0 | 689.8 | 11.8 | 1.39 | 16 | 10.4 | 0.3 |
| inc | | | | | | | 685.6 | 689.8 | 4.1 | 3.03 | 13 | 3.5 | 1.5 |
| OKWD24-374-W1 | 273317 | 701568 | 128 | -59 | 272 | 4 | 710.9 | 735.0 | 24.1 | 1.59 | 38 | 21.4 | 0.3 |
| inc | | | | | | | 714.5 | 720.2 | 5.8 | 6.10 | 35 | 4.9 | 1.5 |
| OKWD24-374-W1 | 273317 | 701568 | 128 | -59 | 272 | 4 | 750.9 | 763.0 | 12.1 | 1.37 | 17 | 10.8 | 0.3 |
| inc | | | | | | | 752.9 | 757.9 | 5.0 | 2.49 | 13 | 4.3 | 1.5 |
| OKWD24-375 | 272674 | 700958 | 73 | -53 | 270 | 6 | 31.5 | 91.9 | 60.4 | 1.50 | 91 | | 0.3 |
| inc | | | | | | | 58.3 | 64.3 | 6.0 | 7.06 | 42 | | 1.5 |
| inc | | | | | | | 68.3 | 76.6 | 8.3 | 2.32 | 19 | | 1.5 |
| OKWD24-376 | 272717 | 700778 | 79.11 | -50 | 270 | 6 | 124.2 | 208.1 | 83.9 | 0.67 | 56 | | 0.3 |
| inc | | | | | | | 181.7 | 189.3 | 7.6 | 1.87 | 14 | | 1.5 |
| OKWD24-377 | 273328 | 701873 | 92 | -57 | 268 | 4 | 579.0 | 609.1 | 30.1 | 0.55 | 17 | 27.4 | 0.3 |
| OKWD24-377 | 273328 | 701873 | 92 | -57 | 268 | 4 | 645.0 | 700.0 | 55.0 | 2.42 | 133 | 50.0 | 0.3 |
| inc | | | | | | | 646.0 | 650.0 | 4.0 | 3.00 | 12 | 3.4 | 1.5 |
| inc | | | | | | | 656.4 | 661.9 | 5.5 | 5.97 | 33 | 4.6 | 1.5 |
| inc | | | | | | | 668.9 | 689.3 | 20.4 | 3.42 | 70 | 17.2 | 1.5 |

| Hole ID | Collar Easting | Collar Northing | Collar RL | Collar Dip | Collar Azimuth | Block | From (m) | To (m) | Downhole Interval (m) | Au Grade (g/t) | Grade x Downhole Interval (gm/t) | ETT* (m) | Cutoff (Au g/t) |
|-------------|----------------|-----------------|-----------|------------|----------------|-------|----------|--------|-----------------------|----------------|----------------------------------|----------|-----------------|
| OKWD24-378 | 272672 | 701162 | 94.8 | -52 | 275 | 5 | 3.8 | 19.0 | 15.2 | 0.45 | 7 | | 0.3 |
| OKWD24-378 | 272672 | 701162 | 94.8 | -52 | 275 | 5 | 32.0 | 73.5 | 41.5 | 0.35 | 14 | | 0.3 |
| OKWD24-379A | 272741 | 700713 | 70.99 | -54 | 275 | 6 | 173.1 | 231.3 | 58.2 | 1.07 | 62 | | 0.3 |
| inc | | | | | | | 174.2 | 181.1 | 6.9 | 3.29 | 23 | | 1.5 |
| OKWD24-380 | 272690 | 700827 | 77.07 | -54 | 272 | 6 | 3.0 | 15.0 | 12.0 | 0.37 | 4 | | 0.3 |
| OKWD24-380 | 272690 | 700827 | 77.07 | -54 | 272 | 6 | 73.0 | 94.2 | 21.2 | 0.81 | 17 | | 0.3 |
| inc | | | | | | | 91.0 | 94.2 | 3.2 | 3.95 | 12 | | 1.5 |
| OKWD24-380 | 272690 | 700827 | 77.07 | -54 | 272 | 6 | 112.0 | 129.0 | 17.0 | 0.77 | 13 | | 0.3 |
| OKWD24-380 | 272690 | 700827 | 77.07 | -54 | 272 | 6 | 152.3 | 192.0 | 39.7 | 5.27 | 209 | | 0.3 |
| inc | | | | | | | 160.0 | 163.8 | 3.8 | 14.18 | 54 | | 1.5 |
| inc | | | | | | | 170.0 | 183.0 | 13.0 | 10.50 | 137 | | 1.5 |
| OKWD24-381 | 272652 | 700659 | 69.7 | -51 | 270 | 6 | 85.2 | 130.0 | 44.9 | 2.28 | 102 | | 0.3 |
| inc | | | | | | | 106.9 | 125.1 | 18.3 | 4.38 | 80 | | 1.5 |
| OKWD24-383 | 272642 | 700822 | 90.85 | -50 | 268 | 6 | 16.1 | 27.0 | 10.9 | 0.96 | 11 | | 0.3 |
| OKWD24-383 | 272642 | 700822 | 90.85 | -50 | 268 | 6 | 67.0 | 133.5 | 66.5 | 0.40 | 26 | | 0.3 |
| inc | | | | | | | 67.0 | 71.0 | 4.0 | 1.88 | 8 | | 1.5 |
| OKWD24-385 | 272804 | 700883 | 72.9 | -47 | 276 | 6 | 137.0 | 149.0 | 12.0 | 0.80 | 10 | | 0.3 |
| OKWD24-385 | 272804 | 700883 | 72.9 | -47 | 276 | 6 | 174.0 | 306.9 | 132.9 | 0.79 | 104 | | 0.3 |
| inc | | | | | | | 224.0 | 231.0 | 7.0 | 4.85 | 34 | | 1.5 |
| OKWD24-388 | 272733 | 700972 | 75 | -47 | 269 | 6 | 124.2 | 164.1 | 39.9 | 1.39 | 55 | | 0.3 |
| inc | | | | | | | 132.4 | 137.4 | 5.0 | 5.76 | 29 | | 1.5 |
| OKWD24-389 | 272679 | 700870 | 87 | -59 | 288 | 6 | 61.0 | 73.8 | 12.8 | 0.38 | 5 | | 0.3 |
| OKWD24-389 | 272679 | 700870 | 87 | -59 | 288 | 6 | 150.0 | 171.6 | 21.6 | 4.00 | 86 | | 0.3 |
| inc | | | | | | | 156.5 | 160.5 | 4.0 | 17.67 | 71 | | 1.5 |
| OKWD24-391 | 272777 | 700781 | 83 | -52 | 270 | 6 | 107.0 | 121.2 | 14.2 | 0.46 | 6 | | 0.3 |
| OKWD24-391 | 272777 | 700781 | 83 | -52 | 270 | 6 | 199.4 | 257.0 | 57.6 | 1.29 | 74 | | 0.3 |
| inc | | | | | | | 207.7 | 211.3 | 3.6 | 2.45 | 9 | | 1.5 |
| inc | | | | | | | 227.0 | 233.0 | 6.0 | 2.62 | 16 | | 1.5 |
| inc | | | | | | | 248.9 | 254.8 | 6.0 | 3.61 | 21 | | 1.5 |
| OKWD24-392 | 272775 | 700839 | 72 | -52 | 270 | 6 | 193.0 | 263.3 | 70.3 | 1.08 | 76 | | 0.3 |
| inc | | | | | | | 199.2 | 211.2 | 12.0 | 3.42 | 41 | | 1.5 |
| inc | | | | | | | 240.4 | 243.4 | 3.0 | 2.87 | 9 | | 1.5 |
| inc | | | | | | | 252.7 | 258.3 | 5.6 | 2.80 | 16 | | 1.5 |

* Estimated True Thickness ("ETT") based on an average dip / dip direction of -65° / 095° to represent the orientation of the mineralized zone in Block 4. ETT only calculated for Blocks 1 and 4.

** Significant intervals calculated using a 0.3 g/t Au cutoff, 10m minimum length and 10m maximum consecutive internal waste. Included intervals calculated using a 1.5 g/t Au cutoff, 3m minimum length and a 2m maximum consecutive internal waste.