

HoleID	From (m)	To (m)	Interval (m)	Au (g/t)	Cutoff (Au, g/t)
OKWD22-044A	122.5	143	20.50	0.36	0.3
OKWD22-132A	4.5	17.1	12.60	3.32	0.3
OKWD22-132A	4.5	12	7.50	5.22	1
OKWD22-132A	56	67.5	11.50	1.54	0.3
OKWD22-132A	80.1	102.4	22.30	1.15	0.3
OKWD22-132A	83.25	89	5.75	3.62	1
OKWD22-132A	138.9	193.7	54.80	0.89	0.3
OKWD22-132A	176.6	181	4.40	2.04	1
OKWD22-132A	204.3	214.45	10.15	1.06	0.3
OKWD22-132A	205.3	210.3	5.00	1.86	1
OKWD22-139	99	112.5	13.50	0.80	0.3
OKWD22-139	99	102	3.00	3.01	1
OKWD22-140	77	172.7	95.70	0.66	0.3
OKWD22-140	77	81	4.00	3.36	1
OKWD22-140	112.7	117	4.30	2.59	1
OKWD22-140	142	151.5	9.50	1.41	1
OKWD22-141	160.9	184.9	24.00	1.86	0.3
OKWD22-141	171.5	175	3.50	9.98	1
OKWD22-141	216.3	246.2	29.90	0.58	0.3
OKWD22-141	258	295.5	37.50	0.78	0.3
OKWD22-141	258	263	5.00	3.55	1
OKWD22-142	121.6	185	63.40	0.48	0.3
OKWD22-142	137.6	141.3	3.70	1.35	1
OKWD22-143	63.7	182	118.30	1.72	0.3
OKWD22-143	66.7	75	8.30	2.17	1
OKWD22-143	78.25	86	7.75	2.32	1
OKWD22-143	95.5	101.2	5.70	7.65	1
OKWD22-143	117	137.7	20.70	2.96	1
OKWD22-143	143.5	146.5	3.00	2.15	1
OKWD22-143	161.7	169	7.30	3.32	1
OKWD22-144	4.5	24	19.50	5.25	0.3
OKWD22-144	4.5	12	7.50	13.31	1
OKWD22-144	36	87	51.00	3.54	0.3
OKWD22-144	36	45	9.00	2.59	1
OKWD22-144	56.04	63	6.96	7.54	1
OKWD22-144	67.5	85	17.50	5.62	1
OKWD22-145	163	167.2	4.20	1.48	1
OKWD22-146	0	15	15.00	1.07	0.3
OKWD22-146	1.5	5	3.50	3.62	1
OKWD22-146	26.1	47.75	21.65	1.16	0.3
OKWD22-146	28.5	41	12.50	1.68	1
OKWD22-147	0	3	3.00	1.87	1
OKWD22-147	155.5	172.35	16.85	0.97	0.3
OKWD22-147	167.8	172.35	4.55	2.25	1
OKWD22-147	185.9	272.2	86.30	1.75	0.3
OKWD22-147	192.5	196.3	3.80	4.04	1
OKWD22-147	204.3	207.3	3.00	4.82	1
OKWD22-147	230.1	250.5	20.40	3.20	1
OKWD22-147	255.1	272.2	17.10	2.01	1
OKWD22-148	22.75	36	13.25	2.37	0.3
OKWD22-148	50.4	109.75	59.35	2.82	0.3
OKWD22-148	56	59.5	3.50	6.62	1
OKWD22-148	68.25	78.55	10.30	5.98	1
OKWD22-149	43.5	47.5	4.00	5.33	1
OKWD22-149	121	180	59.00	0.83	0.3
OKWD22-149	144.5	153.5	9.00	3.14	1

HoleID	From (m)	To (m)	Interval (m)	Au (g/t)	Cutoff (Au, g/t)
OKWD22-149	170.2	173.65	3.45	1.08	1
OKWD22-150	88.5	104.1	15.60	2.79	0.3
OKWD22-150	93.95	104.1	10.15	4.06	1
OKWD22-150	114.5	224	109.50	1.45	0.3
OKWD22-150	133	140.25	7.25	5.23	1
OKWD22-150	154	166.5	12.50	2.31	1
OKWD22-150	181	184	3.00	3.81	1
OKWD22-150	190	202	12.00	4.00	1
OKWD22-151	178	229	51.00	0.38	0.3
OKWD22-151	256.1	270	13.90	0.75	0.3
OKWD22-152	16.5	36	19.50	2.35	0.3
OKWD22-152	16.5	30	13.50	3.32	1
OKWD22-152	65.2	136	70.80	2.43	0.3
OKWD22-152	66.6	77	10.40	4.12	1
OKWD22-152	95	133	38.00	3.18	1
OKWD22-153	0	55.5	55.50	1.39	0.3
OKWD22-153	0	6	6.00	2.21	1
OKWD22-153	21.5	31.2	9.70	1.35	1
OKWD22-153	40.2	44	3.80	1.23	1
OKWD22-153	52.5	55.5	3.00	11.44	1
OKWD22-154	107.97	132	24.03	0.97	0.3
OKWD22-154	107.97	114	6.03	2.20	1
OKWD22-154	126.8	131	4.20	1.35	1
OKWD22-154	152.1	176	23.90	0.48	0.3
OKWD22-154	199	233	34.00	0.40	0.3
OKWD22-154	199	202	3.00	1.64	1
OKWD22-154	224.5	227.5	3.00	1.32	1
OKWD22-155	144.45	159	14.55	2.81	0.3
OKWD22-155	169.4	289.35	119.95	1.75	0.3
OKWD22-155	169.4	173	3.60	1.76	1
OKWD22-155	181.1	188	6.90	1.25	1
OKWD22-155	199.8	210	10.20	2.54	1
OKWD22-155	237.1	245.25	8.15	2.04	1
OKWD22-155	252.75	288.25	35.50	3.78	1
OKWD22-156	24.85	50.9	26.05	1.26	0.3
OKWD22-156	24.85	33	8.15	2.59	1
OKWD22-156	42.7	48	5.30	1.60	1
OKWD22-157	10.25	70.25	60.00	0.53	0.3
OKWD22-157	16.5	25.35	8.85	1.78	1
OKWD22-157	51	54	3.00	1.65	1
OKWD22-157	80.5	95.5	15.00	0.91	0.3
OKWD22-157	80.5	83.5	3.00	2.05	1
OKWD22-157	90.5	95.5	5.00	1.19	1
OKWD22-158	48	78.5	30.50	1.76	0.3
OKWD22-158	54	67.7	13.70	2.71	1
OKWD22-158	71.3	78.5	7.20	1.45	1
OKWD22-159	301.15	314	12.85	0.71	0.3
OKWD22-159	304	310.85	6.85	1.06	1
OKWD22-159	348.3	425.5	77.20	1.58	0.3
OKWD22-159	376.75	380.55	3.80	6.51	1
OKWD22-159	386	390.3	4.30	4.10	1
OKWD22-159	396.8	425.5	28.70	2.54	1
OKWD22-160	177.4	195.7	18.30	1.73	0.3
OKWD22-160	208	281	73.00	0.68	0.3
OKWD22-160	208	211.45	3.45	2.50	1
OKWD22-160	250.3	253.5	3.20	1.97	1
OKWD22-160	270.5	277	6.50	2.17	1

HoleID	From (m)	To (m)	Interval (m)	Au (g/t)	Cutoff (Au, g/t)
OKWD22-160	296.3	308.6	12.30	1.80	0.3
OKWD22-160	301.5	306.5	5.00	4.03	1
OKWD22-161	77	206.7	129.70	1.95	0.3
OKWD22-161	77	81.3	4.30	5.25	1
OKWD22-161	86.4	92.5	6.10	2.42	1
OKWD22-161	101	109	8.00	2.33	1
OKWD22-161	149.7	161.7	12.00	7.33	1
OKWD22-161	171	179	8.00	2.59	1
OKWD22-161	183	196	13.00	3.22	1
OKWD22-162	0	51	51.00	3.07	0.3
OKWD22-162	0	4.2	4.20	7.66	1
OKWD22-162	12.15	40.5	28.35	3.91	1
OKWD22-163	1.3	17.1	15.80	6.79	0.3
OKWD22-163	12	15	3.00	33.90	1
OKWD22-163	40.15	113	72.85	1.52	0.3
OKWD22-163	40.15	44	3.85	2.91	1
OKWD22-163	56	75.6	19.60	2.55	1
OKWD22-163	94.6	109.25	14.65	2.44	1
OKWD22-163	125	128	3.00	2.18	1
OKWD22-164	278.55	301	22.45	4.58	0.3
OKWD22-164	284	295	11.00	8.40	1
OKWD22-164	312.5	316.7	4.20	6.70	1
OKWD22-164	347	358	11.00	0.80	0.3
OKWD22-165	219	241.6	22.60	0.32	0.3
OKWD22-165	263	300	37.00	0.58	0.3
OKWD22-165	263	267.5	4.50	1.28	1
OKWD22-166A	23.4	91	67.60	0.74	0.3
OKWD22-166A	33.6	38.8	5.20	1.30	1
OKWD22-166A	47.45	51	3.55	3.06	1
OKWD22-166B	11	64.5	53.50	0.62	0.3
OKWD22-166B	26	33.75	7.75	1.29	1
OKWD22-166B	55.5	63.25	7.75	1.21	1
OKWD22-166B	81.4	149	67.60	1.21	0.3
OKWD22-166B	106.5	109.5	3.00	1.90	1
OKWD22-166B	113.2	134	20.80	2.00	1
OKWD22-166B	142.5	149	6.50	1.13	1
OKWD22-167	288.45	304	15.55	2.74	0.3
OKWD22-167	291.9	299.6	7.70	5.27	1
OKWD22-167	323	339	16.00	0.37	0.3
OKWD22-167	355	359	4.00	2.12	1
OKWD22-167	372.6	425	52.40	2.23	0.3
OKWD22-167	372.6	414	41.40	2.61	1
OKWD22-168A	176.25	227.35	51.10	0.69	0.3
OKWD22-168A	199.7	203	3.30	1.59	1
OKWD22-168A	252	279	27.00	0.89	0.3
OKWD22-168A	266.9	271	4.10	3.33	1
OKWD22-168A	289.45	311.35	21.90	2.17	0.3
OKWD22-168A	289.45	310.65	21.20	2.23	1
OKWD22-169	4.2	9	4.80	5.31	1
OKWD22-169	171.6	212.4	40.80	0.48	0.3
OKWD22-169	186.25	191.8	5.55	1.03	1
OKWD22-170	170	212	42.00	0.96	0.3
OKWD22-170	185	194	9.00	1.29	1
OKWD22-170	200	208	8.00	1.80	1
OKWD22-170	233.7	246	12.30	0.69	0.3
OKWD22-171	216	229.4	13.40	0.70	0.3
OKWD22-171	220	227.6	7.60	1.02	1

HoleID	From (m)	To (m)	Interval (m)	Au (g/t)	Cutoff (Au, g/t)
OKWD22-171	241	299.31	58.31	0.90	0.3
<i>OKWD22-171</i>	<i>272</i>	<i>275</i>	<i>3.00</i>	<i>2.72</i>	<i>1</i>
<i>OKWD22-171</i>	<i>278.2</i>	<i>281.8</i>	<i>3.60</i>	<i>4.19</i>	<i>1</i>
<i>OKWD22-171</i>	<i>287.5</i>	<i>298</i>	<i>10.50</i>	<i>1.32</i>	<i>1</i>
OKWD22-173	18	51	33.00	0.35	0.3
OKWD22-173	62.1	78	15.90	0.33	0.3
OKWD22-173	127.7	161	33.30	1.05	0.3
<i>OKWD22-173</i>	<i>144.7</i>	<i>148.8</i>	<i>4.10</i>	<i>3.63</i>	<i>1</i>
<i>OKWD22-173</i>	<i>155</i>	<i>159.2</i>	<i>4.20</i>	<i>2.09</i>	<i>1</i>
OKWR22-215	60	74	14.00	0.48	0.3
OKWR22-220	45	63	18.00	0.67	0.3
OKWR22-240	8	32	24.00	0.33	0.3