

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
<b>Trenches</b>										
OKWT20-001	1	272747	702591	75	76	0	4.00	10.00	6.00	1.34
OKWT20-002	1	272701	702375	104	240	8	1.00	6.00	5.00	3.42
OKWT20-003	2	272971	702638	74	359	-5	0.00	24.00	24.00	0.98
OKWT20-004	1	272814	702371	97	236	4	94.00	100.00	6.00	0.79
							116.00	128.00	12.00	2.00
							138.00	140.00	2.00	0.50
OKWT20-005	North 3	272964	702215	88	330	12				
OKWT20-006	3 and 4	273004	702026	80	240	8	42.00	44.00	2.00	0.32
							48.00	50.00	2.00	0.36
							70.00	72.00	2.00	2.49
OKWT20-007	4	272875	701475	79	247	-12	156.00	172.00	16.00	0.38
							178.00	184.00	6.00	0.40
OKWT20-008	2	272973	702744	60	95	-10	2.00	4.00	2.00	0.38
							8.00	15.50	7.50	1.52
OKWT20-009	6	272639	700884	91	245	10	0.00	16.00	16.00	2.49
							20.00	52.00	32.00	2.12
							58.00	132.00	74.00	1.62
OKWT20-010	1 and 2	272887	702546	64	92	12				
OKWT20-011	East 2	273022	702501	89	64	-6				
OKWT20-012	2	272938	702783	51	102	8				
OKWT20-013	6	272760	700497	71	244	0	46.00	48.00	2.00	0.78
							82.00	84.00	2.00	0.49
							100.00	102.00	2.00	0.36
							108.00	110.00	2.00	0.36
							114.00	116.00	2.00	1.10
							124.00	126.00	2.00	0.40
							136.00	148.00	12.00	0.80
							166.00	168.00	2.00	1.94
OKWT20-014	9	273200	702603	63	58	4	48.00	50.00	2.00	0.53
							56.00	58.00	2.00	1.82
							134.00	136.00	2.00	1.14
							142.00	144.00	2.00	0.37
OKWT20-015	1	272653	702538	83	200	0	1.40	3.40	2.00	5.97
OKWT20-016	1	272759	702483	80	336	0	22.00	26.00	4.00	2.30
OKWT20-017	North 1	272732	702720	89	230	0	4.00	8.00	4.00	0.62
OKWT20-017							24.00	30.00	6.00	3.58
OKWT20-018	6	272472	700710	138	54	-12	68.00	70.00	2.00	1.07
							82.00	90.00	8.00	0.39
							100.00	112.00	12.00	0.54
							126.00	140.00	14.00	2.76
							152.00	192.00	40.00	0.40
							206.00	208.00	2.00	0.40
							216.00	220.00	4.00	2.24
OKWT20-019	6	272421	700832	167	53	-15	160.00	168.00	8.00	0.73
							178.00	180.00	2.00	1.62
OKWT20-020	SE 5	273107	700710	76	226	-2				
OKWT20-021	4	272718	701234	120	60	0	16.00	18.00	2.00	0.33
							24.00	26.00	2.00	1.24
							46.00	54.00	8.00	0.82
							78.00	80.00	2.00	0.83
OKWT20-022	5	272721	701103	76	25	2	10.00	12.00	2.00	2.45
							26.00	30.00	4.00	6.28
							50.00	52.00	2.00	0.37
OKWT20-023	5	272713	701089	73	25	11	2.00	4.00	2.00	0.43
							12.00	18.00	6.00	5.82
OKWT21-024	1	272647	702560	85	66	-10	18.00	20.00	2.00	0.37
							48.00	50.00	2.00	0.35
							82.00	84.00	2.00	5.74
							90.00	94.00	4.00	0.33
							98.00	100.00	2.00	1.74
							120.00	122.00	2.00	1.24
OKWT21-025	1 and 2	272815	702624	73	29	-5	62.00	64.00	2.00	2.39

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	Length		Gold (g/t)	
							From (m)	To (m)		
<b>Trenches</b>										
OKWT21-026	4	272661	701588	106	80	-11	8.00	104.00	96.00	2.30
OKWT21-026	Including						56.00	69.00	13.00	11.65
OKWT21-027	West 4	272334	701676	122	105	0	150.00	152.00	2.00	0.58
OKWT21-028	2	272972	702634	74	293	15	1.00	4.70	3.70	0.62
OKWT21-029	5	272493	701092	139	36	-35	54.00	56.00	2.00	1.95
							92.00	116.00	24.00	0.63
							126.00	132.00	6.00	0.58
							152.00	154.00	2.00	1.74
OKWT21-030	2	272987	702693	65	347	-5	8.00	30.00	22.00	1.89
OKWT21-031	6	272619	700410	113	252	14	58.00	60.00	2.00	0.36
OKWT21-032	6	272644	700417	112	170	6	0.00	36.00	36.00	2.06
							42.00	52.00	10.00	0.93
							56.00	58.00	2.00	0.93
							82.00	88.00	6.00	0.34
							96.00	98.00	2.00	0.49
OKWT21-033	1 and 2	272913	702679	63	185	0				
OKWT21-034	Farwest 4	271737	701982	133	64	0	24.00	26.00	2.00	0.56
OKWT21-035	Farwest 4	271744	701976	129	77	0				
OKWT21-036	9	272997	702533	81	359	-9				
OKWT21-037	1	272718	702612	86	34	17	28.00	30.00	2.00	0.36
							52.00	56.00	4.00	0.37
OKWT21-038	1 and 2	272798	702670	83	323	9				
OKWT21-039	1 and 2	272882	702486	75	298	0				
OKWT21-040	1 and 2	272805	702606	72	29	0	14.00	16.00	2.00	0.45
OKWT21-041	1 and 2	272851	702387	93	22	6				
OKWT21-042	North 3	272975	702218	88	35	-9	80.00	82.00	2.00	2.41
OKWT21-043	4	272725	701625	101	58	0	0.00	32.50	32.50	0.85
							60.00	62.00	2.00	0.35
							161.00	176.00	15.00	1.39
							196.00	222.00	26.00	0.62
							229.50	233.50	4.00	0.59
							242.00	252.00	10.00	2.12
OKWT21-044	4	272583	701604	130	50	-4	131.00	200.00	69.00	5.98
							210.00	214.00	4.00	0.54
OKWT21-045	3	272818	701818	110	62	-12	53.50	58.00	4.50	0.52
							230.00	233.00	3.00	2.20
OKWT21-046	1	272915	702200	99	244	12	106.00	108.00	2.00	0.79
							140.50	151.00	10.50	0.77
OKWT21-047	5	272706	701157	96	253	-14	8.00	14.00	6.00	1.44
							18.00	26.00	8.00	0.59
							32.00	36.00	4.00	0.31
							48.00	58.00	10.00	0.40
							68.00	70.00	2.00	0.59
							106.00	110.00	4.00	0.90
OKWT21-048	5	272690	701184	107	102	0	0.00	4.00	4.00	1.15
							16.00	34.00	18.00	1.88
OKWT21-049	6	272784	700326	89	214	-4	0.00	2.00	2.00	0.44
							6.00	8.00	2.00	0.96
							52.00	54.00	2.00	0.50
OKWT21-050	7	272817	699614	84	238	16	122.00	132.00	10.00	0.64
OKWT21-051	6	272421	700546	122	65	-12	0.00	8.00	8.00	0.39
							20.00	22.00	2.00	0.39
							90.00	92.00	2.00	0.86
							106.00	108.00	2.00	1.12
							134.00	136.00	2.00	0.36
OKWT21-052	8	272688	698390	72	240	2	122.00	124.00	2.00	5.33
OKWT21-053	8	272825	698018	144	60	-10	40.00	42.00	2.00	0.32
							94.00	96.00	2.00	0.38
							110.00	118.00	8.00	0.39
OKWT21-054	South 7	272836	699164	70	351	-8				
OKWT21-055	South 7	272834	699227	67	6	7				
OKWT21-056	SE 7	272984	699433	82	224	0	0.00	3.00	3.00	0.40
OKWT21-057	10	272915	697580	157	58	-20	14.00	16.00	2.00	0.89
							102.00	104.00	2.00	0.46
OKWT21-058	4	272778	701464	86	266	0	20.00	28.00	8.00	0.73

Drill hole ID	Exploration block	East colar	North colar	Elevation (m)	Azimuth	Dip	From (m)	To (m)	Length (m)	Gold (g/t)
Trenches										
							48.00	50.00	2.00	11.36
							66.00	100.00	34.00	2.55
							108.00	114.00	6.00	0.52
OKWT21-059	3	272829	701604	73	90	0				
OKWT21-060	3	272846	701800	107	80	-8	6.00	22.00	16.00	1.66
	Including						16.00	20.00	4.00	4.16
							52.00	54.00	2.00	0.31
OKWT21-061	4	272652	701798	140	84	-8	52.00	54.00	2.00	0.33