

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
OKWR21-002	273022	702699	66	-60	270	1	52	62	10	1.74	17	8.2	0.3
inc							53	56	3	4.83	14	2.5	1.5
OKWR21-003	272750	702599	83	-60	270	1	48	68	20	0.51	10	16.3	0.3
OKWR21-004A	272699	702595	84	-60	270	1	0	17	17	1.14	19	13.9	0.3
OKWR21-007	272724	701794	129	-60	90	4	7	74	67	2.12	142	5.7	0.3
inc							11	25	14	7.59	106	1.2	1.5
inc							32	42	10	2.19	22	0.9	1.5
OKWR21-008	272688	701795	133	-60	90	4	4	54	50	2.25	113	4.3	0.3
inc							5	11	6	3.31	20	0.5	1.5
inc							19	26	7	8.20	57	0.6	1.5
OKWR21-009	272655	701793	140	-60	90	4	35	72	37	2.44	90	3.2	0.3
inc							37	48	11	3.45	38	0.9	1.5
inc							51	60	9	3.60	32	0.8	1.5
inc							66	70	4	2.14	9	0.3	1.5
OKWR21-010	272695	701270	132	-60	270	4	15	63	48	0.46	22	39.2	0.3
OKWR21-011	272736	701279	134	-60	270	4	48	63	15	0.36	5	12.3	0.3
OKWR21-013	272767	701458	88	-60	240	4	1	62	61	0.62	38	45.0	0.3
OKWR21-014	272731	701453	88	-60	240	4	21	89	68	3.29	224	50.1	0.3
inc							21	24	3	4.74	14	2.2	1.5
inc							47	59	12	10.96	132	8.8	1.5
inc							67	78	11	4.83	53	8.1	1.5
OKWR21-015	272702	701450	89	-60	240	4	30	40	10	1.23	12	7.4	0.3
inc							31	34	3	2.28	7	2.2	1.5
and							52	90	38	2.58	98	28.0	0.3
inc							69	88	19	4.44	84	14.0	1.5
OKWR21-016	272700	701608	101	-60	90	4	1	58	57	2.21	126	4.9	0.3
inc							5	38	33	3.00	99	2.8	1.5
OKWR21-018	272682	701899	147	-60	270	4	62	73	11	0.78	9	9.0	0.3
OKWR21-019	272698	701902	145	-60	270	4	12	37	25	5.01	125	20.4	0.3
inc							14	30	16	7.43	119	13.1	1.5
OKWR21-020	272739	701901	134	-60	270	4	12	60	48	1.36	65	39.2	0.3
inc							44	48	4	4.04	16	3.3	1.5
inc							53	60	7	4.85	34	5.7	1.5
OKWR21-028	272744	701993	134	-60	270	4	5	77	72	0.44	32	58.9	0.3
inc							40	45	5	1.85	9	4.1	1.5
inc							71	75	4	1.68	7	3.3	1.5
OKWR21-034	272559	701548	121	-60	254	4	52	66	14	0.31	4	11.0	0.3
OKWR21-035	272516	701542	121	-60	270	4	3	30	27	0.67	18	22.1	0.3
OKWR21-038	272752	701791	126	-60	90	4	21	52	31	14.92	463	2.6	0.3
inc							31	37	6	74.61	448	0.5	1.5
OKWR21-040	272734	701168	104	-60	240	5	14	38	24	1.10	26		0.3
inc							15	18	3	5.28	16		1.5
OKWR21-041	272700	701162	99	-60	254	5	1	16	15	0.47	7		0.3
and							27	51	24	0.54	13		0.3
and							69	80	11	0.38	4		0.3
OKWR21-042	272656	701143	97	-60	240	5	57	80	23	0.46	10		0.3
OKWR21-043	272644	701138	87	-60	240	5	31	62	31	0.36	11		0.3
OKWR21-044	272613	701116	85	-60	240	5	3	18	15	0.61	9		0.3
OKWR21-045	272729	701118	83	-60	240	5	11	27	16	0.31	5		0.3
and							55	78	23	0.38	9		0.3
OKWR21-049	272566	700627	77	-60	240	6	3	39	36	0.37	13		0.3
OKWR21-050	272640	700628	76	-60	240	6	55	69	14	0.74	10		0.3
inc							64	69	5	1.58	8		1.5
OKWR21-056	272741	702100	136	-60	270	1	10	28	18	3.83	69	14.7	0.3
inc							18	26	8	8.06	64	6.5	1.5
and							42	52	10	0.38	4	8.2	0.3
OKWR21-057	272783	702123	128	-60	270	1	45	56	11	0.41	5	9.0	0.3
OKWR21-058	272715	702192	136	-60	270	1	20	65	45	0.85	38	36.8	0.3
inc							33	37	4	2.43	10	3.3	1.5
OKWR21-059	272754	702198	127	-60	270	1	68	80	12	0.85	10	9.8	0.3
inc							75	78	3	2.49	7	2.5	1.5
OKWR21-072	272778	702336	100	-60	240	1	96	109	13	0.81	11	9.6	0.3
OKWR21-073	272750	702499	78	-60	270	1	1	4	3	3.12	9	2.5	1.5
and							45	62	17	0.78	13	13.9	0.3
inc							58	62	4	2.04	8	3.3	1.5
OKWR21-076	272923	701753	85	-60	270	4	80	83	3	2.73	8	2.5	1.5
OKWR21-081	272641	700949	79	-60	270	6	18	54	36	1.05	38		0.3
inc							31	39	8	3.14	25		1.5

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
OKWR21-082	272683	700810	76	-50	240	6	46	117	71	0.31	22		0.3
OKWR21-083	272632	700639	75	-50	240	6	65	86	21	1.26	26		0.3
OKWR21-086	272672	700578	78	-60	240	6	42	80	38	0.36	14		0.3
OKWR21-087	272697	700584	73	-60	240	6	59	70	11	0.33	4		0.3
OKWR21-092	272675	700346	110	-60	240	6	1	38	37	0.41	15		0.3
OKWR21-093	272707	700361	101	-60	240	6	0	11	11	1.22	13		0.3
inc							0	5	5	2.27	11		1.5
and							40	53	13	0.31	4		0.3
OKWR21-094	272631	700209	120	-60	270	6	1	29	28	0.38	11		0.3
OKWR21-096	272707	700232	100	-60	270	6	25	38	13	1.07	14		0.3
and							56	80	24	0.41	10		0.3
OKWR21-099	272761	701704	108	-60	270	4	3	118	115	3.64	419	94.0	0.3
inc							36	52	16	18.98	304	13.1	1.5
inc							66	76	10	3.75	38	8.2	1.5
inc							105	108	3	3.71	11	2.5	1.5
OKWR21-100	272694	701693	119	-60	360	4	0	100	100	1.24	124	40.5	0.3
inc							14	22	8	3.33	27	3.2	1.5
inc							28	32	4	1.85	7	1.6	1.5
inc							39	42	3	12.37	37	1.2	1.5
OKWR21-101	272711	701789	129	-60	180	4	10	59	49	1.99	98	16.0	0.3
inc							10	13	3	5.32	16	1.0	1.5
inc							37	45	8	7.75	62	2.6	1.5
inc							51	54	3	1.68	5	1.0	1.5
and							73	120	47	2.50	118	15.3	0.3
inc							75	80	5	16.00	80	1.6	1.5
OKWR21-103	272691	702398	105	-60	270	1	78	84	6	3.74	22	4.9	1.5
OKWR21-104	272716	702427	92	-60	270	1	2	36	34	1.13	39	27.8	0.3
inc							19	24	5	6.16	31	4.1	1.5
OKWR22-120	272731	702456	93	-60	270	1	25	53	28	2.26	63	22.9	0.3
inc							48	51	3	18.07	54	2.5	1.5
OKWR22-123	272705	702248	133	-60	270	1	2	19	17	4.97	85	13.9	0.3
inc							2	18	16	5.21	83	13.1	1.5
OKWR22-125	272743	702048	137	-60	270	1	21	77	56	0.66	37	45.8	0.3
OKWR22-127	272718	701944	139	-60	270	4	7	52	45	1.14	51	36.8	0.3
inc							24	31	7	2.26	16	5.7	1.5
inc							43	52	9	2.04	18	7.4	1.5
OKWR22-128	272725	701851	135	-60	270	4	2	75	73	3.52	257	59.7	0.3
inc							14	25	11	7.46	82	9.0	1.5
inc							32	57	25	6.09	152	20.4	1.5
inc							69	74	5	2.30	11	4.1	1.5
OKWR22-129	272697	701847	139	-60	270	4	2	34	32	1.88	60	26.2	0.3
inc							10	17	7	3.24	23	5.7	1.5
inc							23	32	9	3.20	29	7.4	1.5
OKWR22-131	272925	702547	80	-87	1	1	31	41	10	0.31	3	4.3	0.3
OKWR22-134	272729	702355	99	-60	270	1	30	44	14	2.56	36	11.4	0.3
inc							34	38	4	6.49	26	3.3	1.5
OKWR22-136	272708	702353	110	-60	270	1	0	24	24	1.42	34	19.6	0.3
inc							1	5	4	5.91	24	3.3	1.5
OKWR22-137	272722	702162	139	-60	270	1	25	52	27	0.74	20	22.1	0.3
OKWR22-158	272715	702292	115	-57	261	1	2	27	25	1.03	26	20.8	0.3
inc							16	23	7	2.37	17	5.8	1.5
OKWR22-159	272643	702394	120	-56	265	1	17	27	10	1.34	13	8.6	0.3
inc							18	22	4	2.60	10	3.4	1.5
OKWR22-160	272706	701851	137	-56	282	4	11	49	38	5.33	203	31.7	0.3
inc							11	22	11	12.94	142	9.2	1.5
inc							33	45	12	4.37	52	10.0	1.5
OKWR22-162	272750	701850	131	-55	276	4	13	80	67	1.80	121	57.3	0.3
inc							13	18	5	4.69	23	4.3	1.5
inc							36	39	3	2.17	7	2.6	1.5
inc							48	54	6	5.88	35	5.1	1.5
inc							59	62	3	1.51	5	2.6	1.5
inc							66	69	3	1.94	6	2.6	1.5
inc							72	80	8	2.27	18	6.8	1.5
OKWR22-163	272698	701746	124	-55	273	4	2	50	48	1.10	53	41.4	0.3
inc							2	8	6	1.95	12	5.2	1.5
inc							21	25	4	2.99	12	3.4	1.5
inc							45	48	3	3.77	11	2.6	1.5

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
OKWR22-164	272662	701513	81	-60	268	4	3	19	16	2.06	33	13.5	0.3
<i>inc</i>							7	16	9	3.40	31	7.6	1.5
OKWR22-165	272639	701346	130	-59	268	4	32	75	43	0.65	28	34.8	0.3
OKWR22-166	272647	701286	137	-56	274	4	63	77	14	0.57	8	12.1	0.3
OKWR22-167	272607	701220	118	-57	281	5	2	12	10	2.13	21		0.3
<i>inc</i>							4	8	4	3.82	15		1.5
OKWR22-168	272625	701176	99	-56	282	5	2	14	12	0.60	7		0.3
OKWR22-169	272643	701054	80	-58	272	5	36	66	30	0.47	14		0.3
OKWR22-170	272600	701026	90	-57	281	5	2	7	5	2.11	11		1.5
OKWR22-173	272650	701401	105	-59	269	4	0	29	29	0.94	27	23.9	0.3
<i>inc</i>							0	7	7	2.27	16	5.8	1.5
OKWR22-194	272555	701597	138	-58	268	4	51	64	13	0.64	8	10.8	0.3
OKWR22-198	272481	701407	133	-60	270	4	50	60	10	0.34	3	8.2	0.3
OKWR22-201	272558	701171	104	-60	270	5	14	47	33	0.90	30		0.3
<i>inc</i>							14	20	6	4.10	25		1.5
OKWR22-202	272568	701075	103	-60	270	5	56	70	14	0.79	11		0.3
OKWR22-204	272556	700877	112	-60	270	6	24	77	53	0.53	28		0.3
<i>inc</i>							56	60	4	1.79	7		1.5
OKWR22-205	272560	700823	116	-60	270	6	0	37	37	2.99	111		0.3
<i>inc</i>							0	12	12	5.30	64		1.5
<i>inc</i>							18	24	6	3.15	19		1.5
<i>inc</i>							29	33	4	3.88	16		1.5
OKWR22-206	272531	700780	120	-60	270	6	14	43	29	0.87	25		0.3
<i>inc</i>							17	21	4	4.88	20		1.5
OKWR22-209	272529	700723	98	-58	274	6	27	43	16	0.33	5		0.3
<i>and</i>							55	71	16	0.48	8		0.3
OKWR22-210	272584	700711	77	-60	265	6	1	50	49	1.92	94		0.3
<i>inc</i>							3	6	3	1.79	5		1.5
OKWR22-211	272532	700675	85	-60	267	6	9	19	10	0.75	8		0.3
OKWR22-215	272619	700370	120	-59	265	6	60	74	14	0.48	7		0.3
OKWR22-220	272625	699935	75	-62	264	7	45	63	18	0.67	12		0.3
OKWR22-240	272902	697667	155	-58	272	8	8	32	24	0.33	8		0.3
OKWR22-246	272660	702494	93	-61	266	1	29	34	5	4.68	23	4.1	1.5
<i>and</i>							53	71	18	0.59	11	14.8	0.3
OKWR22-250	272516	701070	124	-57	272	5	22	36	14	0.90	13		0.3
<i>inc</i>							22	26	4	2.58	10		1.5
OKWR22-252	272638	701170	98	-60	277	5	23	37	14	0.31	4		0.3
OKWR22-253	272636	701173	98	-58	149	5	19	53	34	0.74	25		0.3
<i>inc</i>							27	32	5	1.58	8		1.5
<i>and</i>							64	102	38	0.57	22		0.3
OKWR22-254	272708	701153	98	-60	152	5	38	55	17	0.36	6		0.3
OKWR22-255	272620	701142	87	-58	276	5	2	18	16	0.53	9		0.3
OKWR22-257	272614	701105	86	-58	152	5	1	22	21	0.98	20		0.3
<i>inc</i>							2	5	3	4.38	13		1.5
OKWR22-269	272467	700579	110	-60	270	6	38	71	33	0.52	17		0.3
<i>inc</i>							47	51	4	2.06	8		1.5
OKWR22-273	272577	699921	89	-60	270	7	66	70	4	2.07	8		1.5
OKWR22-275	272633	699582	119	-60	270	7	7	44	37	1.21	45		0.3
<i>inc</i>							17	20	3	3.45	10		1.5
OKWR22-309	272808	698797	83	-60	270	7	24	35	11	0.80	9		0.3

* Estimated True Thickness ("ETT") based on an average dip / dip direction of -65° / 095° to represent the orientation of the mineralized zone in Block 4. ETT only calculated for Blocks 1 and 4.

** Significant intervals calculated using a 0.3 g/t Au cutoff, 10m minimum length and 10m maximum consecutive internal waste. Included intervals calculated using a 1.5 g/t Au cutoff, 3m minimum length and a 2m maximum consecutive internal waste.