

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
OKWD20-001	272587	700842	107	-60	239	6	0	14.93	14.93	1.19	18		0.3
and							50	92	42	0.85	36		0.3
inc							50	53	3	3.08	9		1.5
inc							57.5	63	5.5	2.11	12		1.5
OKWD20-002	272749	700944	73	-61	66	6	0	13	13	0.59	8		0.3
OKWD20-003	272637	700870	87	-61	236	6	0	31.5	31.5	0.79	25		0.3
and							112	127	15	0.57	9		0.3
OKWD21-004	272741	702341	96	-60	235	1	56	60	4	3.36	13	2.8	1.5
OKWD21-006	272613	700778	98	-51	241	6	0	63	63	0.80	51		0.3
inc							55.5	61	5.5	2.24	12		1.5
OKWD21-010	272715	702328	109	-60	240	1	1.25	33	31.75	1.50	48	23.5	0.3
inc							10	22.3	12.3	2.82	35	9.1	1.5
OKWD21-012	272655	701694	130	-58	95	4	25.5	74.4	48.9	0.95	46	5.4	0.3
inc							25.5	31.5	6	3.06	18	0.7	1.5
inc							63	70.5	7.5	2.00	15	0.8	1.5
OKWD21-013	272694	701694	119	-60	89	4	0	77	77	2.07	160	6.4	0.3
inc							0	8	8	2.12	17	0.7	1.5
inc							13.5	18	4.5	1.51	7	0.4	1.5
inc							21	24	3	2.48	7	0.2	1.5
inc							36	39.5	3.5	18.70	65	0.3	1.5
inc							56.5	59.5	3	3.58	11	0.3	1.5
OKWD21-014	272700	701606	101	-59	88	4	0	76.5	76.5	2.08	159	7.3	0.3
inc							5	9	4	6.20	25	0.4	1.5
inc							13.5	30	16.5	3.30	54	1.7	1.5
inc							33	47	14	3.35	47	1.3	1.5
inc							53	61	8	1.82	15	0.7	1.5
OKWD21-015	272667	701603	106	-59	91	4	0	81	81	1.00	81	8.0	0.3
inc							42	45	3	2.00	6	0.3	1.5
inc							61.5	76	14.5	3.44	50	1.3	1.5
OKWD21-016	272758	701137	82	-59	243	5	15	31.5	16.5	0.80	13		0.3
OKWD21-018	272652	700796	87	-51	243	6	33	70.5	37.5	0.31	12		0.3
and							83	119	36	0.40	14		0.3
OKWD21-019	272709	701399	114	-59	93	4	75	88.5	13.5	0.57	8	1.2	0.3
OKWD21-020	272708	701050	75	-59	61	5	27	39	12	0.58	7		0.3
OKWD21-021	272596	701219	120	-60	248	5	1.5	6	4.5	4.49	20		1.5
OKWD21-023	272581	700520	91	-60	60	6	0	24	24	0.45	11		0.3
OKWD21-024	272598	700528	96	-60	62	6	0	10.5	10.5	0.42	4		0.3
and							63	76.2	13.2	0.57	8		0.3
inc							63	66	3	2.23	7		1.5
OKWD21-026	272642	700434	95	-58	246	6	21	33	12	0.60	7		0.3
OKWD21-029	272712	701614	100	-53	86	4	0	14.5	14.5	6.98	101	2.8	0.3
inc							2	12	10	9.86	99	1.9	1.5
and							25	43.5	18.5	1.87	35	3.4	0.3
inc							26	29.5	3.5	3.10	11	0.7	1.5
inc							39	42	3	3.78	11	0.5	1.5
OKWD21-030	272775	701614	83	-60	244	4	28	34	6	3.99	24	4.5	1.5
and							68	110.5	42.5	1.82	77	32.5	0.3
inc							79.6	83	3.4	3.36	11	2.6	1.5
inc							93	99	6	3.96	24	4.6	1.5
inc							106	110.5	4.5	5.28	24	3.4	1.5
and							121	165	44	0.89	39	33.7	0.3
inc							143.5	148	4.5	2.95	13	3.5	1.5
inc							152.5	157.5	5	2.79	14	3.8	1.5
OKWD21-031	272772	701707	108	-62	272	4	30	135.4	105.4	6.52	687	84.6	0.3
inc							56.75	60	3.25	148.18	482	2.6	1.5
inc							67.5	73.5	6	1.66	10	4.8	1.5
inc							78	82.5	4.5	6.82	31	3.6	1.5
inc							90	109.5	19.5	4.32	84	15.8	1.5
inc							118.5	121.5	3	2.30	7	2.4	1.5
inc							132	135.4	3.4	4.79	16	2.7	1.5
OKWD21-032	272699	701558	87	-59	88	4	0	30	30	1.44	43	3.1	0.3
inc							25.5	30	4.5	5.57	25	0.5	1.5
and							57	96	39	1.93	75	4.3	0.3
inc							81.35	93	11.65	4.82	56	1.3	1.5
OKWD21-033	272657	701545	92	-61	88	4	0	25.5	25.5	1.63	42	1.9	0.3
inc							12	18	6	4.88	29	0.4	1.5
and							70.5	81	10.5	0.92	10	0.7	0.3
inc							93	96	3	4.34	13	0.2	1.5

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
<b>OKWD21-034</b>	272818	701705	103	-61	274	<b>4</b>	<b>87</b>	<b>192</b>	<b>105</b>	<b>2.41</b>	<b>253</b>	<b>85.7</b>	<b>0.3</b>
<i>inc</i>							87	91.5	4.5	1.77	8	3.7	1.5
<i>inc</i>							135.7	145.65	9.95	10.26	102	8.1	1.5
<i>inc</i>							154	176.5	22.5	3.99	90	18.3	1.5
<b>OKWD21-035</b>	272735	701405	112	-59	99	<b>4</b>	<b>0</b>	<b>29.5</b>	<b>29.5</b>	<b>0.34</b>	<b>10</b>	<b>2.9</b>	<b>0.3</b>
<b>OKWD21-036</b>	272682	701389	116	-60	97	<b>4</b>	<b>6</b>	<b>34.3</b>	<b>28.3</b>	<b>0.65</b>	<b>18</b>	<b>2.7</b>	<b>0.3</b>
<b>and</b>							<b>46.5</b>	<b>112</b>	<b>65.5</b>	<b>2.16</b>	<b>141</b>	<b>4.5</b>	<b>0.3</b>
<i>inc</i>							54	62.7	8.7	2.43	21	0.7	1.5
<i>inc</i>							66	85.5	19.5	3.64	71	1.4	1.5
<i>inc</i>							90	99	9	2.82	25	0.6	1.5
<b>OKWD21-038</b>	272799	701457	91	-54	244	<b>4</b>	<b>77.5</b>	<b>164.5</b>	<b>87</b>	<b>7.49</b>	<b>652</b>	<b>69.6</b>	<b>0.3</b>
<i>inc</i>							90	98.5	8.5	66.87	568	6.7	1.5
<i>inc</i>							112	116.5	4.5	8.59	39	3.6	1.5
<b>OKWD21-040</b>	272745	701435	96	-58	3	<b>4</b>	<b>15</b>	<b>22.5</b>	<b>7.5</b>	<b>1.81</b>	<b>14</b>	<b>2.8</b>	<b>1.5</b>
<b>and</b>							<b>48</b>	<b>126.5</b>	<b>78.5</b>	<b>1.38</b>	<b>108</b>	<b>29.3</b>	<b>0.3</b>
<i>inc</i>							72.5	75.5	3	3.96	12	1.1	1.5
<i>inc</i>							80	90	10	5.04	50	3.7	1.5
<i>inc</i>							122	125	3	1.89	6	1.1	1.5
<b>OKWD21-041</b>	272778	701902	128	-60	270	<b>4</b>	<b>27</b>	<b>43.5</b>	<b>16.5</b>	<b>0.46</b>	<b>8</b>	<b>13.4</b>	<b>0.3</b>
<b>and</b>							<b>76.5</b>	<b>117</b>	<b>40.5</b>	<b>2.50</b>	<b>101</b>	<b>31.9</b>	<b>0.3</b>
<i>inc</i>							91.5	100.5	9	4.11	37	7.1	1.5
<i>inc</i>							105	117	12	4.05	49	9.4	1.5
<b>OKWD21-042</b>	272787	701995	129	-59	273	<b>4</b>	<b>12</b>	<b>23.5</b>	<b>11.5</b>	<b>0.46</b>	<b>5</b>	<b>9.5</b>	<b>0.3</b>
<b>and</b>							<b>37.5</b>	<b>66</b>	<b>28.5</b>	<b>0.63</b>	<b>18</b>	<b>23.5</b>	<b>0.3</b>
<b>and</b>							<b>78</b>	<b>114</b>	<b>36</b>	<b>1.10</b>	<b>40</b>	<b>29.2</b>	<b>0.3</b>
<i>inc</i>							96	100	4	4.17	17	3.2	1.5
<b>OKWD21-043</b>	272780	702613	78	-60	271	<b>1</b>	<b>15</b>	<b>36</b>	<b>21</b>	<b>0.43</b>	<b>9</b>	<b>17.3</b>	<b>0.3</b>
<b>and</b>							<b>73.5</b>	<b>104</b>	<b>30.5</b>	<b>0.36</b>	<b>11</b>	<b>25.2</b>	<b>0.3</b>
<b>OKWD21-045</b>	272760	702202	126	-59	273	<b>1</b>	<b>84</b>	<b>102</b>	<b>18</b>	<b>0.60</b>	<b>11</b>	<b>14.2</b>	<b>0.3</b>
<b>OKWD21-046</b>	272826	702112	124	-65	269	<b>1</b>	<b>61.5</b>	<b>90</b>	<b>28.5</b>	<b>1.07</b>	<b>30</b>	<b>21.8</b>	<b>0.3</b>
<i>inc</i>							63	67.5	4.5	2.30	10	3.4	1.5
<b>and</b>							<b>133.5</b>	<b>192</b>	<b>58.5</b>	<b>2.08</b>	<b>122</b>	<b>45.1</b>	<b>0.3</b>
<i>inc</i>							141	144	3	1.67	5	2.3	1.5
<i>inc</i>							147	156	9	2.16	19	6.9	1.5
<i>inc</i>							165	180	15	4.91	74	11.6	1.5
<b>OKWD21-047</b>	272869	701700	87	-59	271	<b>4</b>	<b>134.75</b>	<b>230.5</b>	<b>95.75</b>	<b>1.68</b>	<b>160</b>	<b>80.2</b>	<b>0.3</b>
<i>inc</i>							134.75	139	4.25	3.61	15	3.5	1.5
<i>inc</i>							155.5	158.5	3	2.34	7	2.5	1.5
<i>inc</i>							173.5	176.5	3	2.96	9	2.5	1.5
<i>inc</i>							189.5	203	13.5	3.23	44	11.3	1.5
<i>inc</i>							206	218	12	3.42	41	10.1	1.5
<b>OKWD21-048</b>	272832	701993	123	-59	275	<b>4</b>	<b>7.5</b>	<b>18.6</b>	<b>11.1</b>	<b>0.42</b>	<b>5</b>	<b>9.2</b>	<b>0.3</b>
<b>OKWD21-049</b>	272878	701990	114	-62	274	<b>4</b>	<b>156</b>	<b>162</b>	<b>6</b>	<b>2.90</b>	<b>17</b>	<b>4.7</b>	<b>1.5</b>
<b>OKWD21-050</b>	272833	701910	120	-60	266	<b>4</b>	<b>52.5</b>	<b>70.5</b>	<b>18</b>	<b>2.59</b>	<b>47</b>	<b>14.5</b>	<b>0.3</b>
<b>and</b>							<b>86.2</b>	<b>120.5</b>	<b>34.3</b>	<b>0.56</b>	<b>19</b>	<b>27.5</b>	<b>0.3</b>
<b>and</b>							<b>135.5</b>	<b>176.5</b>	<b>41</b>	<b>1.88</b>	<b>77</b>	<b>33.3</b>	<b>0.3</b>
<i>inc</i>							138.5	141.5	3	4.91	15	2.4	1.5
<i>inc</i>							147.5	163.5	16	3.03	48	13.0	1.5
<b>OKWD21-051</b>	272788	701793	124	-58	273	<b>4</b>	<b>15.6</b>	<b>70.5</b>	<b>54.9</b>	<b>3.76</b>	<b>207</b>	<b>46.0</b>	<b>0.3</b>
<i>inc</i>							33	37	4	1.78	7	3.4	1.5
<b>and</b>							<b>88.5</b>	<b>112.5</b>	<b>24</b>	<b>2.26</b>	<b>54</b>	<b>19.9</b>	<b>0.3</b>
<i>inc</i>							102	112.5	10.5	2.93	31	8.7	1.5
<b>and</b>							<b>130.5</b>	<b>143.5</b>	<b>13</b>	<b>0.31</b>	<b>4</b>	<b>10.7</b>	<b>0.3</b>
<b>OKWD21-053</b>	272888	701794	102	-58	271	<b>4</b>	<b>129</b>	<b>252</b>	<b>123</b>	<b>2.27</b>	<b>279</b>	<b>105.2</b>	<b>0.3</b>
<i>inc</i>							129	132	3	3.87	12	2.5	1.5
<i>inc</i>							152.5	160	7.5	2.28	17	6.3	1.5
<i>inc</i>							164.5	172	7.5	7.01	53	6.4	1.5
<i>inc</i>							176.5	179.6	3.1	8.06	25	2.6	1.5
<i>inc</i>							197.5	202	4.5	4.34	20	3.9	1.5
<i>inc</i>							206.5	212	5.5	4.07	22	4.7	1.5
<i>inc</i>							215	221	6	2.54	15	5.2	1.5
<i>inc</i>							228.5	233	4.5	1.69	8	3.9	1.5
<b>OKWD21-054</b>	272828	701608	86	-61	277	<b>4</b>	<b>82</b>	<b>127.5</b>	<b>45.5</b>	<b>1.15</b>	<b>53</b>	<b>37.1</b>	<b>0.3</b>
<b>and</b>							<b>139.5</b>	<b>204</b>	<b>64.5</b>	<b>2.98</b>	<b>192</b>	<b>53.4</b>	<b>0.3</b>
<i>inc</i>							148.7	167	18.3	5.80	106	15.1	1.5
<i>inc</i>							170	182	12	3.20	38	9.9	1.5
<i>inc</i>							198	204	6	5.68	34	5.0	1.5

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
<b>OKWD21-056</b>	272744	701512	81	-60	270	<b>4</b>	<b>7.5</b>	<b>30</b>	<b>22.5</b>	<b>2.34</b>	<b>53</b>	<b>18.3</b>	<b>0.3</b>
<b>and</b>							<b>42</b>	<b>116.2</b>	<b>74.2</b>	<b>3.07</b>	<b>228</b>	<b>60.6</b>	<b>0.3</b>
<i>inc</i>							43.5	46.5	3	2.07	6	2.4	1.5
<i>inc</i>							49.5	52.5	3	2.01	6	2.4	1.5
<i>inc</i>							55.5	61.5	6	8.85	53	4.9	1.5
<i>inc</i>							92	97.5	5.5	7.99	44	4.5	1.5
<i>inc</i>							101.5	105.5	4	10.22	41	3.3	1.5
<i>inc</i>							108.5	116.2	7.7	4.48	35	6.3	1.5
<b>OKWD21-057</b>	272687	701655	114	-60	277	<b>4</b>	<b>0</b>	<b>24</b>	<b>24</b>	<b>0.44</b>	<b>11</b>	<b>19.6</b>	<b>0.3</b>
<b>OKWD22-044A</b>	272809	702208	114	-60	261	<b>1</b>	<b>122.5</b>	<b>143</b>	<b>20.5</b>	<b>0.36</b>	<b>7</b>	<b>16.7</b>	<b>0.3</b>
<b>OKWD22-052A</b>	272846	701801	112	-62	279	<b>4</b>	<b>82</b>	<b>113.5</b>	<b>31.5</b>	<b>1.53</b>	<b>48</b>	<b>25.4</b>	<b>0.3</b>
<i>inc</i>							91.85	102	10.15	1.92	19	8.2	1.5
<i>inc</i>							107	113.5	6.5	3.52	23	5.3	1.5
<i>inc</i>							129	132	3	2.21	7	2.4	1.5
<b>and</b>							<b>173</b>	<b>213</b>	<b>40</b>	<b>2.91</b>	<b>117</b>	<b>32.6</b>	<b>0.3</b>
<i>inc</i>							173	183	10	9.03	90	8.1	1.5
<i>inc</i>							199	203	4	3.02	12	3.3	1.5
<i>inc</i>							207	211	4	1.60	6	3.3	1.5
<b>OKWD22-058</b>	272730	701406	112	-60	265	<b>4</b>	<b>0</b>	<b>14</b>	<b>14</b>	<b>0.63</b>	<b>9</b>	<b>11.3</b>	<b>0.3</b>
<b>and</b>							<b>36</b>	<b>69.18</b>	<b>33.18</b>	<b>2.11</b>	<b>70</b>	<b>26.7</b>	<b>0.3</b>
<i>inc</i>							36	40.94	4.94	7.13	35	4.0	1.5
<i>inc</i>							45	52.5	7.5	3.45	26	6.0	1.5
<b>OKWD22-059</b>	272799	701516	81	-61	270	<b>4</b>	<b>78</b>	<b>188</b>	<b>110</b>	<b>2.55</b>	<b>281</b>	<b>89.3</b>	<b>0.3</b>
<i>inc</i>							78	81.37	3.37	3.97	13	2.7	1.5
<i>inc</i>							85.88	90	4.12	4.17	17	3.3	1.5
<i>inc</i>							133	152.33	19.33	6.77	131	15.7	1.5
<i>inc</i>							155	173	18	3.84	69	14.7	1.5
<b>OKWD22-060</b>	272847	701460	84	-60	263	<b>4</b>	<b>136</b>	<b>158</b>	<b>22</b>	<b>0.96</b>	<b>21</b>	<b>18.1</b>	<b>0.3</b>
<i>inc</i>							141	145	4	1.98	8	3.3	1.5
<b>and</b>							<b>181</b>	<b>215.5</b>	<b>34.5</b>	<b>1.39</b>	<b>48</b>	<b>29.1</b>	<b>0.3</b>
<i>inc</i>							183.07	187	3.93	5.37	21	3.3	1.5
<i>inc</i>							196	199	3	3.05	9	2.5	1.5
<b>and</b>							<b>231</b>	<b>259</b>	<b>28</b>	<b>0.45</b>	<b>13</b>	<b>23.9</b>	<b>0.3</b>
<b>OKWD22-061</b>	272888	701391	115	-59	267	<b>4</b>	<b>205</b>	<b>234.04</b>	<b>29.04</b>	<b>2.08</b>	<b>60</b>	<b>24.5</b>	<b>0.3</b>
<i>inc</i>							206.77	210.26	3.49	12.26	43	2.9	1.5
<i>inc</i>							218	221	3	2.41	7	2.5	1.5
<i>inc</i>							250	253	3	2.11	6	2.6	1.5
<b>OKWD22-062</b>	272981	701696	80	-61	271	<b>4</b>	<b>247.5</b>	<b>359.8</b>	<b>112.3</b>	<b>1.29</b>	<b>145</b>	<b>93.9</b>	<b>0.3</b>
<i>inc</i>							263	267	4	1.66	7	3.3	1.5
<i>inc</i>							278	285	7	4.25	30	5.8	1.5
<i>inc</i>							302	305	3	3.50	10	2.5	1.5
<i>inc</i>							319	327	8	4.71	38	6.7	1.5
<b>OKWD22-063</b>	272950	701793	85	-61	270	<b>4</b>	<b>187</b>	<b>317.65</b>	<b>130.65</b>	<b>1.96</b>	<b>256</b>	<b>108.1</b>	<b>0.3</b>
<i>inc</i>							197	200.5	3.5	8.13	28	2.8	1.5
<i>inc</i>							216	220.5	4.5	3.60	16	3.7	1.5
<i>inc</i>							237.5	243	5.5	3.12	17	4.5	1.5
<i>inc</i>							263.5	268	4.5	2.57	12	3.7	1.5
<i>inc</i>							279	284.5	5.5	3.66	20	4.6	1.5
<i>inc</i>							287	296	9	3.70	33	7.5	1.5
<i>inc</i>							299	308	9	6.93	62	7.5	1.5
<i>inc</i>							310.5	317.65	7.15	1.99	14	6.0	1.5
<b>OKWD22-064</b>	272787	701657	95	-60	269	<b>4</b>	<b>45</b>	<b>162</b>	<b>117</b>	<b>1.35</b>	<b>158</b>	<b>93.4</b>	<b>0.3</b>
<i>inc</i>							50	54	4	2.44	10	3.2	1.5
<i>inc</i>							80.71	84	3.29	2.05	7	2.6	1.5
<i>inc</i>							92	97	5	4.18	21	4.0	1.5
<i>inc</i>							121	133	12	3.16	38	9.7	1.5
<i>inc</i>							138	141	3	2.22	7	2.4	1.5
<b>OKWD22-065</b>	272762	701704	108	-59	181	<b>4</b>	<b>49.5</b>	<b>99</b>	<b>49.5</b>	<b>1.56</b>	<b>77</b>	<b>16.5</b>	<b>0.3</b>
<i>inc</i>							58	63	5	3.81	19	1.7	1.5
<i>inc</i>							66	73	7	2.30	16	2.3	1.5
<i>inc</i>							76	87	11	2.57	28	3.7	1.5
<b>and</b>							<b>129.5</b>	<b>157</b>	<b>27.5</b>	<b>1.90</b>	<b>52</b>	<b>9.3</b>	<b>0.3</b>
<i>inc</i>							152.4	155.7	3.3	4.14	14	1.1	1.5
<b>and</b>							<b>172</b>	<b>262</b>	<b>90</b>	<b>1.69</b>	<b>152</b>	<b>32.7</b>	<b>0.3</b>
<i>inc</i>							179.4	183	3.6	2.47	9	1.3	1.5
<i>inc</i>							202	221	19	3.88	74	6.8	1.5
<i>inc</i>							231	234	3	2.43	7	1.2	1.5

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
<i>inc</i>							254.1	260	5.9	5.91	35	2.3	1.5
<b>OKWD22-066</b>	272864	701544	82	-60	263	<b>4</b>	<b>122</b>	<b>165</b>	<b>43</b>	<b>1.37</b>	<b>59</b>	<b>34.9</b>	<b>0.3</b>
<i>inc</i>							133	137	4	3.28	13	3.3	1.5
<i>inc</i>							140.55	151	10.45	3.02	32	8.5	1.5
<b>and</b>							<b>180.8</b>	<b>245</b>	<b>64.2</b>	<b>2.41</b>	<b>155</b>	<b>52.9</b>	<b>0.3</b>
<i>inc</i>							200	212.26	12.26	2.24	27	10.1	1.5
<i>inc</i>							218	236	18	4.52	81	14.9	1.5
<i>inc</i>							239.9	244.21	4.31	2.05	9	3.6	1.5
<b>and</b>							<b>257</b>	<b>271</b>	<b>14</b>	<b>0.66</b>	<b>9</b>	<b>11.6</b>	<b>0.3</b>
<b>OKWD22-068</b>	272761	702650	92	-60	184	<b>1</b>	<b>22.5</b>	<b>50</b>	<b>27.5</b>	<b>0.54</b>	<b>15</b>	<b>9.9</b>	<b>0.3</b>
<i>inc</i>							40	44	4	1.63	7	1.4	1.5
<b>and</b>							<b>100</b>	<b>140.68</b>	<b>40.68</b>	<b>1.18</b>	<b>48</b>	<b>14.5</b>	<b>0.3</b>
<b>OKWD22-069</b>	272821	702503	77	-61	271	<b>1</b>	<b>101</b>	<b>115</b>	<b>14</b>	<b>0.43</b>	<b>6</b>	<b>11.4</b>	<b>0.3</b>
<b>OKWD22-070</b>	272764	701703	108	-58	5	<b>4</b>	<b>24</b>	<b>75</b>	<b>51</b>	<b>1.72</b>	<b>88</b>	<b>18.1</b>	<b>0.3</b>
<i>inc</i>							39	43.2	4.2	4.13	17	1.5	1.5
<i>inc</i>							70	75	5	10.35	52	1.8	1.5
<b>OKWD22-072</b>	272770	702297	113	-61	270	<b>1</b>	<b>67</b>	<b>89</b>	<b>22</b>	<b>0.86</b>	<b>19</b>	<b>17.5</b>	<b>0.3</b>
<i>inc</i>							80	83	3	4.88	15	2.4	1.5
<b>OKWD22-073</b>	272833	701652	92	-63	267	<b>4</b>	<b>101.4</b>	<b>214.5</b>	<b>113.1</b>	<b>1.73</b>	<b>196</b>	<b>90.6</b>	<b>0.3</b>
<i>inc</i>							137.7	140.7	3	12.75	38	2.4	1.5
<i>inc</i>							149.2	156.1	6.9	2.41	17	5.5	1.5
<i>inc</i>							159	162.2	3.2	2.54	8	2.6	1.5
<i>inc</i>							165	186	21	3.53	74	16.9	1.5
<b>OKWD22-074</b>	272759	702252	122	-59	271	<b>1</b>	<b>88</b>	<b>93</b>	<b>5</b>	<b>4.32</b>	<b>22</b>	<b>4.1</b>	<b>1.5</b>
<b>OKWD22-075</b>	272737	701653	105	-59	271	<b>4</b>	<b>0</b>	<b>52.5</b>	<b>52.5</b>	<b>2.62</b>	<b>138</b>	<b>43.3</b>	<b>0.3</b>
<i>inc</i>							9.2	16	6.8	10.95	74	5.6	1.5
<i>inc</i>							33	36.5	3.5	10.59	37	2.9	1.5
<b>and</b>							<b>62.7</b>	<b>96.3</b>	<b>33.6</b>	<b>0.69</b>	<b>23</b>	<b>27.8</b>	<b>0.3</b>
<b>OKWD22-076</b>	272694	701612	102	-62	354	<b>4</b>	<b>0</b>	<b>78</b>	<b>78</b>	<b>2.18</b>	<b>170</b>	<b>35.6</b>	<b>0.3</b>
<i>inc</i>							4	12.2	8.2	3.66	30	3.8	1.5
<i>inc</i>							19	26.3	7.3	3.59	26	3.3	1.5
<i>inc</i>							31.5	42.7	11.2	2.90	32	5.1	1.5
<i>inc</i>							47	53.6	6.6	2.28	15	3.0	1.5
<i>inc</i>							56	71	15	2.27	34	6.8	1.5
<i>inc</i>							75	78	3	4.00	12	1.4	1.5
<b>OKWD22-078</b>	272694	701608	101	-60	265	<b>4</b>	<b>0</b>	<b>25.13</b>	<b>25.13</b>	<b>1.04</b>	<b>26</b>	<b>20.5</b>	<b>0.3</b>
<i>inc</i>							6	9	3	3.12	9	2.4	1.5
<b>and</b>							<b>43</b>	<b>57</b>	<b>14</b>	<b>0.99</b>	<b>14</b>	<b>11.4</b>	<b>0.3</b>
<i>inc</i>							52	57	5	1.98	10	4.1	1.5
<b>OKWD22-079</b>	272795	702156	125	-59	263	<b>1</b>	<b>103.5</b>	<b>164.82</b>	<b>61.32</b>	<b>0.71</b>	<b>43</b>	<b>46.9</b>	<b>0.3</b>
<i>inc</i>							120	123	3	1.60	5	2.3	1.5
<i>inc</i>							141	144	3	3.12	9	2.3	1.5
<b>OKWD22-080</b>	272832	701492	82	-61	260	<b>4</b>	<b>116</b>	<b>135.79</b>	<b>19.79</b>	<b>1.06</b>	<b>21</b>	<b>15.8</b>	<b>0.3</b>
<i>inc</i>							116.56	122	5.44	3.24	18	4.3	1.5
<b>and</b>							<b>152</b>	<b>217</b>	<b>65</b>	<b>1.20</b>	<b>78</b>	<b>53.1</b>	<b>0.3</b>
<i>inc</i>							163	172	9	4.28	38	7.3	1.5
<b>OKWD22-082</b>	272788	702107	129	-63	273	<b>1</b>	<b>43.5</b>	<b>70</b>	<b>26.5</b>	<b>0.40</b>	<b>11</b>	<b>20.8</b>	<b>0.3</b>
<b>and</b>							<b>103</b>	<b>133</b>	<b>30</b>	<b>0.61</b>	<b>18</b>	<b>23.6</b>	<b>0.3</b>
<i>inc</i>							120	125	5	1.61	8	3.9	1.5
<b>OKWD22-083</b>	272750	701344	136	-60	270	<b>4</b>	<b>84.59</b>	<b>107</b>	<b>22.41</b>	<b>0.46</b>	<b>10</b>	<b>18.2</b>	<b>0.3</b>
<b>OKWD22-084</b>	272838	702047	121	-63	268	<b>1</b>	<b>23</b>	<b>55</b>	<b>32</b>	<b>0.97</b>	<b>31</b>	<b>25.0</b>	<b>0.3</b>
<b>and</b>							<b>104</b>	<b>114</b>	<b>10</b>	<b>1.65</b>	<b>16</b>	<b>7.4</b>	<b>0.3</b>
<b>and</b>							<b>145</b>	<b>158</b>	<b>13</b>	<b>0.67</b>	<b>9</b>	<b>9.8</b>	<b>0.3</b>
<b>and</b>							<b>168.17</b>	<b>195</b>	<b>26.83</b>	<b>0.39</b>	<b>10</b>	<b>20.4</b>	<b>0.3</b>
<b>OKWD22-085</b>	272753	701344	136	-59	355	<b>4</b>	<b>28.5</b>	<b>55</b>	<b>26.5</b>	<b>1.57</b>	<b>42</b>	<b>11.6</b>	<b>0.3</b>
<i>inc</i>							38.49	41.61	3.12	7.73	24	1.4	1.5
<i>inc</i>							52	55	3	4.07	12	1.3	1.5
<b>and</b>							<b>94</b>	<b>120</b>	<b>26</b>	<b>1.77</b>	<b>46</b>	<b>10.7</b>	<b>0.3</b>
<i>inc</i>							99.48	108	8.52	3.25	28	3.5	1.5
<b>OKWD22-086</b>	272727	701308	136	-58	272	<b>4</b>	<b>37</b>	<b>75</b>	<b>38</b>	<b>0.33</b>	<b>12</b>	<b>31.7</b>	<b>0.3</b>
<b>OKWD22-087</b>	272777	701857	127	-60	274	<b>4</b>	<b>10.16</b>	<b>45.13</b>	<b>34.97</b>	<b>0.40</b>	<b>14</b>	<b>28.7</b>	<b>0.3</b>
<b>and</b>							<b>56</b>	<b>134</b>	<b>78</b>	<b>1.43</b>	<b>111</b>	<b>62.8</b>	<b>0.3</b>
<i>inc</i>							60.92	70.5	9.58	3.09	30	7.8	1.5
<i>inc</i>							108	113	5	1.67	8	4.0	1.5
<i>inc</i>							117	121	4	9.21	37	3.2	1.5
<b>OKWD22-088</b>	272887	702136	108	-61	272	<b>1</b>	<b>122</b>	<b>139</b>	<b>17</b>	<b>1.15</b>	<b>20</b>	<b>14.0</b>	<b>0.3</b>
<i>inc</i>							123.27	128	4.73	1.84	9	3.9	1.5

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
and							150	192	42	0.37	15	34.9	0.3
and							203	240	37	0.51	19	31.2	0.3
<b>OKWD22-089</b>	272785	701944	125	-61	272	4	16.36	59.79	43.43	1.11	48	34.9	0.3
inc							45	49	4	5.98	24	3.2	1.5
and							95	136	41	1.64	67	32.4	0.3
inc							97	102	5	1.72	9	3.9	1.5
inc							122	129	7	5.99	42	5.5	1.5
inc							133	136	3	1.88	6	2.4	1.5
<b>OKWD22-090</b>	272802	701350	132	-62	266	4	104	107	3	1.59	5	2.4	1.5
and							138.11	176	37.89	1.41	53	30.2	0.3
inc							141	148.18	7.18	3.37	24	5.7	1.5
inc							151	155.46	4.46	1.71	8	3.5	1.5
inc							168	171	3	2.12	6	2.4	1.5
<b>OKWD22-091</b>	272826	701941	122	-60	267	4	60.65	114.5	53.85	1.08	58	44.5	0.3
inc							92	95	3	6.53	20	2.5	1.5
and							129	183	54	1.51	81	45.7	0.3
inc							153	163.5	10.5	2.65	28	8.9	1.5
inc							169	174	5	2.50	12	4.3	1.5
<b>OKWD22-092</b>	272754	701745	119	-63	278	4	7.72	24.15	16.43	1.72	28	13.0	0.3
inc							18	21	3	3.37	10	2.4	1.5
inc							41	44.12	3.12	2.98	9	2.5	1.5
and							66	110	44	1.08	48	34.3	0.3
inc							84.5	88	3.5	6.22	22	2.7	1.5
<b>OKWD22-093</b>	272808	701752	111	-61	275	4	66	176	110	2.78	306	88.0	0.3
inc							67.5	70.5	3	1.84	6	2.4	1.5
inc							80	83.2	3.2	11.35	36	2.6	1.5
inc							118.14	126	7.86	3.41	27	6.3	1.5
inc							140.1	146	5.9	7.96	47	4.7	1.5
inc							165	176	11	3.57	39	8.9	1.5
<b>OKWD22-094</b>	272723	701222	115	-62	275	5	24	51.5	27.5	0.51	14		0.3
and							85	96	11	0.33	4		0.3
and							164.5	177	12.5	0.67	8		0.3
<b>OKWD22-095</b>	272799	701845	123	-61	271	4	34.5	95.32	60.82	1.65	100	48.9	0.3
inc							41.5	45.44	3.94	13.28	52	3.2	1.5
inc							88	94	6	5.37	32	4.8	1.5
<b>OKWD22-096</b>	272847	701743	100	-63	277	4	0	22	22	0.50	11	17.2	0.3
and							118	146	28	1.41	39	22.1	0.3
inc							121.4	125	3.6	2.61	9	2.8	1.5
inc							143	146	3	4.46	13	2.4	1.5
and							163.7	221.4	57.7	4.06	234	45.5	0.3
inc							163.7	169.65	5.95	1.76	10	4.7	1.5
inc							174.5	182	7.5	4.69	35	5.9	1.5
inc							195	221.4	26.4	6.62	175	20.8	1.5
<b>OKWD22-097</b>	272663	701222	116	-62	275	5	11.5	29	17.5	0.41	7		0.3
<b>OKWD22-098</b>	272917	701713	81	-61	272	4	174.5	290.5	116	1.06	123	96.1	0.3
inc							249.3	254.4	5.1	3.90	20	4.3	1.5
inc							264	269.9	5.9	2.90	17	4.9	1.5
inc							279	284	5	1.69	8	4.2	1.5
<b>OKWD22-099</b>	272726	701701	113	-62	272	4	3	91	88	1.73	152	70.0	0.3
inc							18.2	32	13.8	6.54	90	11.0	1.5
inc							37.5	43	5.5	4.37	24	4.4	1.5
inc							47	50	3	2.51	8	2.4	1.5
<b>OKWD22-100</b>	272753	701204	105	-60	267	5	69	107.8	38.8	0.47	18		0.3
and							156	172	16	0.84	13		0.3
and							214	226	12	0.38	5		0.3
<b>OKWD22-101</b>	272882	701636	82	-58	267	4	148.6	256	107.4	1.24	133	92.1	0.3
inc							175	179.5	4.5	3.08	14	3.8	1.5
inc							191.1	199.7	8.6	4.35	37	7.4	1.5
inc							208	216	8	1.97	16	6.9	1.5
inc							231.5	234.5	3	2.44	7	2.6	1.5
inc							245.6	250	4.4	2.80	12	3.8	1.5
<b>OKWD22-102</b>	272736	702394	87	-58	271	1	40.5	43.5	3	2.03	6	2.5	1.5
<b>OKWD22-103</b>	272782	701280	127	-59	267	4	105	115	10	0.38	4	8.2	0.3
and							179.77	190.25	10.48	0.33	3	8.7	0.3
<b>OKWD22-104</b>	272874	701590	82	-60	264	4	159	179	20	0.71	14	16.5	0.3
inc							175	179	4	2.00	8	3.3	1.5
and							190.55	260	69.45	1.95	136	58.0	0.3

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
inc							190.55	197	6.45	3.31	21	5.3	1.5
inc							207	213	6	4.04	24	5.0	1.5
inc							225	228.5	3.5	1.65	6	2.9	1.5
inc							234	254	20	3.06	61	16.8	1.5
<b>OKWD22-106</b>	272901	701529	83	-60	267	<b>4</b>	<b>182</b>	<b>203</b>	<b>21</b>	<b>1.27</b>	<b>27</b>	<b>17.5</b>	<b>0.3</b>
inc							182.73	197	14.27	1.71	24	11.9	1.5
<b>and</b>							<b>224</b>	<b>282</b>	<b>58</b>	<b>1.76</b>	<b>102</b>	<b>48.9</b>	<b>0.3</b>
inc							244	254	10	2.18	22	8.4	1.5
inc							256.18	271	14.82	3.09	46	12.5	1.5
<b>OKWD22-107</b>	272864	702257	96	-61	268	<b>1</b>	<b>205.78</b>	<b>232</b>	<b>26.22</b>	<b>0.64</b>	<b>17</b>	<b>21.2</b>	<b>0.3</b>
<b>OKWD22-110</b>	272879	701899	112	-63	274	<b>4</b>	<b>112.6</b>	<b>136.1</b>	<b>23.5</b>	<b>1.50</b>	<b>35</b>	<b>18.2</b>	<b>0.3</b>
<b>and</b>							<b>154</b>	<b>175.15</b>	<b>21.15</b>	<b>0.31</b>	<b>7</b>	<b>16.5</b>	<b>0.3</b>
<b>and</b>							<b>199</b>	<b>226.5</b>	<b>27.5</b>	<b>1.42</b>	<b>39</b>	<b>21.6</b>	<b>0.3</b>
inc							215	226.5	11.5	2.98	34	9.0	1.5
inc							245	249	4	2.87	11	3.2	1.5
<b>OKWD22-112</b>	273103	701800	78	-73	265	<b>4</b>	<b>452.4</b>	<b>586.15</b>	<b>133.75</b>	<b>2.33</b>	<b>312</b>	<b>93.0</b>	<b>0.3</b>
inc							462.2	468	5.8	2.20	13	4.0	1.5
inc							490.5	493.5	3	1.83	5	2.1	1.5
inc							498	502.3	4.3	2.72	12	3.0	1.5
inc							515	522	7	4.01	28	4.9	1.5
inc							526	530	4	2.58	10	2.8	1.5
inc							533	546	13	5.44	71	9.0	1.5
inc							551	576.6	25.6	5.67	145	17.8	1.5
<b>OKWD22-113</b>	272759	702657	92	-61	276	<b>1</b>	<b>49.5</b>	<b>62</b>	<b>12.5</b>	<b>0.38</b>	<b>5</b>	<b>10.0</b>	<b>0.3</b>
<b>and</b>							<b>106</b>	<b>118</b>	<b>12</b>	<b>0.66</b>	<b>8</b>	<b>9.6</b>	<b>0.3</b>
inc							115	118	3	2.24	7	2.4	1.5
<b>OKWD22-114</b>	272811	702297	102	-64	265	<b>1</b>	<b>138.6</b>	<b>152</b>	<b>13.4</b>	<b>1.34</b>	<b>18</b>	<b>10.4</b>	<b>0.3</b>
<b>OKWD22-115</b>	272790	702399	95	-60	264	<b>1</b>	<b>93</b>	<b>121</b>	<b>28</b>	<b>0.31</b>	<b>9</b>	<b>23.1</b>	<b>0.3</b>
<b>OKWD22-116</b>	272868	702497	73	-63	265	<b>1</b>	<b>173.4</b>	<b>196</b>	<b>22.6</b>	<b>0.47</b>	<b>11</b>	<b>18.5</b>	<b>0.3</b>
<b>OKWD22-117</b>	272907	701443	94	-60	271	<b>4</b>	<b>208.2</b>	<b>220.6</b>	<b>12.4</b>	<b>3.70</b>	<b>46</b>	<b>10.2</b>	<b>0.3</b>
inc							216.3	220.6	4.3	10.26	44	3.6	1.5
<b>and</b>							<b>248.9</b>	<b>283.5</b>	<b>34.6</b>	<b>1.58</b>	<b>55</b>	<b>28.7</b>	<b>0.3</b>
inc							248.9	253.75	4.85	6.43	31	4.0	1.5
inc							262	266.3	4.3	2.76	12	3.6	1.5
<b>OKWD22-119</b>	272937	701645	81	-57	268	<b>4</b>	<b>221.8</b>	<b>307.5</b>	<b>85.7</b>	<b>1.67</b>	<b>143</b>	<b>74.6</b>	<b>0.3</b>
inc							245.3	258	12.7	4.02	51	11.0	1.5
inc							265.2	269	3.8	5.21	20	3.3	1.5
<b>OKWD22-120</b>	272752	702153	135	-59	280	<b>1</b>	<b>87</b>	<b>106.5</b>	<b>19.5</b>	<b>2.55</b>	<b>50</b>	<b>15.4</b>	<b>0.3</b>
inc							90.9	96	5.1	8.40	43	4.0	1.5
<b>OKWD22-121</b>	272788	702049	129	-61	260	<b>1</b>	<b>6.2</b>	<b>82</b>	<b>75.8</b>	<b>1.28</b>	<b>97</b>	<b>60.4</b>	<b>0.3</b>
inc							17	22.5	5.5	3.23	18	4.4	1.5
<b>and</b>							<b>93</b>	<b>130</b>	<b>37</b>	<b>1.86</b>	<b>69</b>	<b>29.1</b>	<b>0.3</b>
inc							94	97.5	3.5	2.98	10	2.7	1.5
inc							105.42	115	9.58	2.13	20	7.5	1.5
inc							118.39	124.2	5.81	4.04	23	4.6	1.5
<b>OKWD22-122</b>	272934	701602	80	-62	271	<b>4</b>	<b>213.2</b>	<b>226.1</b>	<b>12.9</b>	<b>0.90</b>	<b>12</b>	<b>10.5</b>	<b>0.3</b>
<b>and</b>							<b>236.2</b>	<b>322.6</b>	<b>86.4</b>	<b>2.28</b>	<b>197</b>	<b>71.3</b>	<b>0.3</b>
inc							264.85	273	8.15	7.00	57	6.7	1.5
inc							277	292	15	3.66	55	12.4	1.5
inc							297	304	7	3.59	25	5.8	1.5
inc							308.2	312	3.8	5.60	21	3.2	1.5
<b>OKWD22-123</b>	272748	701987	133	-61	274	<b>4</b>	<b>48</b>	<b>85.5</b>	<b>37.5</b>	<b>1.53</b>	<b>58</b>	<b>30.1</b>	<b>0.3</b>
inc							48	53.1	5.1	3.53	18	4.1	1.5
inc							79.5	85.5	6	2.17	13	4.8	1.5
<b>OKWD22-124</b>	272886	701499	81	-63	265	<b>4</b>	<b>179.9</b>	<b>271.5</b>	<b>91.6</b>	<b>2.61</b>	<b>239</b>	<b>72.6</b>	<b>0.3</b>
inc							191.9	195.6	3.7	6.26	23	2.9	1.5
inc							222.7	231.45	8.75	4.78	42	6.9	1.5
inc							239	243.5	4.5	3.85	17	3.6	1.5
inc							246	251.5	5.5	13.20	73	4.4	1.5
inc							260	266.5	6.5	8.08	53	5.2	1.5
<b>OKWD22-125</b>	272703	701899	144	-62	270	<b>4</b>	<b>8.7</b>	<b>48</b>	<b>39.3</b>	<b>2.85</b>	<b>112</b>	<b>31.5</b>	<b>0.3</b>
inc							13	17	4	2.50	10	3.2	1.5
inc							20	39.26	19.26	4.70	91	15.4	1.5
<b>OKWD22-126</b>	272744	701900	133	-61	270	<b>4</b>	<b>15</b>	<b>27</b>	<b>12</b>	<b>1.58</b>	<b>19</b>	<b>9.7</b>	<b>0.3</b>
inc							16	20	4	2.76	11	3.2	1.5
<b>and</b>							<b>45</b>	<b>97.5</b>	<b>52.5</b>	<b>1.27</b>	<b>67</b>	<b>41.2</b>	<b>0.3</b>
inc							91	97.5	6.5	5.00	32	5.1	1.5

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
<b>OKWD22-127</b>	272734	701852	134	-60	270	<b>4</b>	<b>15.2</b>	<b>19</b>	<b>3.8</b>	<b>2.37</b>	<b>9</b>	<b>3.1</b>	<b>1.5</b>
<i>and</i>							<b>33</b>	<b>92</b>	<b>59</b>	<b>2.74</b>	<b>162</b>	<b>48.9</b>	<b>0.3</b>
<i>inc</i>							46.5	58.6	12.1	2.56	31	10.0	1.5
<i>inc</i>							62.15	82.5	20.35	5.10	104	16.9	1.5
<i>inc</i>							85.5	92	6.5	1.96	13	5.4	1.5
<b>OKWD22-128</b>	272946	701505	82	-60	269	<b>4</b>	<b>248.6</b>	<b>262.6</b>	<b>14</b>	<b>1.47</b>	<b>21</b>	<b>11.7</b>	<b>0.3</b>
<i>inc</i>							248.6	251.8	3.2	5.58	18	2.7	1.5
<i>and</i>							<b>279.2</b>	<b>328.8</b>	<b>49.6</b>	<b>1.52</b>	<b>75</b>	<b>42.1</b>	<b>0.3</b>
<i>inc</i>							304	310	6	3.95	24	5.1	1.5
<i>inc</i>							317.1	321	3.9	1.99	8	3.3	1.5
<b>OKWD22-129</b>	272930	702451	68	-59	266	<b>1</b>	<b>221.3</b>	<b>259.7</b>	<b>38.4</b>	<b>0.84</b>	<b>32</b>	<b>32.8</b>	<b>0.3</b>
<b>OKWD22-130</b>	272881	701949	113	-61	266	<b>4</b>	<b>114.4</b>	<b>134.5</b>	<b>20.1</b>	<b>2.63</b>	<b>53</b>	<b>15.8</b>	<b>0.3</b>
<i>and</i>							<b>150</b>	<b>181.2</b>	<b>31.2</b>	<b>0.44</b>	<b>14</b>	<b>24.8</b>	<b>0.3</b>
<i>and</i>							<b>195</b>	<b>239</b>	<b>44</b>	<b>0.82</b>	<b>36</b>	<b>35.4</b>	<b>0.3</b>
<i>inc</i>							213	216.3	3.3	2.08	7	2.7	1.5
<i>inc</i>							236	239	3	3.01	9	2.4	1.5
<i>and</i>							<b>250</b>	<b>260</b>	<b>10</b>	<b>0.59</b>	<b>6</b>	<b>8.1</b>	<b>0.3</b>
<b>OKWD22-132</b>	272850	701862	116	-60	266	<b>4</b>	<b>2</b>	<b>13.5</b>	<b>11.5</b>	<b>3.06</b>	<b>35</b>	<b>9.4</b>	<b>0.3</b>
<i>inc</i>							2	9	7	4.45	31	5.7	1.5
<i>and</i>							<b>60</b>	<b>88</b>	<b>28</b>	<b>2.05</b>	<b>57</b>	<b>23.2</b>	<b>0.3</b>
<i>inc</i>							75	81.3	6.3	3.24	20	5.2	1.5
<b>OKWD22-132A</b>	272847	701859	116	-61	270	<b>4</b>	<b>4.5</b>	<b>17.1</b>	<b>12.6</b>	<b>3.32</b>	<b>42</b>	<b>10.1</b>	<b>0.3</b>
<i>inc</i>							6	12	6	6.25	37	4.8	1.5
<i>and</i>							<b>56</b>	<b>67.5</b>	<b>11.5</b>	<b>1.54</b>	<b>18</b>	<b>9.2</b>	<b>0.3</b>
<i>and</i>							<b>80.1</b>	<b>102.4</b>	<b>22.3</b>	<b>1.15</b>	<b>26</b>	<b>17.8</b>	<b>0.3</b>
<i>inc</i>							83.25	89	5.75	3.62	21	4.6	1.5
<i>and</i>							<b>138.9</b>	<b>193.7</b>	<b>54.8</b>	<b>0.89</b>	<b>49</b>	<b>44.7</b>	<b>0.3</b>
<i>and</i>							<b>204.3</b>	<b>214.45</b>	<b>10.15</b>	<b>1.06</b>	<b>11</b>	<b>8.4</b>	<b>0.3</b>
<b>OKWD22-133</b>	272927	702506	71	-58	270	<b>1</b>	<b>215</b>	<b>226</b>	<b>11</b>	<b>0.55</b>	<b>6</b>	<b>9.6</b>	<b>0.3</b>
<b>OKWD22-135</b>	272706	701795	131	-61	275	<b>4</b>	<b>4.5</b>	<b>57</b>	<b>52.5</b>	<b>5.19</b>	<b>272</b>	<b>42.5</b>	<b>0.3</b>
<i>inc</i>							4.5	7.5	3	4.51	14	2.4	1.5
<i>inc</i>							19.5	25	5.5	4.47	25	4.4	1.5
<i>inc</i>							31.5	57	25.5	8.80	225	20.7	1.5
<b>OKWD22-137</b>	272742	701789	126	-62	271	<b>4</b>	<b>13.2</b>	<b>39</b>	<b>25.8</b>	<b>1.68</b>	<b>43</b>	<b>20.6</b>	<b>0.3</b>
<i>inc</i>							13.2	16.5	3.3	3.52	12	2.6	1.5
<i>inc</i>							19.5	22.5	3	3.74	11	2.4	1.5
<i>inc</i>							35	39	4	2.21	9	3.2	1.5
<i>inc</i>							70.8	74	3.2	3.83	12	2.5	1.5
<b>OKWD22-138</b>	272837	701397	104	-59	268	<b>4</b>	<b>131</b>	<b>164.3</b>	<b>33.3</b>	<b>2.15</b>	<b>72</b>	<b>28.3</b>	<b>0.3</b>
<i>inc</i>							143	148	5	3.05	15	4.2	1.5
<i>inc</i>							158	164.3	6.3	3.32	21	5.4	1.5
<b>OKWD22-139</b>	272788	702356	94	-59	272	<b>1</b>	<b>99</b>	<b>112.5</b>	<b>13.5</b>	<b>0.80</b>	<b>11</b>	<b>11.2</b>	<b>0.3</b>
<b>OKWD22-140</b>	272795	701399	105	-60	264	<b>4</b>	<b>77</b>	<b>172.7</b>	<b>95.7</b>	<b>0.66</b>	<b>63</b>	<b>79.1</b>	<b>0.3</b>
<i>inc</i>							112.7	117	4.3	2.59	11	3.5	1.5
<i>inc</i>							146	151.5	5.5	1.74	10	4.6	1.5
<b>OKWD22-141</b>	272940	701895	104	-58	259	<b>4</b>	<b>160.9</b>	<b>184.9</b>	<b>24</b>	<b>1.86</b>	<b>45</b>	<b>20.5</b>	<b>0.3</b>
<i>and</i>							<b>216.3</b>	<b>246.2</b>	<b>29.9</b>	<b>0.58</b>	<b>17</b>	<b>26.5</b>	<b>0.3</b>
<i>and</i>							<b>258</b>	<b>295.5</b>	<b>37.5</b>	<b>0.78</b>	<b>29</b>	<b>33.6</b>	<b>0.3</b>
<i>inc</i>							258	263	5	3.55	18	4.5	1.5
<b>OKWD22-142</b>	272842	702195	110	-61	268	<b>1</b>	<b>121.6</b>	<b>185</b>	<b>63.4</b>	<b>0.45</b>	<b>29</b>	<b>51.7</b>	<b>0.3</b>
<b>OKWD22-143</b>	272789	701496	82	-61	267	<b>4</b>	<b>63.7</b>	<b>182</b>	<b>118.3</b>	<b>1.72</b>	<b>204</b>	<b>96.8</b>	<b>0.3</b>
<i>inc</i>							66.7	71.3	4.6	2.91	13	3.8	1.5
<i>inc</i>							78.25	86	7.75	2.32	18	6.3	1.5
<i>inc</i>							95.5	101.2	5.7	7.65	44	4.7	1.5
<i>inc</i>							117	137.7	20.7	2.96	61	16.9	1.5
<i>inc</i>							143.5	146.5	3	2.15	6	2.5	1.5
<i>inc</i>							161.7	169	7.3	3.32	24	6.0	1.5
<b>OKWD22-144</b>	272708	701497	82	-61	269	<b>4</b>	<b>4.5</b>	<b>24</b>	<b>19.5</b>	<b>5.25</b>	<b>102</b>	<b>15.7</b>	<b>0.3</b>
<i>inc</i>							4.5	12	7.5	13.31	100	6.0	1.5
<i>and</i>							<b>36</b>	<b>87</b>	<b>51</b>	<b>3.54</b>	<b>181</b>	<b>41.0</b>	<b>0.3</b>
<i>inc</i>							36	45	9	2.59	23	7.2	1.5
<i>inc</i>							56.04	63	6.96	7.54	52	5.6	1.5
<i>inc</i>							67.5	85	17.5	5.62	98	14.1	1.5
<b>OKWD22-146</b>	272687	701446	90	-59	268	<b>4</b>	<b>0</b>	<b>15</b>	<b>15</b>	<b>1.07</b>	<b>16</b>	<b>12.4</b>	<b>0.3</b>
<i>inc</i>							1.5	5	3.5	3.62	13	2.9	1.5
<i>and</i>							<b>26.1</b>	<b>47.75</b>	<b>21.65</b>	<b>1.16</b>	<b>25</b>	<b>17.9</b>	<b>0.3</b>
<b>OKWD22-147</b>	272896	701745	92	-65	271	<b>4</b>	<b>0</b>	<b>3</b>	<b>3</b>	<b>1.87</b>	<b>6</b>	<b>2.3</b>	<b>1.5</b>

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
<b>and</b>							<b>155.5</b>	<b>172.35</b>	<b>16.85</b>	<b>0.97</b>	<b>16</b>	<b>13.6</b>	<b>0.3</b>
<b>and</b>							<b>185.9</b>	<b>272.2</b>	<b>86.3</b>	<b>1.75</b>	<b>151</b>	<b>70.6</b>	<b>0.3</b>
<i>inc</i>							204.3	207.3	3	4.82	14	2.4	1.5
<i>inc</i>							230.1	243	12.9	3.99	51	10.6	1.5
<i>inc</i>							245.75	250.5	4.75	2.64	13	3.9	1.5
<i>inc</i>							255.1	271.05	15.95	2.07	33	13.2	1.5
<b>OKWD22-148</b>	272730	701446	92	-60	268	<b>4</b>	<b>22.75</b>	<b>36</b>	<b>13.25</b>	<b>2.37</b>	<b>31</b>	<b>10.7</b>	<b>0.3</b>
<b>and</b>							<b>50.4</b>	<b>109.75</b>	<b>59.35</b>	<b>2.82</b>	<b>167</b>	<b>47.9</b>	<b>0.3</b>
<i>inc</i>							68.25	78.55	10.3	5.98	62	8.3	1.5
<b>OKWD22-149</b>	272831	702156	116	-61	272	<b>1</b>	<b>121</b>	<b>180</b>	<b>59</b>	<b>0.83</b>	<b>49</b>	<b>48.1</b>	<b>0.3</b>
<i>inc</i>							144.5	153.5	9	3.14	28	7.3	1.5
<b>OKWD22-150</b>	272830	701545	81	-59	272	<b>4</b>	<b>88.5</b>	<b>104.1</b>	<b>15.6</b>	<b>2.79</b>	<b>43</b>	<b>12.8</b>	<b>0.3</b>
<i>inc</i>							97	104.1	7.1	5.43	39	5.8	1.5
<b>and</b>							<b>114.5</b>	<b>224</b>	<b>109.5</b>	<b>1.45</b>	<b>159</b>	<b>91.7</b>	<b>0.3</b>
<i>inc</i>							134.05	140.25	6.2	5.91	37	5.2	1.5
<i>inc</i>							154	164	10	2.65	26	8.4	1.5
<i>inc</i>							181	184	3	3.81	11	2.5	1.5
<i>inc</i>							190	193	3	4.16	12	2.5	1.5
<i>inc</i>							196	200.5	4.5	6.94	31	3.8	1.5
<b>OKWD22-151</b>	272932	702091	99	-60	273	<b>1</b>	<b>186.5</b>	<b>229</b>	<b>42.5</b>	<b>0.42</b>	<b>18</b>	<b>36.3</b>	<b>0.3</b>
<b>and</b>							<b>256.1</b>	<b>270</b>	<b>13.9</b>	<b>0.75</b>	<b>10</b>	<b>12.2</b>	<b>0.3</b>
<b>OKWD22-152</b>	272758	701545	81	-60	270	<b>4</b>	<b>16.5</b>	<b>36</b>	<b>19.5</b>	<b>2.35</b>	<b>46</b>	<b>15.9</b>	<b>0.3</b>
<i>inc</i>							17.75	30	12.25	3.53	43	10.0	1.5
<b>and</b>							<b>65.2</b>	<b>136</b>	<b>70.8</b>	<b>2.43</b>	<b>172</b>	<b>57.9</b>	<b>0.3</b>
<i>inc</i>							66.6	73.65	7.05	5.53	39	5.7	1.5
<i>inc</i>							96	102.2	6.2	5.94	37	5.1	1.5
<i>inc</i>							114	120.25	6.25	3.41	21	5.2	1.5
<i>inc</i>							122.8	133	10.2	3.79	39	8.6	1.5
<b>OKWD22-153</b>	272698	701694	119	-61	270	<b>4</b>	<b>0</b>	<b>55.5</b>	<b>55.5</b>	<b>1.39</b>	<b>77</b>	<b>44.7</b>	<b>0.3</b>
<i>inc</i>							0	6	6	2.21	13	4.8	1.5
<i>inc</i>							26.1	31.2	5.1	1.62	8	4.1	1.5
<i>inc</i>							52.5	55.5	3	11.44	34	2.4	1.5
<b>OKWD22-154</b>	272888	702066	110	-59	274	<b>1</b>	<b>107.97</b>	<b>132</b>	<b>24.03</b>	<b>0.97</b>	<b>23</b>	<b>19.9</b>	<b>0.3</b>
<b>and</b>							<b>152.1</b>	<b>176</b>	<b>23.9</b>	<b>0.48</b>	<b>11</b>	<b>20.0</b>	<b>0.3</b>
<b>and</b>							<b>199</b>	<b>233</b>	<b>34</b>	<b>0.40</b>	<b>14</b>	<b>29.0</b>	<b>0.3</b>
<b>OKWD22-155</b>	272918	701789	93	-60	275	<b>4</b>	<b>144.45</b>	<b>159</b>	<b>14.55</b>	<b>2.81</b>	<b>41</b>	<b>11.7</b>	<b>0.3</b>
<b>and</b>							<b>169.4</b>	<b>289.35</b>	<b>119.95</b>	<b>1.75</b>	<b>210</b>	<b>99.2</b>	<b>0.3</b>
<i>inc</i>							237.1	240.2	3.1	4.12	13	2.6	1.5
<i>inc</i>							252.75	257	4.25	3.84	16	3.5	1.5
<i>inc</i>							260	284	24	4.09	98	20.0	1.5
<b>OKWD22-156</b>	272682	701536	84	-60	268	<b>4</b>	<b>24.85</b>	<b>50.9</b>	<b>26.05</b>	<b>1.26</b>	<b>33</b>	<b>21.4</b>	<b>0.3</b>
<b>OKWD22-157</b>	272755	702100	134	-60	271	<b>1</b>	<b>10.25</b>	<b>70.25</b>	<b>60</b>	<b>0.53</b>	<b>32</b>	<b>49.1</b>	<b>0.3</b>
<i>inc</i>							18	22	4	2.11	8	3.3	1.5
<b>and</b>							<b>80.5</b>	<b>95.5</b>	<b>15</b>	<b>0.91</b>	<b>14</b>	<b>12.0</b>	<b>0.3</b>
<i>inc</i>							80.5	83.5	3	2.05	6	2.4	1.5
<b>OKWD22-158</b>	272708	701540	83	-59	271	<b>4</b>	<b>48</b>	<b>78.5</b>	<b>30.5</b>	<b>1.76</b>	<b>54</b>	<b>25.7</b>	<b>0.3</b>
<i>inc</i>							61.35	65.25	3.9	6.82	27	3.3	1.5
<i>inc</i>							71.3	75.75	4.45	1.93	9	3.8	1.5
<b>OKWD22-159</b>	273057	701801	79	-61	266	<b>4</b>	<b>301.15</b>	<b>314</b>	<b>12.85</b>	<b>0.71</b>	<b>9</b>	<b>10.6</b>	<b>0.3</b>
<b>and</b>							<b>348.3</b>	<b>425.5</b>	<b>77.2</b>	<b>1.58</b>	<b>122</b>	<b>64.4</b>	<b>0.3</b>
<i>inc</i>							376.75	380.55	3.8	6.51	25	3.2	1.5
<i>inc</i>							386	390.3	4.3	4.10	18	3.6	1.5
<i>inc</i>							402	413	11	3.39	37	9.2	1.5
<i>inc</i>							417	425.5	8.5	3.42	29	7.2	1.5
<b>OKWD22-160</b>	272941	701921	106	-59	268	<b>4</b>	<b>177.4</b>	<b>195.7</b>	<b>18.3</b>	<b>2.74</b>	<b>50</b>	<b>15.1</b>	<b>0.3</b>
<b>and</b>							<b>208</b>	<b>281</b>	<b>73</b>	<b>0.68</b>	<b>49</b>	<b>60.7</b>	<b>0.3</b>
<i>inc</i>							208	211.45	3.45	2.50	9	2.9	1.5
<i>inc</i>							250.3	253.5	3.2	1.97	6	2.7	1.5
<i>inc</i>							270.5	277	6.5	2.17	14	5.4	1.5
<b>and</b>							<b>296.3</b>	<b>308.6</b>	<b>12.3</b>	<b>1.80</b>	<b>22</b>	<b>10.4</b>	<b>0.3</b>
<i>inc</i>							301.5	306.5	5	4.03	20	4.2	1.5
<b>OKWD22-161</b>	272813	701573	82	-62	254	<b>4</b>	<b>77</b>	<b>206.7</b>	<b>129.7</b>	<b>1.95</b>	<b>253</b>	<b>102.3</b>	<b>0.3</b>
<i>inc</i>							77	81.3	4.3	5.25	23	3.3	1.5
<i>inc</i>							86.4	92.5	6.1	2.42	15	4.7	1.5
<i>inc</i>							105.8	109	3.2	4.12	13	2.5	1.5
<i>inc</i>							149.7	160.8	11.1	7.84	87	8.8	1.5
<i>inc</i>							171	175.9	4.9	3.48	17	3.9	1.5



Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
<i>inc</i>							183	196	13	3.22	42	10.5	1.5
<b>OKWD22-162</b>	272731	701601	91	-60	268	4	0	51	51	3.07	156	41.7	0.3
<i>inc</i>							0	4.2	4.2	7.66	32	3.4	1.5
<i>inc</i>							17.5	35	17.5	4.78	84	14.3	1.5
<b>OKWD22-163</b>	272758	701623	91	-62	273	4	1.3	17.1	15.8	7.48	118	12.6	0.3
<i>inc</i>							12	15	3	37.61	113	2.4	1.5
<b>and</b>							40.15	113	72.85	1.52	111	58.7	0.3
<i>inc</i>							62.8	75.6	12.8	3.24	41	10.3	1.5
<i>inc</i>							94.6	104.5	9.9	2.89	29	8.0	1.5
<i>inc</i>							125	128	3	2.18	7	2.4	1.5
<b>OKWD22-164</b>	273007	702025	81	-60	272	4	278.55	301	22.45	4.58	103	18.8	0.3
<i>inc</i>							284	295	11	8.40	92	9.2	1.5
<i>inc</i>							312.5	315.5	3	7.49	22	2.5	1.5
<b>and</b>							347	358	11	0.80	9	9.3	0.3
<b>OKWD22-165</b>	272964	701955	99	-60	266	4	219	241.6	22.6	0.32	7	19.1	0.3
<b>and</b>							263	300	37	0.58	21	31.6	0.3
<b>OKWD22-166A</b>	272798	702075	129	-65	262	1	23.4	91	67.6	0.74	50	51.3	0.3
<i>inc</i>							47.45	51	3.55	3.06	11	2.7	1.5
<b>OKWD22-166B</b>	272796	702072	129	-64	264	1	11	64.5	53.5	0.62	33	41.4	0.3
<i>inc</i>							55.5	59	3.5	1.76	6	2.7	1.5
<b>and</b>							81.4	149	67.6	1.21	82	51.6	0.3
<i>inc</i>							106.5	109.5	3	1.90	6	2.3	1.5
<i>inc</i>							116.35	121.5	5.15	1.81	9	3.9	1.5
<i>inc</i>							130	134	4	3.62	14	3.1	1.5
<b>OKWD22-167</b>	273040	701962	80	-67	267	4	288.45	304	15.55	2.65	41	12.2	0.3
<i>inc</i>							292.5	299.6	7.1	5.40	38	5.6	1.5
<b>and</b>							323	339	16	0.37	6	12.7	0.3
<b>and</b>							372.6	425	52.4	2.23	117	42.0	0.3
<i>inc</i>							384	399.2	15.2	1.92	29	12.2	1.5
<i>inc</i>							401.4	405	3.6	2.66	10	2.9	1.5
<i>inc</i>							408	414	6	4.85	29	4.8	1.5
<b>OKWD22-168A</b>	272941	701838	101	-64	272	4	176.25	227.35	51.1	2.17	111	42.0	0.3
<b>and</b>							252	279	27	0.92	25	22.8	0.3
<i>inc</i>							266.9	271	4.1	3.52	14	3.5	1.5
<b>and</b>							289.45	311.35	21.9	2.17	48	18.7	0.3
<i>inc</i>							293.8	298.2	4.4	5.61	25	3.8	1.5
<b>OKWD22-169</b>	272862	702026	117	-62	272	4	4.2	9	4.8	5.31	26	3.9	1.5
<b>and</b>							171.6	212.4	40.8	0.48	20	34.1	0.3
<b>OKWD22-170</b>	272860	701973	115	-61	273	4	170	212	42	0.96	40	36.2	0.3
<i>inc</i>							204	208	4	2.35	9	3.5	1.5
<b>and</b>							233.7	246	12.3	0.69	9	10.9	0.3
<b>OKWD22-171</b>	272943	702039	99	-61	272	1	216	229.4	13.4	0.70	9	10.9	0.3
<b>and</b>							241	299.31	58.31	0.90	52	47.6	0.3
<b>OKWD22-172</b>	273046	701875	79	-59	268	4	286.85	324.5	37.65	1.02	39	33.1	0.3
<i>inc</i>							286.85	296.6	9.75	2.54	25	8.6	1.5
<b>and</b>							338	404	66	1.55	102	58.7	0.3
<i>inc</i>							351.2	362	10.8	4.05	44	9.6	1.5
<i>inc</i>							379.4	388	8.6	2.65	23	7.6	1.5
<b>OKWD22-173</b>	272813	701982	125	-60	277	4	18	51	33	0.35	11	26.9	0.3
<b>and</b>							70.5	87	16.5	0.30	5	13.3	0.3
<b>and</b>							127.7	161	33.3	1.05	35	27.3	0.3
<i>inc</i>							144.7	148.8	4.1	3.63	15	3.4	1.5
<i>inc</i>							155	158	3	2.46	7	2.5	1.5
<b>OKWD22-174</b>	272909	702202	92	-61	305	1	208.75	221.45	12.7	1.84	23	10.9	0.3
<b>and</b>							232.35	248.5	16.15	0.72	12	14.2	0.3
<b>OKWD22-175</b>	273045	701875	79	-69	265	4	323	352.6	29.6	0.72	21	21.3	0.3
<b>and</b>							364.7	390.5	25.8	0.83	21	18.7	0.3
<i>inc</i>							364.7	369.4	4.7	3.26	15	3.4	1.5
<b>and</b>							412	476	64	1.59	101	46.6	0.3
<i>inc</i>							426	440	14	3.07	43	10.2	1.5
<i>inc</i>							448	451	3	1.97	6	2.2	1.5
<i>inc</i>							456	464.5	8.5	1.78	15	6.2	1.5
<i>inc</i>							468	471	3	3.00	9	2.2	1.5
<b>OKWD22-176</b>	272985	701719	79	-65	277	4	293	379	86	2.75	237	68.6	0.3
<i>inc</i>							335.1	358	22.9	7.36	169	18.3	1.5
<i>inc</i>							370	379	9	4.01	36	7.2	1.5
<b>OKWD22-177</b>	272964	702202	88	-62	265	1	268.7	272.1	3.4	1.99	7	2.9	1.5

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
<b>and</b>							<b>291.85</b>	<b>307.5</b>	<b>15.65</b>	<b>1.66</b>	<b>26</b>	<b>13.7</b>	<b>0.3</b>
<i>inc</i>							296.2	303.55	7.35	2.94	22	6.4	1.5
<b>OKWD22-178</b>	273091	701720	80	-71	262	<b>4</b>	<b>440</b>	<b>450.6</b>	<b>10.6</b>	<b>3.94</b>	<b>42</b>	<b>7.9</b>	<b>0.3</b>
<b>and</b>							<b>467</b>	<b>547</b>	<b>80</b>	<b>1.49</b>	<b>119</b>	<b>60.1</b>	<b>0.3</b>
<i>inc</i>							489	509	20	4.13	83	15.0	1.5
<b>OKWD22-179</b>	272970	701639	79	-65	266	<b>4</b>	<b>301</b>	<b>379</b>	<b>78</b>	<b>1.32</b>	<b>103</b>	<b>62.2</b>	<b>0.3</b>
<i>inc</i>							328	331	3	4.86	15	2.4	1.5
<i>inc</i>							341.5	344.5	3	10.25	31	2.4	1.5
<i>inc</i>							365.2	377	11.8	2.53	30	9.5	1.5
<b>OKWD22-180</b>	272941	702125	96	-61	284	<b>1</b>	<b>180.5</b>	<b>212.8</b>	<b>32.3</b>	<b>0.62</b>	<b>20</b>	<b>26.9</b>	<b>0.3</b>
<b>and</b>							<b>258.5</b>	<b>292</b>	<b>33.5</b>	<b>0.43</b>	<b>14</b>	<b>28.6</b>	<b>0.3</b>
<b>OKWD22-182</b>	273089	701722	80	-62	268	<b>4</b>	<b>386</b>	<b>430.6</b>	<b>44.6</b>	<b>0.75</b>	<b>33</b>	<b>37.4</b>	<b>0.3</b>
<b>and</b>							<b>441</b>	<b>478</b>	<b>37</b>	<b>4.66</b>	<b>172</b>	<b>31.3</b>	<b>0.3</b>
<i>inc</i>							441	446.3	5.3	7.40	39	4.5	1.5
<i>inc</i>							449	478	29	4.51	131	24.6	1.5
<b>OKWD22-183</b>	272986	701557	83	-68	268	<b>4</b>	<b>300.7</b>	<b>398.2</b>	<b>97.5</b>	<b>1.10</b>	<b>107</b>	<b>76.3</b>	<b>0.3</b>
<i>inc</i>							371.9	375	3.1	3.27	10	2.4	1.5
<b>OKWD22-184</b>	272696	701170	99	-60	270	<b>5</b>	<b>20.35</b>	<b>62.45</b>	<b>42.1</b>	<b>0.36</b>	<b>15</b>		<b>0.3</b>
<b>and</b>							<b>107</b>	<b>122.85</b>	<b>15.85</b>	<b>0.31</b>	<b>5</b>		<b>0.3</b>
<b>and</b>							<b>147</b>	<b>158</b>	<b>11</b>	<b>1.39</b>	<b>15</b>		<b>0.3</b>
<b>OKWD22-185</b>	273006	701818	80	-63	273	<b>4</b>	<b>243.4</b>	<b>316.2</b>	<b>72.8</b>	<b>1.67</b>	<b>121</b>	<b>61.8</b>	<b>0.3</b>
<b>and</b>							<b>328.15</b>	<b>367.6</b>	<b>39.45</b>	<b>11.04</b>	<b>436</b>	<b>34.1</b>	<b>0.3</b>
<i>inc</i>							328.15	345.55	17.4	3.25	57	15.0	1.5
<i>inc</i>							347.6	365.2	17.6	21.32	375	15.2	1.5
<b>OKWD22-186</b>	272645	700921	80	-60	260	<b>6</b>	<b>0</b>	<b>29.15</b>	<b>29.15</b>	<b>1.69</b>	<b>49</b>		<b>0.3</b>
<i>inc</i>							0	5.65	5.65	6.17	35		1.5
<b>and</b>							<b>102</b>	<b>117.5</b>	<b>15.5</b>	<b>0.59</b>	<b>9</b>		<b>0.3</b>
<b>OKWD22-187</b>	273089	701642	89	-65	268	<b>4</b>	<b>418.56</b>	<b>525.82</b>	<b>107.26</b>	<b>2.74</b>	<b>294</b>	<b>87.3</b>	<b>0.3</b>
<i>inc</i>							445.71	450.6	4.89	2.67	13	4.0	1.5
<i>inc</i>							456.84	462.44	5.6	2.11	12	4.5	1.5
<i>inc</i>							465.19	506.16	40.97	5.71	234	33.5	1.5
<b>OKWD22-188</b>	272680	700868	80	-70	270	<b>6</b>	<b>0</b>	<b>11.35</b>	<b>11.35</b>	<b>0.76</b>	<b>9</b>		<b>0.3</b>
<b>and</b>							<b>58.7</b>	<b>101.4</b>	<b>42.7</b>	<b>0.34</b>	<b>14</b>		<b>0.3</b>
<b>and</b>							<b>115.4</b>	<b>127.3</b>	<b>11.9</b>	<b>0.36</b>	<b>4</b>		<b>0.3</b>
<b>OKWD22-189</b>	272985	701475	97	-66	268	<b>4</b>	<b>326.8</b>	<b>337.5</b>	<b>10.7</b>	<b>0.67</b>	<b>7</b>	<b>8.8</b>	<b>0.3</b>
<b>and</b>							<b>361</b>	<b>398.5</b>	<b>37.5</b>	<b>0.92</b>	<b>35</b>	<b>32.6</b>	<b>0.3</b>
<i>inc</i>							363.15	371.4	8.25	2.30	19	7.1	1.5
<b>OKWD22-190</b>	272888	702401	72	-60	269	<b>1</b>	<b>186.55</b>	<b>207.95</b>	<b>21.4</b>	<b>0.30</b>	<b>6</b>	<b>18.2</b>	<b>0.3</b>
<b>OKWD22-191</b>	272714	700778	79	-60	270	<b>6</b>	<b>64</b>	<b>77</b>	<b>13</b>	<b>0.33</b>	<b>4</b>		<b>0.3</b>
<b>and</b>							<b>186</b>	<b>224</b>	<b>38</b>	<b>0.86</b>	<b>33</b>		<b>0.3</b>
<b>OKWD22-192</b>	273089	701641	90	-77	268	<b>4</b>	<b>521.7</b>	<b>532</b>	<b>10.3</b>	<b>0.89</b>	<b>9</b>	<b>6.5</b>	<b>0.3</b>
<b>and</b>							<b>549.8</b>	<b>650.4</b>	<b>100.6</b>	<b>1.43</b>	<b>144</b>	<b>64.5</b>	<b>0.3</b>
<i>inc</i>							563.13	574.2	11.07	2.02	22	7.1	1.5
<i>inc</i>							580.04	586.72	6.68	3.63	24	4.3	1.5
<i>inc</i>							595.41	603.73	8.32	3.27	27	5.3	1.5
<i>inc</i>							607.72	612.93	5.21	4.40	23	3.3	1.5
<b>OKWD22-193</b>	272807	702250	108	-60	270	<b>1</b>	<b>130</b>	<b>146.5</b>	<b>16.5</b>	<b>0.69</b>	<b>11</b>	<b>13.5</b>	<b>0.3</b>
<i>inc</i>							133	137	4	1.92	8	3.3	1.5
<b>OKWD22-194</b>	272977	701400	117	-63	268	<b>4</b>	<b>327.2</b>	<b>363.3</b>	<b>36.1</b>	<b>1.40</b>	<b>50</b>	<b>28.7</b>	<b>0.3</b>
<i>inc</i>							336.3	343.25	6.95	3.15	22	5.5	1.5
<i>inc</i>							353	357	4	1.64	7	3.2	1.5
<b>and</b>							<b>433.2</b>	<b>443.6</b>	<b>10.4</b>	<b>0.35</b>	<b>4</b>	<b>8.3</b>	<b>0.3</b>
<b>OKWD22-195</b>	273105	701795	78	-67	270	<b>4</b>	<b>405.6</b>	<b>437.3</b>	<b>31.7</b>	<b>0.75</b>	<b>24</b>	<b>24.1</b>	<b>0.3</b>
<b>and</b>							<b>457</b>	<b>524.6</b>	<b>67.6</b>	<b>2.83</b>	<b>191</b>	<b>51.7</b>	<b>0.3</b>
<i>inc</i>							475.7	485	9.3	5.23	49	7.1	1.5
<i>inc</i>							489	497	8	3.73	30	6.1	1.5
<i>inc</i>							501.2	509.5	8.3	5.47	45	6.3	1.5
<b>OKWD22-196</b>	272670	700669	69	-55	290	<b>6</b>	<b>94</b>	<b>155.03</b>	<b>61.03</b>	<b>0.93</b>	<b>57</b>		<b>0.3</b>
<b>OKWD22-197</b>	272998	702076	81	-56	270	<b>1</b>	<b>216.3</b>	<b>256</b>	<b>39.7</b>	<b>0.59</b>	<b>24</b>	<b>35.5</b>	<b>0.3</b>
<b>and</b>							<b>286.4</b>	<b>319</b>	<b>32.6</b>	<b>1.14</b>	<b>37</b>	<b>29.9</b>	<b>0.3</b>
<i>inc</i>							299.24	307	7.76	1.55	12	7.1	1.5
<i>inc</i>							313.8	317	3.2	3.37	11	2.9	1.5
<b>OKWD22-198</b>	273124	701971	76	-65	268	<b>4</b>	<b>382.9</b>	<b>394.97</b>	<b>12.07</b>	<b>0.89</b>	<b>11</b>	<b>9.4</b>	<b>0.3</b>
<i>inc</i>							391.65	394.97	3.32	1.81	6	2.6	1.5
<b>and</b>							<b>456</b>	<b>520.67</b>	<b>64.67</b>	<b>1.33</b>	<b>86</b>	<b>51.2</b>	<b>0.3</b>
<i>inc</i>							517	520.67	3.67	3.31	12	2.9	1.5
<b>OKWD22-199</b>	272702	700586	72	-60	290	<b>6</b>	<b>153.35</b>	<b>183</b>	<b>29.65</b>	<b>1.30</b>	<b>38</b>		<b>0.3</b>

Hole ID	Collar Easting	Collar Northing	Collar RL	Collar Dip	Collar Azimuth	Block	From (m)	To (m)	Downhole Interval (m)	Au Grade (g/t)	Grade x Downhole Interval (gm/t)	ETT* (m)	Cutoff (Au g/t)
<i>inc</i>							161	174	13	1.96	26		1.5
<b>OKWD22-200</b>	273277	701962	79	-77	267	<b>4</b>	<b>809</b>	<b>813</b>	<b>4</b>	<b>2.92</b>	<b>12</b>	<b>2.6</b>	<b>1.5</b>
<b>and</b>							<b>828</b>	<b>878.45</b>	<b>50.45</b>	<b>1.08</b>	<b>55</b>	<b>32.5</b>	<b>0.3</b>
<i>inc</i>							828	831.7	3.7	3.81	14	2.4	1.5
<i>inc</i>							872.8	876.2	3.4	3.26	11	2.2	1.5
<b>OKWD22-201</b>	272977	701400	117	-52	270	<b>4</b>	<b>295.2</b>	<b>306.2</b>	<b>11</b>	<b>1.22</b>	<b>13</b>	<b>9.8</b>	<b>0.3</b>
<i>inc</i>							295.2	298.3	3.1	3.04	9	2.8	1.5
<b>OKWD22-202</b>	272651	699905	74	-55	270	<b>7</b>	<b>77.82</b>	<b>88.25</b>	<b>10.43</b>	<b>0.47</b>	<b>5</b>		<b>0.3</b>
<b>OKWD22-203</b>	273304	701798	112	-80	267	<b>4</b>	<b>848.85</b>	<b>865.15</b>	<b>16.3</b>	<b>1.05</b>	<b>17</b>	<b>10.2</b>	<b>0.3</b>
<i>inc</i>							856	860.25	4.25	1.95	8	2.7	1.5
<b>and</b>							<b>890</b>	<b>1011</b>	<b>121</b>	<b>1.32</b>	<b>159</b>	<b>78.5</b>	<b>0.3</b>
<i>inc</i>							916.65	920.8	4.15	1.89	8	2.7	1.5
<i>inc</i>							934	954.6	20.6	3.03	62	13.3	1.5
<i>inc</i>							978	984	6	3.20	19	4.0	1.5
<i>inc</i>							987	990	3	3.41	10	2.0	1.5
<b>OKWD22-204</b>	273125	701971	76	-78	268	<b>4</b>	<b>593.05</b>	<b>646</b>	<b>52.95</b>	<b>0.70</b>	<b>37</b>	<b>34.8</b>	<b>0.3</b>
<b>OKWD22-206</b>	272728	701060	76	-70	270	<b>5</b>	<b>14.9</b>	<b>57.8</b>	<b>42.9</b>	<b>0.39</b>	<b>17</b>		<b>0.3</b>
<b>and</b>							<b>141.5</b>	<b>184</b>	<b>42.5</b>	<b>0.86</b>	<b>37</b>		<b>0.3</b>
<i>inc</i>							161	166.95	5.95	3.38	20		1.5
<b>and</b>							<b>218.45</b>	<b>231</b>	<b>12.55</b>	<b>2.02</b>	<b>25</b>		<b>0.3</b>
<b>OKWD22-207</b>	272645	699745	77	-66	270	<b>7</b>	<b>99.5</b>	<b>114.1</b>	<b>14.6</b>	<b>0.30</b>	<b>4</b>		<b>0.3</b>
<b>OKWD22-208</b>	272614	701070	90	-60	270	<b>5</b>	<b>0</b>	<b>32</b>	<b>32</b>	<b>0.65</b>	<b>21</b>		<b>0.3</b>
<b>OKWD22-210</b>	272700	701065	74	-62	270	<b>5</b>	<b>99.2</b>	<b>128.25</b>	<b>29.05</b>	<b>0.51</b>	<b>15</b>		<b>0.3</b>
<b>OKWD22-212</b>	272965	701959	99	-69	268	<b>4</b>	<b>221</b>	<b>234</b>	<b>13</b>	<b>0.46</b>	<b>6</b>	<b>9.4</b>	<b>0.3</b>
<b>and</b>							<b>244</b>	<b>341</b>	<b>97</b>	<b>0.99</b>	<b>96</b>	<b>71.0</b>	<b>0.3</b>
<i>inc</i>							251	254	3	1.98	6	2.2	1.5
<i>inc</i>							272	275.2	3.2	1.86	6	2.3	1.5
<i>inc</i>							279	282	3	6.73	20	2.2	1.5
<i>inc</i>							300	313	13	3.38	44	9.5	1.5
<b>OKWD22-214</b>	272691	699912	71	-71	270	<b>7</b>	<b>215.3</b>	<b>233.2</b>	<b>17.9</b>	<b>0.49</b>	<b>9</b>		<b>0.3</b>

\* Estimated True Thickness ("ETT") based on an average dip / dip direction of -65° / 095° to represent the orientation of the mineralized zone in Block 4. ETT only calculated for Blocks 1 and 4.

\*\* Significant intervals calculated using a 0.3 g/t Au cutoff, 10m minimum length and 10m maximum consecutive internal waste. Included intervals calculated using a 1.5 g/t Au cutoff, 3m minimum length and a 2m maximum consecutive internal waste.